HANDBOUND
AT THE
UNIVERSITY OF
TORONTO PRESS

Digitized by the Internet Archive
in 2010 with funding from
University of Toronto

http://www.archive.org/details/transactions26path

84 7759

GENERAL INDEX

TO THE

TRANSACTIONS

OF THE

PATHOLOGICAL SOCIETY OF LONDON.

FOR

VOLS. XXVI TO XXXVII.

1875—86.

LONDON:
SMITH, ELDER & CO., 15, WATERLOO PLACE.
1887.

RB
1
Index
v. 26-37

7646
15/11/90
Vol 1; 4-7; 11, 12; 15-40 & 4 Indexes
37 Vols

PREFACE.

The present volume comprises a General Index to the communications made to the Pathological Society of London during the twelve years 1875 to 1886, and contained within Vols. XXVI to XXXVII inclusive. The Council in undertaking this publication venture to remind the members that this is the third General Index that has been issued since the foundation of the Society. The first General Index was published in 1864, on the completion of Vol. XV of the 'Transactions.' The compilation of that Index was undertaken by Mr. Timothy Holmes, the then Surgical Secretary; and the cost of its publication was defrayed by Mr. (now Sir) Prescott Hewett. After the lapse of ten years another General Index was presented to the Society by the late Dr. T. B. Peacock. It contained references to the contents of Vols. XVI to XXV of the 'Transactions,' and was compiled by the late Mr. Wheatley, Resident Librarian to the Royal Medical and Chirurgical Society, upon a plan which Mr. Wheatley thenceforth adopted in the annual index.

The Council, having felt that the time had arrived for the preparation of a third volume of reference to the annually increasing store of literary material that appears in their 'Transactions,' resolved to devote some of the funds of the Society to this object. In selecting the present year (1887) for this publication, the Council have been guided by the consideration that twelve years hence the Society will issue its fiftieth volume, and it is hoped that when that time arrives, a General Index to the whole series of 'Transactions' will be appropriately made. It is also with that object in view that especial care has been taken to make certain improvements in the arrangement and style of the Index, so that the plan now adopted may well be followed in 1899.

The compilation of this Index has been undertaken, at the

request of the Council, by Mr. J. B. Bailey, Librarian of the Royal College of Surgeons, who succeeded Mr. Wheatley at the Royal Medical and Chirurgical Society, and continued to frame the annual index to these 'Transactions.' The Council desire to take this opportunity of acknowledging the care and exactitude with which Mr. Bailey has performed the work entrusted to him.

In general, the plan of the Index is similar to that adopted in 1874, but certain minor changes have been introduced in the printing of the names and headings to facilitate reference to the volumes. The comparatively large size of the Index is owing to the fact that since the year 1879 the system of exhibiting specimens "by card" has been adopted, which has largely increased the number of communications printed in the 'Transactions;' and also to the fact that the period included exceeds by two years that of the last Index. The inclusion of an Index to the illustrations in these volumes is a new feature, which will, it is believed, be of considerable service. The letters (S. R.) affixed to Vol. XXXIII refer to the supplementary reports appended to that volume in completion of cases previously recorded.

LONDON, *November*, 1887.

CONTENTS.

	PAGES
Index to Papers and Card Specimens . .	1—190
Index to Plates	191—201
Index to Woodcuts	202—204

Table of Reference to the dates of the Sessions included in each volume of the 'Transactions':

Vol. I.	1846–47, 1847–48.	Vol. XX.	1868–69.
II.	1848–49, 1849–50.	XXI.	1869–70.
III.	1850–51, 1851–52.	XXII.	1870–71.
IV.	1852–53.	XXIII.	1871–72.
V.	1853–54.	XXIV.	1872–73.
VI.	1854–55.	XXV.	1873–74.
VII.	1855–56.	XXVI.	1874–75.
VIII.	1856–57.	XXVII.	1875–76.
IX.	1857–58.	XXVIII.	1876–77.
X.	1858–59.	XXIX.	1877–78.
XI.	1859–60.	XXX.	1878–79.
XII.	1860–61.	XXXI.	1879–80.
XIII.	1861–62.	XXXII.	1880–81.
XIV.	1862–63.	XXXIII.	1881–82.
XV.	1863–64.	XXXIV.	1882–83.
XVI.	1864–65.	XXXV.	1883–84.
XVII.	1865–66.	XXXVI.	1884–85.
XVIII.	1866–67.	XXXVII.	1885–86.
XIX.	1867–68.		

Vols. I—XV are contained in the Index of 1864; Vols. XVI—XXV, in that of 1875; and Vols. XXVI—XXXVII, in the present Index.

GENERAL INDEX

TO THE

TRANSACTIONS OF THE PATHOLOGICAL SOCIETY OF LONDON,

FOR

VOLS. XXVI—XXXVII, 1875—1886.

ABDOMEN, fatty tumour of, showing fibrous and osseous changes (J. Dreschfeld) . . . . . xxxi, 287

ABDOMINAL ANEURYSM, see *Aneurysm.*

ABDOMINAL AORTA, see *Aorta.*

ABDOMINAL CAVITY, tumour found loose in (F. S. Eve) . xxxi, 311

ABDOMINAL SECTION for multilocular cystic tumour of spleen (J. K. Thornton) . . . . . xxxv, 385

,, — with a view to nephrectomy for abscesses, &c., in the kidneys (C. J. Cullingworth) . . . . xxxvi, 278

ABERCROMBIE (JOHN), three cases of sarcomatous growths invading both kidneys from without . . . . xxxi, 168

,, multiple sarcomata of cranial bones . . . xxxi, 216

,, *report* on ditto by Morbid Growths Committee (M. Beck and R. J. Godlee) . . . . . xxxi, 221

,, cranial bosses . . . . . xxxi, 244

,, case of varicella gangrænosa . . . . xxxi, 333

,, congenital cyst in larynx . . . . xxxii, 33

,, congenital imperfection of septum ventriculorum, with antemortem thrombosis of right ventricle and pulmonary artery . xxxii, 73

,, disease of right shoulder- and right hip-joint in an infant . xxxii, 192

,, extra-renal growth . . . . . xxxii, 205

,, case of scleroderma . . . . . xxxii, 266

,, congenital atresia of right ventricle, ductus arteriosus patent . xxxiv, 78

ABNORMALITY, see *Heart,* malformation of.

,, of bones and muscles near the shoulder-joint (C. B. Lockwood) xxxiv, 227

,, of colon (C. B. Lockwood) . . . . xxxvii, 250

ABSCESS in BACK, intestinal concretion discharged through (John Wilton) . . . . . xxviii, 129

,, of the BRAIN, associated with bronchiectasis (W. Cayley) . xxxv, 12

,, — following three weeks after successful operation for empyema (P. H. Pye-Smith) . . . . xxviii, 4

,, — secondary (F. Taylor) . . . . xxxv, 210

ABSCESS, miliary, of the HEART, and endocarditis in a case of hip-joint disease (N. Moore) . . . . xxxiv, 52
,, acute, in right lumbar region, in a case of thrombosis of vena portæ (S. West) . . . . . xxix, 107
,, of the LIVER, cases of (N. Moore) xxx, 306; (F. Taylor) xxxv, 210
,, — in a child (Norman Moore) . . . . xxxii, 132
,, — aneurysm of hepatic artery in cavity of (J. P. Irvine) . xxix, 128
,, — probably of pyæmic origin, secondary to suppuration of Fallopian tubes, consequent (?) upon gonorrhœa (H. Handford) xxxvii, 267
,, — dysenteric (F. C. Turner) . . . . xxxvi, 229
,, — consequent upon dysentery contracted in England (W. H. Dickinson) . . . . . xxxii, 127
,, — multiple, and acute dysentery (Sir J. Fayrer) . . xxxii, 123
,, — tropical, associated with multiple "pyæmic abscesses;" dysentery (R. E. Carrington) . . . . xxxvi, 224
,, — opened by aspiration, and then by direct incision, death on sixth day (Sir J. Fayrer) . . . . xxxii, 119
,, — two hundred, in a kangaroo (J. B. Sutton) . . xxxiv, 325
,, — in each lobe, secondary ulceration of the colon (F. C. Turner) xxxiii, 177
,, — obsolete, pyæmic, two cases (C. H. Fagge) . . xxvii, 53
,, mediastinal, opening into right LUNG, and communicating with bronchi (R. W. Burnet) . . . . xxxiii, 191
,, of the PANCREAS, two specimens (Norman Moore) . . xxxiii, 186
,, PSOAS, new formation of bone in the walls of a sinus in connection with (A. Q. Silcock) . . . . xxxvii, 564
,, — double, disease of an invertebral substance (J. McCarthy) . xxvii, 225
,, residual, of posterior fossa of base of SKULL (H. A. Lediard) . xxxiii, 282
,, SPINAL, destruction of right kidney, and ulceration into duodenum; lumbar incision; death (J. N. C. Davies-Colley) . xxxvii, 561
,, in left THIGH and CALF, scarlet fever, death (A. Money) . xxxiii, 264
,, in head of TIBIA (A. P. Gould) . . . . xxxiii, 266
,, micrococci from, in a case of acute infective osteomyelitis (C. H. Golding-Bird) . . . . . xxxv, 273

ABSENCE of long bones, see *Radius, Tibia.*

ACETONE in diabetes, test for, see *Diabetes* (Ralfe in discussion on) xxxiv, 329

ACIDS, see *Carbolic, Oxalic, Sulphuric.*

ACLAND (THEODORE D.), on ulceration of the intestines in paraplegia . . . . . xxxvi, 56
,, changes in the thymus gland in a case of hæmophilia and one of purpura . . . . . xxxvi, 491
,, actinomycosis hominis . . . . . xxxvii, 546
,, *report* on Dr. Handford's case of abscess of liver . . xxxvii, 271

ACNE-KELOID (W. Roger Williams) . . . xxxv, 397
,, dermatitis papillomatosa capillitii (W. M. Baker) . . xxxiii, 367

ACROMION, ununited fracture of, with rheumatoid arthritis of shoulder-joint (W. A. Lane) . . . . xxxv, 267
,, — on the left side; two cases of united fracture (W. A. Lane) . xxxv, 269

ACTINOMYCOSIS of the jaws and tongue of oxen (A. Lingard) . xxxvii, 590

ACTINOMYCOSIS HOMINIS, a case of supposed (F. Treves) . xxxv, 356
,, — two cases (S. G. Shattock) . . . . xxxvi, 254
,, — (T. Acland) . . . . . xxxvii, 546

ADAMS (WILLIAM), spontaneous rupture of the œsophagus . xxix, 113
,, *report* of Committee on ditto (W. Cayley and W. S. Greenfield) xxix, 114

ADAMS (WILLIAM), articular extremities of the bones removed in four cases of resection of the hip- and elbow-joints . . xxvi, 154

ADAMS (WILLIAM) (*continued*)—
,, an Achilles tendon which had reunited, with formation of 1½ inch of new tendon, after subcutaneous division four years before death xxxi, 372
,, sequel to a case of syphilitic gummata (in vol. xx of the 'Transactions,' p. 309) . . . . . xxxi, 374
,, *post-mortem* examination of Sir J. Fayrer's case of abscess of the liver . . . . . xxxii, 121

ADDISON'S DISEASE, case of (H. Sainsbury) . . . xxxvi, 445
,, two cases of (J. F. Goodhart) . . . . xxx, 486
,, case of, bronzing of the skin, atrophy of suprarenal capsules (Geo. Eastes) . . . . . xxxiii, 346
,, case of, without bronzing (B. Fenwick) . . . xxxiii, 347
,, *table* of thirty cases (B. Fenwick) . . . xxxiii, 354
,, with peculiar pigmentation (D. J. Leech) . . . xxx, 478
,, microscopical examination of capsule, ganglia, &c., in preceding case (J. Dreschfeld) . . . . . xxx, 484
,, with marked pigmentation of the labia minora (S. Taylor) . xxxvi, 449
,, in an early stage, with hæmorrhage into suprarenal capsules (E. H. Greenhow) . . . . . xxviii, 231
,, symptoms of, in a case of simple atrophy of the suprarenal capsules (J. F. Goodhart) . . . . xxxiii, 340
,, with tubercle of left suprarenal capsule, cerebellum, and pons Varolii (J. F. Goodhart) . . . . xxx, 487
,, dissection of the abdominal sympathetic, from a case of (J. F. Goodhart) . . . . . xxxiv, 271
,, dissection of adrenals, solar plexus and semilunar ganglia, from a case of (S. Coupland) . . . . xxxvi, 452
,, with disease of the sacrum and lumbo-sacral joint, double psoas abscess (J. F. Goodhart) . . . . xxx, 486
,, with (?) lymphadenoma (J. A. P. Price) . . . xxxvi, 454
,, without melasma causing death by syncope, apparently from sea-sickness (W. W. Greene) . . . . xxxiv, 270
,, atrophy of adrenals with (G. Eastes) xxxiii, 346; (S. Coupland) xxxvi, 423; (W. B. Hadden) xxxvi, 436.
,, atrophy (simple) of supra-renal capsules, and gumma of kidney, in a case of (T. Barlow) . . . . xxxvi, 433
,, rupture of œsophagus in a case of (Stanley Boyd) . . xxxiii, 125
,, see *Supra-renal Capsules.*

ADENOID DISEASE of the rectum (cancer), (W. H. Cripps) . xxxii, 87

ADENOID TISSUE, enlarged liver and spleen from overgrowth of, without leuchæmia (P. H. Pye-Smith) . . . xxvi, 199

ADENOMA of CUTANEOUS GLANDS partially calcified (F. S. Eve) . xxxiii, 335
,, of upper JAW (R. Parker) . . . . xxxii, 239
,, HEPATIS, two cases of (F. A. Mahomed) . . . xxviii, 144
,, — (F. T. Paul) . . . . . xxxvi, 238
,, of the PALATE; two cases with exceptional clinical features (J. Hutchinson) . . . . . xxxvii, 490
,, ACINOUS, of right breast (R. Parker) . . . xxxii, 237
,, — of tip of nose (R. Parker) . . . . xxxii, 238
,, CYSTIC, of the ovary (F. S. Eve) . . . . xxxvii, 343
,, SEBACEOUS, of the scalp (S. G. Shattock) . . . xxxiii, 290
,, TRUE, of breast (D'Arcy Power) . . . . xxxvi, 411
,, TUBULAR, of left breast (R. Parker) . . . xxxii, 238
,, — of root and dorsum of tongue, submucous (R. Parker) . xxxii, 238
,, see also *Lymphadenoma.*

ADENO-MYXOMA, hyaline, of breast (R. Parker) . . xxxii, 236

ADENO-SARCOMA of testis, with secondary growth in the viscera, in a case of cardiac malformation (V. Horsley) . . xxxiv, 161
,, congenital, of testis (R. W. Parker) . . . xxxvi, 299
,, — of kidney (F. T. Paul) . . . . xxxvii, 292

ADRENALS, see *Supra-renal Capsules.*

AGE, senile changes in osseous tissue (A. Doran) . . xxvii, 314

AINHUM, cases of (A. Crombie) . . . . xxxii, 302

AIR (A. Cummings), see *Bott* (W. G.).

AIR-PASSAGES, upper, double stenosis of, in a case of malignant tumour of thyroid gland (F. Semon) . . . xxxiii, 38

AITKEN (WILLIAM), per *C. Murchison*, description of specimens of visceral syphilis, sent from the Museum of the Royal Victoria Hospital at Netley to the Society . . . xxviii, 348

ALBUMEN in urine, tests for (C. H. Ralfe) . . . xxxiv, 143

ALBUMINURIA in a case of aneurysm of abdominal aorta (J. P. Irvine) . . . . . xxix, 79
,, in a case of membranous laryngitis from scarlatina (F. C. Turner) . . . . . xxxiii, 36

ALCOHOLIC PARALYSIS, two fatal cases (W. B. Hadden) . xxxvi, 49

ALLCHIN (W. H.), case of acute extensive ulceration of the colon . xxxvi, 199

ALOPECIA AREATA, four cases of, occurring in one family (Geo. Thin) . . . . . xxxiii, 390
,, and tinea tonsurans (W. Tay) . . . . xxvi, 209

AMPUTATION, changes in nerves (W. H. White and W. Edmunds) xxxiv, 16
,, at knee-joint, stump of (J. Poland) . . . xxxvii, 567
,, of portion of thumb with vessel and nerve by a piece of string (W. H. Battle) . . . . . xxxvii, 568
,, spontaneous, shown in hand from old case of anæsthetic leprosy (B. N. Rake) . . . . . xxxvii, 543

AMYLOID liver, stomach, and intestines, in a case of tubercle of the lung (J. F. Goodhart) . . . . xxx, 233
,, viscera in a case of old spinal disease (J. F. Goodhart) . xxix, 78

ANÆMIA, liver from a case of, with hæmorrhage into its substance (N. Moore) . . . . . xxxvi, 233
,, idiopathic (W. H. Dickinson) . . . . xxix, 379

ANASTOMOSIS, see *Aneurysm, Arteries* (coronary).

ANDERSON (A. R.), per *W. J. Walsham*, myxo-sarcoma of the head of the tibia . . . . . xxxi, 309

ANDERSON (JAMES), condition of lymphatics in a case of *Filaria sanguinis hominis* . . . . . xxxiii, 407

ANDERSON (W.), syphilitic disease of the cerebral arteries . xxxii, 55
,, case of long retention of the ivory pegs in Dieffenbach's operation for pseudarthrosis . . . . xxxii, 170

ANEURYSM from embolism, four cases (J. F. Goodhart) . . xxviii, 106
,, in children (N. Moore) . . . . . xxxiv, 71
,, of AORTA (R. E. Carrington) xxxiv, 78; (R. G. Hebb) xxxvi, 290
,, — in a syphilitic subject (F. A. Mahomed) . . xxviii, 344
,, — and mitral stenosis (W. Pasteur) . . . xxxvii, 183
,, — which burst into left auricle, and caused death by asphyxia (R. King) . . . . . xxvi, 37
,, — opening into right auricle (N. Moore) . . . xxxi, 82
,, — opening into left auricle (W. Ewart) . . . xxxi, 96

ANEURYSM of AORTA (*continued*)—
,, — intrapericardial (A. Haig) . . . . xxxvii, 183
,, — bursting into the pericardium, popliteal aneurysm cured four months previously [with abstract of twenty-five cases recorded in the New York 'Pathological Transactions'] (W. W. Wagstaffe) . . . . xxix, 72
,, — minute, from ulceration of aorta, and rupture into pericardium (J. P. Irvine) . . . . xxviii, 68
,, — pressing upon the left recurrent laryngeal nerve and cardiac plexus, and causing bilateral paralysis of the vocal cords (T. T. Whipham) . . . . . xxxiii, 82
,, — rupturing into pulmonary artery (S. West) xxxiv, 64; (R. G. Hebb) xxxv, 134
,, — and destructive changes in left lung from compression of its bronchus (J. P. Irvine) . . . . xxx, 241
,, — destructive pneumonia from compression of bronchus by (J. P. Irvine) . . . . . xxix, 36
,, — opening into the left bronchus (T. B. Peacock) . . xxvi, 16
,, — double, sudden death from rupture into the œsophagus (J. B. Yeo) . . . . . xxvi, 61
,, — opening into the œsophagus (F. C. Turner) . . xxxvi, 150
,, — beneath the pillars of the diaphragm (L. Marshall) . xxviii, 85
,, of the THORACIC AORTA, with perforation in the œsophagus (F. Semon) . . . . . xxviii, 76
,, — double, compression of left bronchus and extensive lung changes; interstitial pneumonia (J. P. Irvine) . . xxviii, 63
,, — in a woman (W. H. White) . . . . xxxv, 133
,, — mummular aortitis leading to (J. F. Goodhart) . . xxvi, 30
,, of the ARCH of the AORTA (S. J. Sharkey) . . . xxxvi, 133
,, — which opened externally (T. B. Peacock) . . xxix, 68
,, — separating the coats of the œsophagus and bursting into the stomach (F. Taylor) . . . . xxvii, 97
,, — with rupture into œsophagus (H. A. Lediard) . . xxviii, 75
,, — with dilatation of aorta below (H. A. Lediard) . . xxviii, 74
,, — rupturing into trachea (H. G. Orlebar) . . . xxxi, 98
,, — of ascending part (T. S. Dowse) . . . xxvi, 42
,, — rupture of sac, hæmorrhage into pericardium (T. S. Dowse) xxvi, 40
,, — of middle part, death from embolism of the aorta, clot detached from the left ventricle (S. West) . . . xxxiv, 62
,, — of first part, communicating with the pulmonary artery (H. Handford) . . . . . xxxvii, 183
,, of the ASCENDING AORTA (F. Robinson) . . . xxvii, 77
,, — compression of left bronchus by (J. P. Irvine) . . xxx, 239
,, — unusually large, which burst externally (H. A. Lediard) . xxx, 284
,, — rupture into pericardium, firm clot enveloping the heart (J. P. Irvine) . . . . . xxviii, 73
,, — extra-pericardial, small orifice, leakage into pericardium (W. Ewart) . . . . . xxxi, 82
,, — communicating with the superior vena cava (F. C. Turner) . xxxvi, 148
,, of the DESCENDING AORTA rupturing into the left lung, dissecting aneurysm and third aneurysm of the thoracic aorta (J. K. Fowler) . . . . . xxxiii, 90
,, — case of three, arising from (H. G. Orlebar) . . xxx, 286
,, of the ABDOMINAL AORTA, rupture and formation of a traumatic aneurysm, albuminuria (J. P. Irvine) . . . xxix, 79
,, — opening into the right pleural cavity (H. Larder) . xxxvii, 185
,, — compressing the ureter and the descending colon (W. H. Dickinson) . . . . . xxvi, 76

ANEURYSM of the ABDOMINAL AORTA (*continued*)—
,, — spontaneous cure of, with embolism of abdominal aorta (J. F. Goodhart) . . . . . xxvi, 74
,, — associated with disease of the aortic valves; death from uræmia (H. A. Lediard) . . . . xxx, 288
,, — and external iliac artery, opening into vena cava (P. H. Pye-Smith) . . . . . xxxi, 85
,, ABDOMINAL and FEMORO-POPLITEAL, in which the superficial femoral artery was tied with an ox-aorta ligature (R. Barwell) . . . . . xxxvii, 187
,, of AORTIC VALVE (N. Moore) . . . . xxxvi, 147
,, — three cases (S. West) . . . . xxxvii, 160
,, — and rupture (H. G. Orlebar) . . . . xxxi, 97
,, — — (S. West, for L. Humphry) . . . xxxii, 77
,, CEREBRAL, associated with endocarditis (W. R. Gowers) . xxvii, 33
,, — of the anterior communicating artery of the brain, rupture, &c. (W. S. Greenfield) . . . . xxvii, 2
,, — of the anterior communicating cerebral artery (J. W. Legg) xxix, 106
,, — of the anterior communicating artery of the circle of Willis (W. M. Ord) . . . . . xxxii, 65
,, — of the left posterior communicating artery (S. West) . xxxii, 66
,, — of the cerebral and brachial arteries (W. S. Greenfield) . xxix, 91
,, — of the middle cerebral artery in a boy of twelve, rupturing into descending cornu of the lateral ventricle (S. West) . xxxii, 69
,, — of the left middle cerebral artery, case of meningeal hæmorrhage due to rupture of (S. J. Sharkey) . . . xxxvii, 3
,, — symmetrical of middle cerebral arteries (W. B. Hadden) . xxxv, 73
,, — from the base of the brain from cases of meningeal hæmorrhage (F. C. Turner) . . . . . xxxv, 71
,, of the CŒLIAC AXIS, caused by diffuse suppuration of the retroperitoneal tissues consequent on concretions in the kidney (J. P. Irvine) . . . . . xxix, 85
,, small, of CORONARY ARTERY in an ulcer of the lower curvature of the stomach (R. D. Powell) . . . . xxix, 133
,, by anastomosis, of the EAR (F. S. Eve) . . . xxxi, 88
,, of COMMON FEMORAL artery at its bifurcation with sac reaching up to spine, probably due to embolism, ligature of external iliac, embolic patches in spleen and kidneys (T. Bryant) . xxviii, 98
,, FEMORO-POPLITEAL, see *Aneurysm, abdominal.*
,, of the HEART (Stanley Boyd) . . . . xxxvii, 151
,, — four cases (Percy Kidd) . . . . xxxvi, 127
,, — many of the cases exhibiting the effects of erosion (S. West) xxxvii, 154
,, — remarkable (R. Southey) . . . . xxvi, 43
,, — intra-cardiac, at the root of the aorta, opening into right auricle (W. Ewart) . . . . . xxxi, 95
,, — of the left ventricle (J. W. Legg) xxix, 54; (A. Haig) xxxvii, 147.
,, — of apex of left ventricle, and of arch of aorta (S. J. Sharkey) xxxvi, 133
,, — at base of left ventricle (T. Barlow) . . . xxvi, 65
,, — of the right auricle (J. W. Legg) . . . xxix, 57
,, — of aortic valve (N. Moore) . . . . xxxvi, 147
,, — — three cases (S. West) . . . . xxxvii, 160
,, — and rupture of aortic valve (H. G. Orlebar) . . xxxi, 97
,, — of the mitral valve, two cases (J. W. Legg) . . xxvi, 47
Case 1, acute rheumatism, endocarditis, multiple infarcts . xxvi, 48
Case 2, hæmoptoic infarcts, vein of right arm filled with a clot . . . . . xxvi, 51
,, — — (J. W. Legg) xxvii, 108; (N. Moore) xxxi, 96.

ANEURYSM of the HEART (*continued*)—
,, — of the mitral valve in a case of ulcerative endocarditis (S. Coupland) . . . . . xxvii, 73
,, — of the septum of the heart, phthisis, general atheroma, &c. (J. W. Legg) . . . . . xxvii, 104
,, — septal, in defective muscular development of cardiac ventricular septum (J. P. Irvine) . . . . xxix, 47
,, — of the undefended space (F. Taylor) . . . xxxvii, 152
,, — of pouch of Valsalva rupturing into right ventricle (S. West) xxxvii, 160
,, of HEPATIC ARTERY in the cavity of an abscess of the liver; perforation of stomach and rupture of aneurysm into it (J. P. Irvine) . . . . . xxix, 128
,, of the left INTERNAL ILIAC artery and thrombosis of vena cava inferior and both iliac veins (J. W. Legg) . . xxvii, 104
,, of the ARTERIA INNOMINATA and of the aorta, the latter opening into the trachea (T. B. Peacock) . . . xxvii, 130
,, of SUPERIOR MESENTERIC artery, compressing both renal arteries, death from renal coma (J. B. Yeo) . . . xxviii, 94
,, POPLITEAL, five months after cure by compression (J. W. Hulke) . . . . . xxvi, 39
,, — femoral arteries ligatured with catgut for (R. J. Godlee) . xxxiii, 94
,, — cured four months previously to an aortic aneurysm bursting into the pericardium (W. W. Wagstaffe) . . . xxix, 72
,, — in calf of leg at bifurcation of popliteal into anterior and posterior tibials, probably due to embolism (T. Bryant) . xxviii, 103
,, of PROFUNDA artery; ligature of external iliac (C. H. Golding-Bird) . . . . . xxxvii, 186
,, of the PULMONARY artery (S. West) . . . xxxii, 67
,, — unusual cases (P. Kidd) . . . . xxxv, 98
,, — of large size, with profuse recurrent hæmoptysis; with remarks upon pulmonary aneurysms in general (S. West) . xxxv, 93
,, — death from rupture of, in a case of excavation of one lung (S. West) . . . . . xxxi, 50
,, — of branch of, in a cavity in the lung of a child (C. H. Fagge) xxviii, 35
,, — — death from hæmorrhage (S. West) . . . xxix, 41
,, — of the base of (T. S. Dowse) . . . . xxvi, 28
,, of the SPLENIC artery (F. C. Turner) . . . xxxvi, 151
,, — in the floor of a gastric ulcer; death from hæmatemesis (S. West) . . . . . xxxvi, 193
,, — projecting into stomach, acute gastric ulceration, and fatal hæmorrhage (R. E. Carrington) . . . xxxvi, 135
,, SUBCLAVIAN, cured (Sydney Jones) . . . xxx, 292
,, DIFFUSE, of the abdominal aorta (S. Coupland) xxvi, 18; (A. Q. Silcock) xxxiv, 68
,, DISSECTING, of the first part of the arch of the aorta (S. West) xxxiv, 65
,, — rupture of the aorta; perforation of the pericardium (F. C. Turner) . . . . . xxxvi, 152
,, — with obliteration of the aorta (J. W. Legg) . . xxix, 65
,, MILIARY, on a branch of the anterior cerebral artery in apoplexy (T. Barlow) . . . . . xxix, 8
,, — arteries of the brain from two cases of (F. C. Turner) . xxxv, 65
,, SACCULATED, projecting from the arch of the aorta, disorganisation of left recurrent nerve, partial atrophy of muscles of larynx, &c. (R. D. Powell) . . . . xxxiii, 85
,, — of the arch of the aorta (R. W. Burnet) . . xxxv, 132
,, TRAUMATIC, formation of, in rupture of aneurysm of abdominal aorta (J. P. Irvine) . . . . . xxix, 79
,, — of a branch of the renal artery (F. C. Turner) . , xxxvi, 277

ANEURYSMAL DILATATION and rupture of aortic valve (S. West, for L. Humphry) . . . . xxxii, 77
,, of the radial artery, with suppurative arteritis (C. J. Symonds) xxxv, 146
ANEURYSMAL POUCH, small, arising from left subclavian artery, consolidated by laminar clots (R. D. Powell) . . xxxiii, 85
ANGEIOMA, calcified, of brain (W. B. Lewis) . . xxxv, 30
ANGIO-SARCOMA of left choroid plexus (H. Ashby) . . xxxvii, 56
ANIMALS, LOWER, diseases, &c., of, xxvi, 249-54; xxvii, 339–40; xxviii, 452–56; xxxi, 385–88; xxxii, 311–12; xxxiii, 426–35; xxxiv, 308–27; xxxv, 468–88; xxxvi, 499–553; xxxvii, 572-92.
,, — see also *Bone Disease.*
,, — diseases of vascular mechanism in (J. B. Sutton) . . xxxvii, 572
,, — perforating ulcer of foot in (J. B. Sutton) . . xxxvii, 588
,, — observations on injuries and diseases of the joints in (J. B. Sutton) . . . . . xxxvii, 580
ANIMALS, WILD, bone disease in (J. B. Sutton) . . xxxv, 472
ANKLE, old partial dislocation of, backwards (H. A. Lediard) . xxxiii, 281
ANKYLOSIS of second and third cervical vertebræ (J. Hutchinson, jun.) . . . . . xxxv, 298
ANOPHTHALMOS, one-sided, in an infant, living specimen (R. J. Godlee) . . . . . xxxiv, 230
ANTELOPE, secondary localised emphysema from minute emboli in (H. Gibbes) . . . . . xxxv, 482
,, Beatrix, Nematode worms in the lungs of a (H. Gibbes) . xxxv, 483
,, bovine tuberculosis in *Antilope picta* (C. Creighton) . . xxxiii, 428
ANTHRACOID affection of intestine, stomach, and lung (F. A. Mahomed) . . . . . xxxiv, 294
ANTHRAX of face (J. N. Davies-Colley) . . . xxxiv, 291
,, internal (J. Poland) . . . . . xxxvii, 550
,, malignant, case of (T. Bryant) . . . . xxxiv, 293
,, *post-mortem* of ditto, with anthracoid affection of intestine, stomach, and lung (F. A. Mahomed) . . . xxxiv, 294
ANTISEPTIC DRESSINGS, on the relation of organisms to (W. W. Cheyne) . . . . . xxx, 557
ANTRUM, fleshy polypus involving (W. S. Watson) . . xxix, 223
ANUBIS BABOON, cancer of pituitary body in the (J. F. Goodhart) xxxvi, 36
ANUS, colloid cancer of (R. W. Lyell) . . . xxix, 220
,, imperforate (E. Crisp) . . . . . xxix, 115
,, — see also *Littre's Operation.*
AORTA, aneurysm of, see *Aneurysm.*
,, from fatal case of relapse of enteric fever (J. J. Pringle) . xxxvi, 196
,, atheromatous (F. C. Turner) . . . . xxxv, 108
,, calcareous degeneration of the (R. W. Burnet) . . xxxii, 78
,, co-arctation of the (W. Hale White) . . . xxxvi, 178
,, — below the left subclavian (J. F. Goodhart) . . xxvi, 68
,, deformity of, produced by caries of spine (A. E. Barker) . xxxi, 246
,, endarteritis deformans at commencement of (W. S. Greenfield) xxvi, 55
,, dilatation of, below aneurysm of the arch of aorta (H. A. Lediard) xxviii, 74
,, disease of, with malformation of pulmonary artery (J. B. Yeo) . xxvii, 138
,, distortion of, from spinal curvature, with dilatation of the heart, &c. (J. F. Goodhart) . . . . xxix, 78
,, embolism of, clot detached from left ventricle, death (S. West) . xxxiv, 62
,, — of abdominal, in a case of spontaneous cure of abdominal aneurysm (J. F. Goodhart) . . . . xxvi, 74
,, — of abdominal, two cases of probable (J. A. P. Price) . xxxvii, 199

AORTA (*continued*)—
„ chronic endocarditis with similar changes in the (N. Moore) . xxxvii, 169
„ hypertrophy and dilatation of the heart (J. F. Goodhart) . xxvi, 71
„ laceration of (W. Hale White) . . . . xxxvi, 158
„ obliteration of, dissecting aneurysm, two semilunar aortic valves (J. W. Legg) . . . . . xxix, 65
„ perforation of the (F. C. Turner) . . . xxxvi, 156
„ rupture of (F. T. Paul) xxxvii, 173; (F. C. Turner) xxxvi, 152
„ — dilated (J. W. Hulke) . . . . xxvi, 39
„ — within the pericardium (N. Moore) . . . xxx, 283
„ fibrous thickening and ulceration of the aortic valve; aneurysmal pouching and perforating ulceration of the (F. C. Turner) . xxxvi, 141
„ ulceration of, from friction of growths on segments of aortic valve (J. P. Irvine) . . . . . xxviii, 68
„ ulcerative aortic valvulitis, with circumscribed ulcerative endocarditis and atheroma of the (F. C. Turner) . . xxxvi, 143
„ arising from both ventricles (T. B. Peacock) . . xxxii, 35
„ — partly from right side of heart (T. B. Peacock) . . xxvii, 131
„ case of origin of the, from the infundibulum (H. H. Tooth) . xxxv, 127
„ transposition of, and pulmonary artery (H. Ashby) . . xxxiii, 49
„ — in a case of malformation of the heart (D. B. Lees) . xxxi, 58
„ superior, from supernumerary ventricle, and descending aorta formed by pulmonary artery, &c. (S. Mackenzie) . . xxxi, 66
„ communication with both ventricles in a case of malformation of the heart (T. B. Peacock and T. Barlow) . . xxxi, 91

AORTIC ARCH, right (C. B. Lockwood) . . . xxxv, 132
„ double, enclosing trachea and œsophagus (J. Curnow) . xxvi, 33
„ rupture of, from injury (J. McCarthy) . . . xxxii, 54
„ aneurysm of, see *Aneurysm.*

AORTIC ORIFICE, complete occlusion of, by a fibrinous and calcareous mass (H. R. Crocker) . . . . xxxi, 93
„ atresia of, in an infant (S. G. Shattock) . . . xxxii, 38
„ extreme stenosis of, by calcareous atheroma of the valves (J. Owen) . . . . . xxxiii, 72

AORTIC VALVES, abnormal (W. A. Berridge) . . . xxxiv, 76
„ aneurysm of, see *Aneurysm.*
„ constriction of (S. J. Sharkey) . . . . xxxvii, 170
„ fibrous and calcareous degeneration with stenosis of the (F. C. Turner) . . . . . xxxvi, 144
„ disease of tricuspid, mitral, and (A. P. Gould) . . xxviii, 50
„ — in a case of aneurysm of common femoral artery (T. Bryant) . . . . . xxviii, 98
„ — probably originating in malformation (T. B. Peacock) . xxvii, 59
„ — originating in congenital defect (T. B. Peacock) . . xxx, 277
„ — in a case of aneurysm of the abdominal aorta, death from uræmia (H. A. Lediard) . . . . xxx, 288
„ — in a case of mitral and tricuspid stenosis (R. E. Carrington) xxxii, 75
„ — extensive, in an infant (W. Cayley) . . . xxvi, 33
„ displacement of, by a septal aneurysm (J. P. Irvine) . . xxix, 47
„ friction of growths on segments of, causing ulceration of aorta (J. P. Irvine) . . . . . xxviii, 68
„ incompetency of, from a strain, endocarditis, and formation of polypoid in left ventricle, &c. (E. H. Greenhow) . . xxxi, 73
„ congenital malformation of, consisting in the existence of two segments only (W. S. Greenfield) . . . xxvii, 110
„ perforation of one (H. R. Crocker) . . . xxxi, 93
„ rupture of (J. B. Yeo) xxix, 62; (H. G. Orlebar) xxxi, 97

AORTIC VALVES (*continued*)—
,, stenosis of (J. P. Irvine) . . . . xxxi, 79
,, two semilunar (J. W. Legg) . . . . xxix, 65
,, thickened (R. E. Carrington) . . . . xxxvi, 135
,, vegetations on and perforation of, in ulcerative endocarditis (S. Coupland) . . . . . xxvii, 73
,, recent vegetations on (F. C. Turner) . . . xxxiv, 36
AORTIC VALVULITIS, embolism of left coronary and both middle cerebral arteries (R. G. Hebb) . . . . xxxvi, 140
AORTITIS, two cases of (R. G. Hebb) . . . xxxvi, 151
,, nummular, leading to aneurysm of thoracic aorta, &c. (J. F. Goodhart) . . . . . xxvi, 30
,, ulcerative; mycotic and septicæmic (F. C. Turner) . . xxxvii, 174
,, syphilitic (F. C. Turner) . . . . xxxvi, 156
APOPLEXY, miliary aneurysms on a branch of the anterior cerebral artery in a case of (T. Barlow) . . . . xxix, 8
,, pulmonary (G. N. Pitt) . . . . xxxvi, 265
APPENDIX, AURICULAR, ante-mortem coagula in left, in stenosis of mitral valve (J. F. Goodhart). . . . xxvii, 100
APPENDIX VERMIFORMIS, case of communication of, with the rectum (J. McCarthy) . . . . xxvii, 161
,, ulceration of, in typhoid fever (N. Moore) . . . xxxiv, 113
,, concretion from, discharged through abscess in the back (John Wilton) . . . . . xxviii, 129
,, perforation of, by a calculus; acute peritonitis (S. J. Sharkey) . xxxvii, 243
AREA CELSI (porrigo decalvans), case of, examined after death (D. Duckworth and V. D. Harris) . . . xxxiii, 386
AREOLA and **NIPPLE**, connection between disease of, and tumours of the breast (G. Thin) . . . . xxxii, 218
ARLT on the connection of fits and lamellar cataract (notice) . xxvi, 237
ARMS, arrested development and growth of (S. G. Shattock) . xxxii, 276
,, truncated, bearing at the ends fœtal hands voluntarily mobile, two cases (R. Barwell) . . . . xxxii, 280
,, malformation of (A. Sturge) . . . . xxxi, 208
,, cartilaginous tumour of (W. H. Cripps) . . . xxxi, 287
,, malignant tumour of forearm (C. B. Lockwood) . . xxxvi, 408
,, congenital hypertrophy of forearm (F. S. Eve) . . xxxiv, 300
,, multiple neuroma of forearm (C. De Morgan) . . xxvi, 2
ARNOTT (HENRY), parts from a case of colloid cancer of the rectum nearly two years after colotomy . . . . xxvi, 120
,, *report* on Mr. Hutchinson's tumour of the femur . . xxvii, 268
,, — on Dr. Crisp's specimen of colloid cancer of omentum . xxvi, 125
,, — on Mr. Wood's specimen of tumour of the scapula . xxvi, 172
,, — on Mr. Barwell's specimen of tumour of the wrist . xxvi, 189
,, — on Mr. Wood's tumour from the zygomatic fossa . . xxvi, 192
,, see *Curran*.
ARTERIES, changes in, in connection with the small red granular kidney (G. Johnson) . . . . . xxviii, 381
,, general degeneration of, in a case of gastric ulcer (N. Moore) . xxxiv, 94
,, note on calcareous degeneration of (F. T. Paul) . . xxxvii, 216
,, a determining cause of inflammatory disease of (A. E. J. Barker) xxviii, 86
,, high tension of, in a case of mitral disease (W. R. Gowers) . xxviii, 51
,, see *Fibrosis* (arterio-capillary), *Aneurysms*.
,, AXILLARY, ruptured, with formation of true bone callus at the site of rupture (H. G. Howse) . . . . xxviii, 90
,, BRACHIAL, HEPATIC, and MESENTERIC, blood-clots in (H. T. Butlin) . . . . . xxxi, 76

ARTERIES (*continued*)—
,, LEFT CAROTID, partial closure of, by endarteritis (H. Handford) xxxvii, 5
,, INTERNAL CAROTID, thrombosis of, hemiplegia, death (T. S. Dowse) . . . . . xxvii, 67
,, CEREBRAL, morbid conditions of [obstruction by atheroma] (C. H. Jones) . . . . . xxxiv, 55
,, — from cases of cerebral hæmorrhage (F. C. Turner) . xxxiii, 96
,, — from two cases of cerebral hæmorrhage, miliary aneurysms, &c. (F. C. Turner) . . . . . xxxv, 65
,, — disease of, in a case of congenital syphilis (T. Barlow) . xxviii, 291
,, — syphilitic disease of (W. S. Greenfield) xxviii, 272; (W. R. Gowers) xxviii, 286; (A. Davidson) xxviii, 300; (W. Anderson) xxxii, 55.
,, — — leading to thrombosis and softening of the brain (T. Buzzard) . . . . . xxviii, 295
,, — congenital malformation of, in a case of ramifying cyst in the brain (Wm. Ewart) . . . . xxxi, 1
,, — see *Aneurysm.*
,, ANTERIOR CEREBRAL, case of syphilitic tumour of (W. S. Greenfield) . . . . . xxix, 10
,, — left, syphilitic (?) tumour of, producing thrombosis and hemiplegia (W. S. Greenfield) . . . . xxvii, 5
,, — see *Aneurysms* (miliary).
,, MIDDLE CEREBRAL, see *Aneurysm* of.
,, — embolism of (R. G. Hebb) xxxvi, 140; (R. E. Carrington) xxxv, 108.
,, — — in cancer of right lung (N. Moore) . . . xxxii, 32
,, — thrombosis of, in secondary syphilis (S. J. Sharkey) . xxxiv, 10
,, — left, rupture of an aneurysm on the, causing meningeal hæmorrhage (S. J. Sharkey) . . . . xxxvii, 3
,, — and left vertebral, embolism of, producing softening of the corpus striatum and internal capsule (S. J. Sharkey) . xxxvi, 139
,, LEFT POSTERIOR CEREBRAL, thrombosis of (H. Handford) . xxxvii, 5
,, ANTERIOR COMMUNICATING of the circle of Willis, see *Aneurysm.*
,, POSTERIOR COMMUNICATING, see *Aneurysm.*
,, CORONARY, abnormal (F. C. Turner) . . . xxxvi, 146
,, — anastomosis of (S. West) . . . . xxxiv, 66
,, — extreme contraction of the orifices of the (F. C. Turner) . xxxv, 108
,, — dilatation of orifices of, by impacting valvular vegetations in a case of ulceration of aorta (J. P. Irvine) . . xxviii, 68
,, — embolism of (R. G. Hebb) . . . . xxxvi, 140
,, — complete obliteration of one (S. West) . . . xxxv, 110
,, — — sudden death (S. West) . . . . xxxiv, 66
,, — obstruction of (P. Kidd) . . . . xxxvii, 197
,, — stenosis of orifices of, due to endarteritis (W. S. Greenfield) xxvi, 55
,, — see *Aneurysm.*
,, left FEMORAL, and ILIAC, plugging of, gangrene of the leg, severe ulceration of the intestines (H. G. Howse) . . xxix, 101
,, FEMORAL, see *Aneurysm, Thrombosis.*
,, FEMORO-POPLITEAL, see *Aneurysm.*
,, HEPATIC, see *Aneurysm.*
,, ILIAC, see *Aneurysm.*
,, — LEFT COMMON, thrombosis of, causing gangrene of right leg (J. K. Fowler) . . . . . xxxiv, 77
,, — EXTERNAL, ligature of, for aneurysm of profunda artery (C. H. Golding-Bird) . . . . . xxxvii, 186
,, — — ligature of, in a case of aneurysm of compressed femoral artery at its bifurcation (T. Bryant) . . . xxviii, 98

ARTERIES (*continued*)—
,, INNOMINATE, see *Aneurysm.*
,, of LOWER LIMBS, from a patient in whom both the femoral arteries had been ligatured with catgut for popliteal aneurysm (R. J. Godlee) . . . . . xxxiii, 94
,, MESENTERIC, and vein, obstruction of, followed by intestinal and peritoneal hæmorrhage, fatal (F. Taylor) . . xxxii, 61
,, — superior, see *Aneurysm, Thrombosis.*
,, PROFUNDA, see *Aneurysm.*
,, PULMONARY, absence of (T. B. Peacock and W. C. Reed) . xxxi, 91
,, — and aorta, transposition of (H. Ashby) . . . xxxiii, 49
,, — origin of, from the sinus of the right ventricle (H. H. Tooth) . . . . . xxxv, 127
,, — penetrated by ulcer of right bronchus (N. Moore) . xxxii, 33
,, — contraction of, with only two valves (S. Mackenzie) . xxxi, 63
,, — dilatation of, in disease of pulmonary valves (S. Coupland) . xxvi, 22
,, — — with stenosis of the pulmonary valve, &c. (D. W. Finlay) xxx, 262
,, — — above stenosis of (T. Barlow) . . . xxx, 272
,, — embolism of, succeeding thrombosis of the veins of one lower extremity (R. Lyell) . . . . . xxx, 294
,, — — in the fourth week of enteric fever (C. H. Fagge) . xxvii, 70
,, — — gangrene of lung, followed by (A. Q. Silcock) . . xxxvii, 131
,, — malformation of, and disease of aorta (J. B. Yeo) . . xxvii, 138
,, — obstruction of (J. P. Irvine) . . . . xxix, 11
,, — complete occlusion of right division of, and atheroma (W. Ewart) . . . . . xxxi, 99
,, — rupture of aneurysm of aorta into (S. West) . . xxxiv, 64
,, — stenosis of (T. B. Peacock and T. Barlow) . . xxxi, 91
,, — — at its origin, &c. (T. B. Peacock) . . . xxvii, 131
,, — — from disease of the valves, probably of congenital origin (T. B. Peacock) . . . . . xxx, 258
,, — — of orifice of, in malformation of heart (T. B. Peacock) . xxxii, 35
,, — thrombi in branches of; pulmonary arteritis; septicæmia (F. C. Turner) . . . . . xxxvii, 134
,, — thrombosis in, causing gangrene of the lung (B. G. Morison) xxxii, 23
,, — — (para-vaginal and dermoid cysts) (F. A. Mahomed) . xxxiv, 72
,, — transposition of, in a case of malformation of the heart (D. B. Lees) . . . . . xxxi, 58
,, — — and of superior cava (H. R. Crocker) . . xxxi, 92
,, — miliary tubercles in branches of the (F. C. Turner) . xxxvii, 139
,, — fatal hæmoptysis from bronchial ulceration perforating the (P. Kidd) . . . . . xxxvi, 102
,, — see *Aneurysm.*
,, RADIAL, aneurysmal dilatation of, with suppurative arteritis (C. J. Symonds) . . . . . xxxv, 146
,, RENAL, atheroma of, leading to occlusion, degenerative changes in the kidney (W. S. Greenfield) . . . xxvi, 135
,, — embolism of branches of, in fibroid disease of left ventricle (W. S. Greenfield) . . . . . xxvi, 58
,, — compressed by aneurysm of mesenteric artery, death from renal coma (J. B. Yeo) . . . . xxviii, 94
,, — see *Aneurysm* (*traumatic*).
,, SPLENIC, see *Aneurysm.*
,, LEFT SUBCLAVIAN, small aneurysmal pouch arising from, consolidated by laminar clots (R. D. Powell) . . . xxxiii, 85

ARTERIO-CAPILLARY SYSTEM, in connection with kidney disease xxviii, 361–97

ARTERIOLES, cerebral, pale and red clots in (C. H. Jones) . xxxv, 134
,, — morbid changes in the, in inflammatory and other states (J. F. Goodhart, for C. H. Jones) . . . xxxvi, 158
ARTERITIS in a child the subject of congenital syphilis (T. Barlow) . . . . . xxviii, 287
,, with thrombosis of both middle cerebral arteries in secondary syphilis (S. J. Sharkey) . . . . xxxiv, 10
,, suppurative, in aneurysmal dilatation of the radial artery (C. J. Symonds) . . . . . xxxv, 146
,, syphilitic (?) (A. E. Barker) . . . . xxxvi, 174
ARTHRITIS, RHEUMATIC, joints showing changes characteristic of, and of gout (J. Hutchinson) . . . . xxxii, 193
,, — cases of (W. A. Lane) . . . . xxxv, 299
,, — causation and pathology of (W. A. Lane) . . xxxvii, 387
,, — changes in the cartilages of the first rib due to (C. B. Lockwood) . . . . . xxxv, 298
,, — of shoulder-joint in ununited fracture of acromion (W. A. Lane) . . . . . xxxv, 267
,, — synovial cyst in the thigh from (S. Paget) . . xxxvi, 342
,, — from a Roman tomb (N. Moore) . . . xxxiv, 226
,, — chronic, in a case of genu valgum (A. P. Gould) . . xxxiii, 270
,, — in a dog (N. Moore) . . . . xxxiii, 432
,, SUPPURATIVE, of both shoulder-joints of an infant (J. Poland) . xxxv, 327
,, — of right hip-joint of an infant (J. Poland) . . xxxv, 329
ARYTÆNOID CARTILAGE, necrosis of, during convalescence from smallpox (F. S. Eve) . . . . . xxxi, 33
,, necrosis of, in typhoid fever (F. S. Eve) . . . xxxi, 35
,, — of right, in typhoid fever (S. West) . . . xxxiii, 37
ASCARIS MYSTAX vel alata (F. C. Turner) . . . xxxiv, 307
ASCITES associated with papilloma of the Fallopian tube (A. Doran) . . . . . xxxi, 174
,, in case of carcinoma of the body of the stomach (R. E. Carrington) . . . . . xxxvii, 236
ASHBY (HENRY), per *Dr. Peacock*, transposition of aorta and pulmonary artery . . . . . xxxiii, 49
,, diffuse sclerosis of brain . . . . xxxvii, 12
,, angio-sarcoma of left choroid plexus . . . xxxvii, 56
ASPERGILLUS MYCOSIS (P. Kidd) . . . . xxxvii, 549
ASPHYXIA, death by, in a case of bursting of an aneurysm of aorta into the left auricle (R. King) . . . xxvi, 37
ASTRAGALUS, dislocation with fracture of, backwards and inwards (Sir W. Mac Cormac) . . . . xxvi, 174
,, comminuted fracture of, with subastragaloid dislocation of the foot outwards and backwards (H. Morris) . . xxxii, 156
ASYMMETRY of bones, specimens of (A. P. Gould) . . xxxiii, 222
ATAXIA, see *Friedreich's ataxia, Locomotor ataxy.*
ATELECTASIS of lungs, with emphysematous cyst (T. Barlow) . xxxi, 48
ATHEROMA leading to occlusion of renal artery, and degenerative changes in the kidney (W. S. Greenfield) . . . xxvi, 135
,, general extreme, with aneurysm of septum of the heart and internal iliac artery, &c. (J. W. Legg) . . . xxvii, 104
,, calcareous, of the valves of the heart, causing extreme stenosis of the aortic opening (I. Owen) . . . . xxxiii, 72
,, of aorta (F. C. Turner) . . . . . xxxvi, 143

ATRESIA of pulmonary orifice, in a case of cyanosis (R. C. Lucas) . . . . . xxvi, 26
,, of the aortic aperture in an infant (S. G. Shattock) . . xxxii, 38
,, of vesical orifice of left ureter (congenital ?) (E. H. Fenwick) . . . . . xxxvii, 300
,, see *Ventricle* (*right*).

ATROPHY, congenital (?) of right kidney with hydronephrosis (E. Powell) . . . . . xxxvii, 285
,, of the SUPRA-RENAL CAPSULES (H. Davy) xxxiii, 360; (J. K. Fowler) xxxvi, 453.
,, — simple, with melasma suprarenale, &c. (J. F. Goodhart) . xxxiii, 340
,, — with Addison's disease (S. Coupland) xxxvi, 423; (W. B. Hadden) xxxvi, 436.
,, — and gumma of kidneys in case of Addison's disease (T. Barlow) . . . . . xxxvi, 433
,, — with enlarged spleen and dark-coloured urine (R. Saundby) xxxvi, 440
,, of the LIVER, acute (S. West) xxxi, 116; (J. Cavafy) xxxiv, 122; (W. Cayley) xxxiv, 127; (R. E. Carrington) xxxvi, 221.
,, — acute yellow, in a child aged two years (J. F. Goodhart) . xxxiii, 170
,, — *remarks* on by P. H. Pye-Smith . . . xxviii, 243
,, — chronic red, *remarks* on by P. H. Pye-Smith . . xxviii, 243
,, — simple, in case of carcinoma of body of stomach (R. E. Carrington) . . . . . xxxvii, 236
,, of the stomach (S. J. Sharkey) . . . . xxxv, 193
,, gelatiniform, and chondro-calcareous, of bones, in hereditary syphilis (Jules Parrot) . . . . xxx, 341
,, of leg from infantile paralysis (A. Doran) . . . xxxi, 381
,, of optic nerve and retina, in an eye lost by erysipelas spreading to the orbit (E. Nettleship) . . . . xxxi, 254
,, and hypertrophy, changes in the sweat glands, as illustrating the pathology of (George Hoggan) . . . xxx, 421
,, PROGRESSIVE MUSCULAR, sections of spinal cord and phrenic nerves in the two forms of (J. M. Charcot) . . xxviii, 9

AURICLES, see *Thrombosis*.
,, large aperture in the septum of (T. B. Peacock) . . xxix, 43
,, LEFT, membranous band in the (J. K. Fowler) . . xxxiii, 77
,, — impervious band uniting the superior vena cava to the (C. B. Lockwood) . . . . . xxxvii, 147
,, — large ante-mortem clot filling, in mitral stenosis (W. Ewart) . . . . . xxix, 52
,, — loose balls of fibrin in, with mitral stenosis (J. W. Legg) . xxix, 49
,, — sacculated fibrinous coagulum loose in (F. C. Turner) . xxxiv, 36
,, — firm clot in, leaving narrow channel for the blood (J. P. Irvine) . . . . . xxxi, 79
,, — bursting of an aneurysm of the aorta into (R. King) . xxvi, 37
,, RIGHT, vertical septum in, formed by abnormally developed Eustachian valve (R. C. Lucas) . . . . xxvi, 26
,, — enormous dilatation of, without increase in size of the rest of the cavities of the heart (D. J. Leech) . . . xxxiii, 102
,, — aneurysm of (J. W. Legg) . . . . xxix, 57

AXILLARY GLANDS, hyperplasia of, with leukæmia (T. Ridge Jones) . . . . . xxix, 368

AXILLARY REGION, right, discontinuous fatty tumour of (C. F. Maunder) . . . . . xxvii, 251

AXIS-CYLINDER, degeneration and regeneration of, in non-traumatic nerve-lesion, with reference to gangrene of the cutaneous nerves (Geo. Hoggan) . . . . xxxi, 12
,, in healthy portion of nerve (ditto) . . . xxxi, 14
,, regeneration of (ditto) . . . . . xxxi, 18
,, in degenerating portion of nerve (ditto) . . . xxxi, 21
,, conclusions (ditto) . . . . . xxxi, 25

BABOON, retroflexion of uterus in a (J. B. Sutton) . . xxxiv, 326
,, rickets in a (J. B. Sutton) . . . . xxxiv, 310
,, ditto, "Cynocephalus porcarius" (J. B. Sutton) . . xxxiv, 312
,, skull of, with extraordinary thickness of bone (J. B. Sutton) . xxxiv, 310
,, see *Anubis baboon, Monkey.*

BACILLUS ANTHRACIS, life-history of (J. C. Ewart) . . xxix, 420

BACILLUS OF LEPROSY (J. D. Hillis) . . . xxxiv, 289

BACILLUS OF TUBERCLE, found in contents of cavities and not in lung tissue (S. West) . . . . xxxiv, 26
,, — see also *Tuberculosis.*

BACK, congenital fibro-sarcomatous tumour of (N. Davies-Colley) . xxxv, 382

BACTERIA, relation of, to virulent inflammations and specific contagious fevers, discussion on . . . . xxvi, 255-345
,, comparison of their development with micrococci, &c. (W. W. Cheyne) . . . . . xxx, 578-580
,, in the blood during life in cases of pyæmia . . xxx, 44-149
,, see *Germ Theory.*

BACTERIUM LACTIS, experiments on (Sir J. Lister) . . xxix, 437

Baker (W. Morrant), hernia testis from a child eighteen months old xxvi, 140
additional note to ditto . . . xxxiii (S. R.), 37
,, microscopical examination of ditto by H. T. Butlin . . xxvi, 141
,, perforating ulcers of small intestine from a case of strangulated hernia . . . . . xxvii, 165
,, pericardial diaphragmatic hernia of the omentum . . xxviii, 58
,, morphœa or circumscribed scleroderma, affecting the left side of the face and scalp . . . . . xxviii, 245
additional note to ditto . . . xxxiii (S. R.), 42
,, case of rodent ulcer, reference to (G. Thin) . . xxx, 374
,, lymphadenomatous tumours of scalp and neck . . xxx, 417
additional note to ditto . . . xxxiii (S. R.), 48
,, case of lichen ruber . . . . . xxxi, 334
ostitis of the femur . . . . . xxxii, 165
,, circumscribed scleroderma affecting the face and scalp . xxxii, 261
,, *report* on ditto by Committee (J. Hutchinson, P. H. Pye-Smith, and John Cavafy) . . . . . xxxii, 262
,, acne-keloid: dermatitis papillomatosa capillitii . . xxxiii, 367
,, prurigo (of Hebra) . . . . . xxxiii, 393
,, epithelioma of tongue and fauces following syphilitic gumma . xxxv, 189
,, *for Dr. Gregory White*, acute necrosis of the tibia . . xxxii, 163
,, *report* on Dr. Cavafy's case of abnormal pigmentation of the skin . . . . . xxxii, 260

Balding (Daniel), per *S. Coupland*, tumour of the sciatic nerve . xxvii, 23
,, — *report* on, by Committee on Morbid Growths (H. T. Butlin and R. J. Godlee) . . . . . xxvii, 24
,, recurrent tumour of sciatic nerve; extensive secondary growth in mediastinum and pleura . . . . xxviii, 23
,, — *report* on, by Committee on Morbid Growths (H. T. Butlin and R. J. Godlee) . . . . . xxviii, 31

BALDING (MORTIMER), per *Sidney Coupland*, congenital malformations of hand and feet . . . . . xxxii, 190
BALLANCE (C. A.), fracture of the thyroid cartilage . . xxxvii, 114
,, calvaria from a case of hydrocephalus, showing perforations . xxxvii, 366
BANCROFT (J.), per *C. Murchison*, cases of filarious disease . xxix, 407
BAND, impervious, uniting superior vena cava to the left auricle (C. B. Lockwood) . . . . . xxxvii, 147
BARBER (Mr.), Case 4 in Dr. Gowers' paper on hydrophobia . xxviii, 22
BARKER (ARTHUR E. J.), a determining cause of inflammatory arterial disease . . . . . xxviii, 86
,, report on three large uric acid calculi . . . xxviii, 169
additional note to ditto . . . xxxiii (S. R.), 41
,, ulcerative escape of biliary calculi from the gall-bladder into the duodenum . . . . . xxix, 142
,, very extensive caries of spine leading to fatal pleurisy . xxix, 191
,, incipient synovitis in hip-joint . . . . xxx, 353
,, caries of spine, producing aortic deformity and probable obstruction . . . . . xxxi, 246
,, on a peculiar circular wandering rash on the tongue . . xxxi, 353
,, supposed congenital dilocation of hip . . . xxxiii, 247
,, *report* of Committee on ditto (H. Marsh, J. N. C. Davies-Colley, and H. T. Butlin) . . . . . xxxiii, 250
,, fracture of external condyle of femur . . . xxxiii, 283
,, extreme prolapse of uterus, bladder, and vagina beneath the pubic arch; obstruction, with dilatation of kidneys, &c. . xxxiv, 181
,, cysts, containing clear fluid, probably dilated lymphatic spaces . . . . . xxxiv, 304
,, tubercular ulceration of tongue [with table of cases] . xxxv, 169
,, spontaneous gangrene of fingers of left hand (?), syphilitic arteritis . . . . . xxxvi, 174
,, tubular epithelioma of the upper jaw . . . xxxvi, 400
,, *report* of Morbid Growths Committee on above case (C. J. Symonds, A. A. Bowlby) . . . . xxxvi, 403
,, primary lympho-sarcoma of the right tonsil; specimens removed by operation . . . . . xxxvii, 218
,, arrest of development of upper end of humerus following on dislocation with suppuration about the epiphysis in infancy . . . . . xxxvii, 360
,, dermal cyst of finger . . . . . xxxvii, 478
BARLING (G.), round-celled sarcoma of peroneus longus . . xxxvi, 414
,, alveolar sarcoma of triceps (recurrence); one lymphatic gland infected . . . . . xxxvi, 414
BARLOW (THOMAS), aneurysm at base of left ventricle of heart . xxvi, 65
,, congenital heart disease; two cases . . . xxvii, 140
,, on a case of tubercle of the pancreas . . . xxvii, 173
,, receding gummata of liver in a case of congenital syphilis . xxvii, 202
,, brain of a microcephalous child . . . . xxviii, 8
,, meningitis, arteritis, and choroiditis, in a child the subject of congenital syphilis . . . . . xxviii, 287
,, gummata on cranial nerves, disease of cerebral arteries, cicatrices of liver and spleen, in a case of congenital syphilis . xxviii, 291
,, enlargement of the spleen and heart disease in a case of congenital syphilis . . . . . xxviii, 353
,, sequel and *post-mortem* to ditto . . . . xxxi, 46
,, miliary aneurysms on a branch of the anterior cerebral artery in a case of apoplexy . . . . . xxix, 8

BARLOW (THOMAS) (*continued*)—
,, specimens of bronchial gland disease . . . xxx, 254
,, congenital heart disease, pulmonary stenosis, with dilated pulmonary artery above the stenosis . . . xxx, 272
,, specimens of cranio-tabes . . . . xxx, 332
,, specimens of disease of skull in congenital syphilis . . xxx, 333
,, laryngitis in congenital syphilis . . . . xxxi, 46
,, atelectasis of lungs with emphysematous cyst, congenital heart disease . . . . . xxxi, 48
,, gumma of tongue in hereditary syphilis (living specimen) . xxxi, 101
,, disease of growing ends of shaft of long bones in congenital syphilis xxxi, 229
,, cranio-tabes, associated with congenital syphilitic disease of parietal bone . . . . . xxxi, 236
,, *remarks* in the discussion on rickets . . xxxii, 323, 364
,, case of congenital xanthelasma palpebrarum . . xxxv, 405
,, limb-bones, skull, and brain of case of so-called fœtal rickets (? fœtal cretinism) . . . . . xxxv, 459
,, simple atrophy of the supra-renal capsules and gumma of kidney in a case of Addison's disease . . . . xxxvi, 433
,, *report* on Mr. Dent's case of displacement of the tibia . xxxiii, 256
,, — on Dr. Goodhart's specimen of hyperostosis . . xxxiv, 201
,, and D. B. LEES, on lesions of the cranial bones in congenital syphilis (three living cases) . . . . xxx, 350
,, see *Peacock* and Barlow, malformation of heart: *Steavenson.*
BARNES (ROBERT), pigmentation of the cervix uteri . . xxxiv, 176
,, calculus embedded in the urethro-vaginal septum . . xxxv, 238
BARRATT (J. G.), *post-mortem examination* in Dr. Semon's case of aneurysm of thoracic aorta . . . . xxviii, 82
BARROW (A. BOYCE), stenosis of tricuspid and mitral valves, with contraction of the aortic semilunar valves, in a boy fourteen years of age . . . . . xxxii, 74
BARWELL (RICHARD), sarcomatous tumour of the shoulder . xxvi, 168
additional note to ditto . . . xxxiii (S. R.), 37
,, tumour of the wrist . . . . . xxvi, 188
additional note to ditto . . . xxxiii (S. R.), 38
,, — *report* on, by the Committee on Morbid Growths (W. W. Wagstaffe and H. Arnott) . . . . xxvi, 189
,, two cases of truncated arms, bearing at the ends fœtal hands voluntarily mobile . . . . . xxxii, 280
,, unilateral hypertrophy of the head and face, involving bones and soft parts . . . . . xxxii, 282
,, extreme deformity from rachitic osteo-malacia . . xxxiv, 202
,, juvenile osteo-malacia . . . . . xxxiv, 205
,, a myeloid sarcoma of the knee-joint . . . xxxv, 323
,, case of abdominal and femoro-popliteal aneurysm, in which the superficial femoral artery was tied with an ox-aorta ligature . xxxvii, 187
BASTIAN (HENRY CHARLTON), *opening remarks* in the discussion on the germ theory of disease . . . . xxvi, 255
,, — *concluding remarks* in reply on ditto . . . xxvi, 334
BATTLE (W. H.), rupture of small intestine from kick of a horse . xxxvi, 211
,, cyst removed from wall of small intestine . . . xxxvi, 213
,, primary sarcoma of penis . . . . xxxvi, 291
,, osteo-chondrosarcoma of breast . . . . xxxvii, 473
,, osteo-chondroma of thigh . . . . xxxvii, 474
,, portion of thumb with vessel and nerve amputated by a piece of string . . . . . xxxvii, 568
,, see (*Croft J.*), sarcoma of kidney.
,, see (*Croft J.*), bullet flattened by impact on the frontal lobe.

BAXTER (E. BUCHANAN), *remarks* in the discussion on rickets . xxxii, 360
,, chronic hydrocephalus with meningocele . . . xxxiii, 1
BEACH (FLETCHER), trachea showing absence of thyroid gland, and fatty tumours, from a case of sporadic cretinism . . xxvii, 316
BEAR, Malayan, gastro-enteritis in, with catarrhal inflammation of bladder and uterus (J. Hutchinson, jun.) . . xxxv, 484
BECK (MARCUS), *report* on Dr. Crisp's specimen of colloid cancer of the omentum . . . . . xxvi, 125
,, — on Mr. Wood's specimen of tumour of the scapula . xxvi, 172
,, — on Mr. Wood's tumour from the zygomatic fossa . . xxvi, 192
,, — on Mr. Hutchinson's tumour of the femur . . xxvii, 268
,, — on Mr. Heath's case of removal of the scapula . . xxx, 406
,, — on Dr. Abercrombie's case of tumours of the vault of the skull . . . . . xxxi, 221
,, — on Mr. H. Morris's specimen of pulsating tumour of cranium xxxi, 270
,, — on Mr. Nunn's case of recurrent tumour of the breast . xxxi, 276
,, — on Mr. Hutchinson's case of tumour of the leg . . xxxii, 231
,, — on Mr. R. W. Parker's case of adeno-fibroma and carcinoma xxxii, 235
,, — on Dr. Tyson's case of stricture of the pylorus . . xxxiii, 143
,, — on Mr. Eve's and Dr. Williams's cases of myo-sarcoma of the kidney . . . . . xxxiii, 319
,, — on Mr. Clutton's case of alveolar sarcoma of the skull . xxxiv, 215
,, — on Mr. Treves's case of supposed actinomycosis . . xxxv, 362
,, — on Mr. Lawson's case of congenital tumour of the orbit . xxxv, 381
,, see *Pyæmia* (Report of Committee on).
BEEVOR (C. E.), see *Committee* on Intracranial Tumours.
BELL (H. ROYES), case of excision of the anterior third of the tongue for epithelioma, followed by gangrene of the lung . xxxii, 26
,, see *Wood* (*J.*), molluscum fibrosum . . . xxx, 458
BELLAMY (EDWARD), and ALFRED SANGSTER, cancerous ulcer of the face . . . . . xxx, 371
additional note to ditto, . . . xxxiii (S. R.), 46
,, *report* of the Committee on Morbid Growths on ditto (J. F. Goodhart and H. T. Butlin) . . . . xxx, 373
BENDALL (HOWARD), on some microscopic specimens from a case of acute farcy in man . . . . . xxxiii, 417
BENTON (SAMUEL), per *H. T. Butlin*, spheroidal-celled (hard) carcinoma of the œsophagus . . . . xxxv, 190
BERNAYS (A. J.), *report* on the analysis of the chylous fluid in Sydney Jones's case of lymphangeioma . . . xxvi, 231
BERRIDGE (W. A.), abnormal aortic valve . . . xxxiv, 76
,, epithelioma of the bladder from a case of hæmaturia . . xxxiv, 161
BEZOAR STONE, oriental (W. M. Ord) . . . xxxi, 385
BILE-DUCTS, congenital obliteration of (J. M. Hobson) . xxxiii, 183
,, enormous dilatation of, from stricture of the ductus communis choledochus (J. H. Morgan) . . . . xxvii, 176
,, COMMON, congenital deficiency of, the cystic and hepatic ducts ending in a blind sac, cirrhosis of liver (J. W. Legg) . xxvii, 178
,, — — *references* to the twenty cases on record . . xxvii, 181
,, — stricture of, causing enormous dilatation of the bile-ducts (J. H. Morgan) . . . . . xxvii, 176
,, — congenital absence of, in a child, producing cirrhosis of liver (H. Gibbes) . . . . . xxxiv, 129
,, — congenital malformation of (J. H. Morgan) . . xxix, 137

BILHARZIA HÆMATOBIA, specimens, with ova in the tissues of the bladder and large intestine (Geo. Zancarol) . . xxxiii, 410
BINDLEY (PHILIP), case of moveable kidney . . . xxvii, 473
BIRDS, pneumonia in (E. Crisp) . . . . xxviii, 455
,, tuberculosis in (J. B. Sutton) . . . . xxxv, 477
BITE on upper lip, granulation growth following (J. H. Morgan) . xxxvii, 462
BLADDER, ova of *Bilharzia hæmatobia* in tissues of (Geo. Zancarol). xxxiii, 410
,, calculus of, see *Calculus*.
,, cancer of, obstructing the ureters (A. M. Sheild) . . xxxvii, 315
,, carcinoma of (F. S. Edwards) . . . . xxxvii, 317
,, — primary hard, of (H. T. Butlin) . . . xxviii, 165
,, contraction of, after extreme dilatation (E. H. Fenwick) . xxxvii, 301
,, diseases of, see *Urinary Organs*.
,, large bilocular hydatid cyst springing from neck and back of (E. H. Fenwick) . . . . . xxxvii, 317
,, EPITHELIOMA of posterior wall of, secondary to perineal fistula (C. H. Fagge) . . . . . xxviii, 167
,, — following removal of a calculus (J. N. Davies-Colley) . xxxii, 139
,, — from a case of hæmaturia (W. A. Berridge) . . xxxiv, 161
,, — squamous, with secondary growths in left lung (R. J. Godlee) xxxii, 30
,, healed fistulous communication between the sigmoid flexure and the (A. A. Bowlby) . . . . xxxvi, 216
,, GROWTH from the, removed by operation (Sir H. Thompson) . xxxv, 240
,, — malignant, infiltrating the whole of the wall of the female, (W. H. White) . . . . . xxxv, 241
,, — multiple (J. H. Morgan) . . . . xxxiv, 157
,, — secondary, in a case of alveolar sarcoma of skull (H. H. Clutton) . . . . . xxxiv, 212
,, — villous (E. H. Fenwick) . . . . xxxvii, 312
,, catarrhal inflammation of, in a Malayan bear (J. Hutchinson, jun.) . . . . . xxxv, 484
,, six months after Littre's operation for imperforate anus (C. Mansell Moullin) . . . . . xxxvii, 260
,, papillomata of (E. H. Fenwick) . . . . xxxvii, 311
,, from case of general paralysis of the insane (G. Savage and E. H. Fenwick) . . . . . xxxvii, 111
,, polypi, fibro-sarcoma of (E. H. Fenwick) . . xxxvii, 313, 314
,, — mucous (S. G. Shattock) . . . . xxxiv, 150
,, — villous (F. Treves) . . . . . xxxii, 141
,, pouched or duplicate (?) (D. Mackinder) . . . xxxvi, 283
,, showing a post-trigonal pouch which had contained a latent calculus (E. H. Fenwick) . . . . xxxvii, 302
,, extreme prolapse of, beneath the pubic arch, obstruction, &c. (A. E. Barker) . . . . . xxxiv, 181
,, RUPTURE of, from calculous deposit in urethra of oxen (E. Crisp) . . . . . xxviii, 453
,, — idiopathic extraperitoneal (E. H. Fenwick) . . xxxvii, 303
,, sacculated, in a female (S. West) . . . xxxiv, 146
,, SARCOMA of the, two cases (F. S. Eve) . . . xxxvi, 284
,, — of very rapid development (S. West) . . . xxxiv, 145
,, — of a diverticulum of (W. Roger Williams) . . xxxiv, 152
,, — villous (W. Roger Williams) . . . . xxxiv, 156
,, — lympho-sarcoma (W. C. Chaffey) . . . xxxvi, 287
,, scirrhus of (W. B. Hadden) . . . . xxxv, 242
,, miliary tubercle of (E. H. Fenwick) . . . xxxvii, 308
,, mucous membrane of, showing miliary tubercles (W. Ewart) . xxxi, 190
,, villous tumour of (S. Boyd) . . . . xxxiii, 220

BLADDER (*continued*)—
,, extensive ulceration and perforation of, after fracture of spine (E. H. Fenwick) . . . . . xxxvii, 308
,, tubercular ulceration of (E. H. Fenwick) . . . xxxvii, 308
,, and prostate from a boy, cut for stone eleven years previously (J. F. Goodhart) . . . . . xxvii, 208
BLOOD, coagulation of, in the ventricle (W. S. Greenfield) . xxvi, 58
,, microscopical examination of, in cases of pyæmia . xxx, 39–49, 137–149
,, obstructed circulation of, in lungs: extreme congestion of brain due to (S. Coupland) . . . . xxx, 189
,, from a patient who died of diabetes (N. Moore) . . xxxii, 72
,, chemical conditions of, in diabetes, see *Diabetes* (F. W. Pavy in discussion on).
,, lipæmic, in diabetes (W. B. Hadden) . . xxxvii, 566
,, — see *Diabetes* (Dr. Hamilton in discussion on).
,, micro-photographs of, in yellow fever (W. Squire) . . xxxi, 380
BLOOD-CASTS of the bronchi (S. West) . . . xxxi, 53
BLOOD-CLOTS, see *Clot*.
BLOOD-CYST developed in a sarcoma (R. J. Godlee) . . xxvi, 193
,, anomalous form of (R. J. Godlee) . . . xxvii, 270
,, removed from the neck (J. Gay) . . . . xxx, 435
additional note on ditto . . . xxxiii (S. R.), 48
,, summary of distinctive peculiarities (J. Gay) . . xxx, 438
,, of supra-renal capsules (R. E. Carrington) . . . xxxvi, 454
,, of left ovary, with peritoneal cysts (J. K. Thornton) . . xxix, 145
,, sarcomatous, of spine, causing paraplegia (W. H. Kesteven) . xxxiv, 216
BLOOD-PARASITE and chyluria (F. A. Trevan) . . xxxv, 445
BLOOD-VESSELS, changes in, and in kidney in connection with the small red granular kidney (G. Johnson) . . xxviii, 381
,, changes in, in granular kidney (R. Saundby) . . xxxi, 155
Boileau (J. P. H.), penetrating wound of the heart, involving the transfixion of both ventricles, but not causing death for several minutes . . . . . xxx, 278
,, *report* on the appearance of the blood in J. H. Porter's Case No. 2, lymphadenosis . . . . . xxix, 340
BONES, abnormality of, near the shoulder-joint (C. B. Lockwood) . xxxiv, 227
,, abnormal process of, projecting from the upper part of the shaft of the humerus (W. A. Lane) . . . xxxvi, 356
,, tabular view of normal and abnormal processes in bone development (J. B. Sutton) . . . . xxxiv, 322
,, congenital absence of long; living cases (R. W. Parker) xxxiii, 236, 238
,, specimens of asymmetry of (A. P. Gould) . . . xxxiii, 222
,, deformity of long, and arrested development in a case of double displacement of the tibiæ backwards (C. T. Dent) . . xxxiii, 250
,, arrested development of forearms (A. Doran) . . xxvii, 314
,, diseases of, see *Osseous system*.
,, — in animals: Indian monitor lizard—South American ostrich—Macaque monkey—"Cercopithecus Diana" and "Cynosurus" (J. B. Sutton) . . . . xxxiv, 315–320
,, — in monkeys (J. B. Sutton) . . . . xxxv, 468
,, — in wild animals (J. B. Sutton) . . . xxxv, 472
,, new formation, in walls of sinus in connection with a psoas abscess (A. Q. Silcock) . . . . xxxvii, 564
,, from a case of genu valgum (A. P. Gould) . . . xxxiii, 267
,, hæmorrhagic periostitis of the shafts of long, with separation of epiphyses (T. Smith) . . xxvii, 219

BONES (*continued*)—
,, of the right upper extremity from a case of old hemiplegic rigidity (W. H. White) . . . . xxxv, 316
,, hyperostosis and tumour of, two cases (J. F. Goodhart) . xxix, 175
,, from two cases of osteitis deformans (S. Paget) . . xxxvi, 382
,, articular extremities of, removed in cases of resection of the hip- and elbow-joints (W. Adams) . . . . xxvi, 154
,, softening and rickety changes of, probably syphilitic, in hyperostosis of skeleton (Jas. F. Goodhart) . . . xxxiv, 197
,, limb, of case of so-called fœtal rickets (? fœtal cretinism) (T. Barlow) . . . . . xxxv, 459
,, multiple SARCOMA of (W. A. Lane) . . . xxxvii, 373
,, multiple sarcomata of cranial (J. Abercrombie) . . xxxi, 216
,, calcified round-celled sarcoma of bones of the leg (W. R. Williams) . . . . . xxxiv, 267
,, severe SYPHILITIC disease of facial; death from pyæmia (V. Horsley) . . . . . xxxiv, 208
,, cranio-tabes, associated with congenital syphilitic disease of parietal (T. Barlow) . . . . . xxxi, 236
,, case of disease of, in a fœtus, presumably syphilitic (F. S. Eve) . xxxi, 233
,, disease of growing ends of shafts of long bones, in congenital syphilis (T. Barlow) . . . . . xxxi, 229
,, lesions of, in congenital syphilis (R. W. Parker) . . xxxi, 226
additional note on ditto . . . xxxiii (S. R.), 50
,, lesions of, in hereditary syphilis (Jules Parrot) . . xxx, 339
,, lesions of cranial, in congenital syphilis, three living cases (T. Barlow and D. B. Lees) . . . . xxx, 350
,, from two cases of tabes dorsalis (J. Hopkins) . . xxxvi, 352
,, lesions of, in tabes dorsalis (Thos. Buzzard) . . xxxi, 193
,, peculiar condition of bones of skull in an infant (trabeculated skull) (W. Hale White) . . . . xxxvii, 361
,, thinning of bones of skull from pressure produced by intracranial tumours (W. Hale White) . . . xxxvii, 360
,, left parietal, &c., pulsating tumour of, with hypertrophy of the heart (H. Morris) . . . . . xxxi, 259
,, see *Callus, Mollities ossium, Jawbone, Osteo-malacia, Osseous system, Osseous tissue, Sesamoid bones, Skeleton, &c.*

BONY DEPOSIT, cavity near apex of lung filled with, in pleuro-pneumonia (E. Crisp) . . . . . xxvi, 14
,, — in testis and epididymis on both sides (J. A. P. Price) . xxxvi, 296

BONY OUTGROWTH, peculiar, from the fibula (W. Hale White) . xxxiv, 227
,, of the great trochanter, simulating dorsal dislocation of the hip (H. Morris) . . . . . xxxi, 214

BONY TUMOURS of inferior maxilla (J. F. Goodhart, for B. Edwards) . . . . . xxx, 358

BOSSES, cranial (J. Abercrombie) . . . . xxxi, 244

BOTT (W. GILSON), per *A. Cummings Air*, perforating ulcers of the stomach . . . . . xxvii, 170

BOVINE TUBERCULOSIS, see *Tuberculosis* (bovine).

BOWEL, see *Intestines*.

BOWLBY (ANTHONY A.), chondro-sarcoma of female breast . xxxiii, 306
,, intussusception caused by an intestinal polypus, and cured after sloughing of the strangulated bowel . . . xxxiv, 106
,, very large connective-tissue polypus of rectum . . xxxiv, 107
,, diffuse polypoid growths of large intestine . . . xxxiv, 108
,, case of double obturator hernia . . . . xxxiv, 109

BOWLBY (ANTHONY A.) (*continued*)—
,, two cases of curvature of the femur, one due to osteitis deformans, the other to an injury, followed by chronic inflammation . xxxiv, 192
,, two cases of tubercular ulceration of the tongue . . xxxv, 159
,, a case of epithelioma of the ear . . . . xxxv, 330
,, a small sebaceous cyst of the finger . . . xxxv, 399
,, four cases of sporadic cretinism, with remarks on some points in the pathology of the disease . . . . xxxv, 450
,, tumour of pituitary body . . . . xxxvi, 35
,, healed fistulous communication between the bladder and the sigmoid flexure . . . . . xxxvi, 216
,, infiltrating fibroma (? sarcoma) of the thyroid gland . . xxxvi, 420
,, *report* on Dr. Norman Moore's case of interstitial disease of the ovaries . . . . . xxxv, 248
,, — on Mr. Chavasse's tumour of the petrous portion of the temporal bone . . . . . xxxv, 322
,, — on Mr. Barker's case of tubular epithelioma of the upper jaw xxxvi, 403
,, — on Dr. Jacob's specimen of tumour of finger . . xxxvii, 467
BOYD (STANLEY), fracture of the four outer metatarsal bones of the right foot, thrombosis of the femoral vein, pulmonary embolism, death . . . . . xxxiii, 93
,, two cases of rupture of the œsophagus, one into the right pleura and the other in a case of Addison's disease . . xxxiii, 123
,, *report* of Committee on ditto (J. F. Goodhart and H. T. Butlin) xxxiii, 129
,, case of colloid scirrhus of the prostate . . . xxxiii, 200
,, villous tumour of bladder . . . . xxxiii, 220
,, columnar epithelioma of lower end of colon, secondary deposits in liver . . . . . xxxiii, 338
,, case of farcy, with sections of pustules on the skin and mucous membranes . . . . . xxxiii, 420
,, tubercular ulcers of the tongue . . . . xxxiv, 134
,, aneurysm of heart . . . . . xxxvii, 151
BRACHIAL PLEXUS, supposed rupture of most of the roots of (Jon. Hutchinson) . . . . . xxxi, 27
additional note on ditto . . . xxxiii (S. R.), 49
BRAIDWOOD (P. M.), case of unilateral cancer . . . xxx, 413
,, and F. VACHER, per *C. Murchison*, experiments and observations on vaccine and variolous contagium . . . xxviii, 409
,, — — researches on measles . . . . xxix, 421
BRAILEY (W. A.), remarkable case of hydrocephalus (with cyst beneath tentorium) . . . . . xxxii, 1
,, *remarks* on ditto by Professor Humphry . . . xxxii, 3
BRAIN of a microcephalous child (T. Barlow) . . . xxviii, 8
,, of case of so-called fœtal rickets (? fœtal cretinism) (T. Barlow) xxxv, 459
,, morbid appearances in, in a case of diabetes (A. Silver and J. P. Irvine) . . . . . xxix, 25
,, of a child aged five months; pyocephalus (N. Moore) . xxxii, 6
,, ABSCESS of, after successful operation for empyema (P. H. Pye-Smith) . . . . . xxviii, 4
,, — associated with bronchiectasis (W. Cayley) . . xxxv, 12
,, — secondary (F. Taylor) . . . . xxxv, 210
,, aneurysm, see *Aneurysms* (cerebral).
,, calcified angeioma of (W. B. Lewis) . . . xxxv, 30
,, arteries, see *Arteries* (cerebral).
,, blood-clot from the surface of the (M. Sheild) . . xxxvi, 17
,, contusion of, and hæmorrhage into arachnoid cavity (W. S. Greenfield) . . . . . xxix, 4

BRAIN (*continued*)—
,, dermoid CYST of the (J. P. Irvine) . . . xxx, 195
,, ramifying cyst in, with congenital malformation of cerebral vessels (W. Ewart) . . . . . xxxi, 1
,, cysticerci of (G. Gulliver) . . . . xxxvii, 60
,, deformity of: cyst in pia mater (F. C. Turner) . . xxxv, 22
,, universal cystic degeneration of, two cases (G. H. Savage and W. Hale White) . . . . . xxxiv, 1
,, glioma of left hemisphere of (W. R. Gowers) . . xxvii, 13
,, glio-sarcoma of (T. S. Dowse) . . . . xxvii, 8
,, gummatous disease of, and of cranial bones and vertebræ (F. Jordan) . . . . . xxxii, 15
,, gunshot wound of (W. Rose) . . . . xxxvi, 39
,, hæmorrhage of, see *Hæmorrhage, cerebral.*
,, on the causes of holes in the brain (G. H. Savage and W. Hale White) . . . . . xxxiv, 1
,, Gruyère cheese or vacuolated condition of, relation to diabetes (W. Hale White) . . . . . xxxiv, 351
,, cerebro-spinal meningitis (R. E. Carrington) . . xxxiii, 19
,, rupture into the fourth ventricle of a hæmorrhage in the cerebellum (W. A. Sturge) . . . . xxx, 194
,, secondary deposits, in case of sarcoma of lung (Sir Dyce Duckworth) xxxvi, 120
,, sarcomatous growth in the fourth ventricle; secondary nodules on the posterior surface of the spinal cord (F. C. Turner) . xxxvi, 21
,, and spinal cord, insular SCLEROSIS of (J. F. Goodhart) . xxvii, 17
,, sections of, showing diffuse changes, possibly sclerotic (A. Harbinson) . . . . . xxxiii, 31
,, diffuse sclerosis of (Henry Ashby) . . . xxxvii, 12
,, sinuses, see *Cerebral sinuses.*
,, SOFTENING of (R. E. Carrington) . . . xxxv, 108
,, — from syphilitic disease of cerebral arteries (T. Buzzard) . xxviii, 295
,, SYPHILITIC DISEASE of substance of (W. S. Greenfield) . xxviii, 262
,, — of membranes of (W. S. Greenfield) . . . xxviii, 262
,, SYPHILOMA of (J. Hutchinson), xxviii, 305; (W. R. Gowers) xxviii, 281.
,, condition of, in a case of thrombosis of middle cerebral arteries (S. J. Sharkey) . . . . . xxxiv, 12
,, TUMOURS, multiple of, with tuberculosis of lungs and kidneys, &c. (J. P. Irvine) . . . . . xxix, 11
,, — — case of (W. H. Kesteven) . . . . xxxv, 24
,, — : sarcoma of temporo-sphenoidal lobe (J. A. Ormerod) . xxxv, 27
,, — a case of (H. Ilott) . . . . . xxxv, 29
,, — calcareous, or psammoma of (F. S. Eve) . . xxxiii, 14
,, — see also *Tumours*, intracranial.
BRANCHIAL CLEFTS, congenital dermoid cysts occurring in (W. W. Wagstaffe) . . . . . xxix, 194
,, congenital papilloma in line of (H. H. Clutton) . . xxxv, 381
BREAST, true ADENOMA of (D'Arcy Power) . . . xxxvi, 411
,, — acinous, of right (R. Parker) . . . . xxxii, 237
,, — tubular, of left (R. Parker) . . . . xxxii, 238
,, hyaline adeno-myxoma of (R. Parker) . . . xxxii, 236
,, CANCER of both, and of ovaries (S. Coupland) . . xxvii, 259
,, — and liver (F. C. P. Howes) . . . . xxvi, 185
,, — following eczema of nipple (H. M. Jones) . . xxxii, 242
,, — colloid (W. Spencer Watson) . . . . xxix, 218
additional note on ditto . . . xxxiii (S. R.), 43
,, — — (R. J. Godlee) . . . . . xxx, 416
additional note on ditto . . . xxxiii (S. R.), 48

BREAST (*continued*)—
,, CANCER of male, both breasts affected, with secondary disease of glands (W. W. Wagstaffe) . . . . xxvii, 234
additional note on ditto . . . xxxiii (S. R.), 40
,, — — nine cases recorded since 1857, and twelve not previously reported, with *table* of cases (W. W. Wagstaffe) . . xxvii, 239
,, colloid carcinoma of (H. T. Butlin) . . . xxvii, 233
additional note on ditto . . . xxxiii (S.R.), 40
,, two cases of carcinoma myxomatodes (or so-called colloid cancer), one containing "colloid bodies" (F. S. Eve) . . xxxvii, 493
,, chondro-sarcoma of female (A. A. Bowlby) . . . xxxiii, 306
,, cystic degeneration of (C. M. Moullin) . . . xxxii, 215
,, osteochondrosarcoma of (W. H. Battle) . . . xxxvii, 473
,, duct-papilloma of (B. Pollard) . . . . xxxvii, 483
,, spindle-celled sarcoma of (J. Croft) . . . xxvii, 249
,, tumours of, connection of disease of nipple and areola with (G. Thin) . . . . . xxxii, 218
,, TUMOUR, cancerous of, histology of (G. Thin) . . xxxi, 294
,, — recurrent, spindle-celled sarcoma; sixth removal (John Gay) . . . . . xxxi, 272
additional note to ditto . . . xxxiii (S. R.), 53
,, — — removed seven years after first operation (T. W. Nunn) xxxi, 276

BRIGHT'S DISEASE, acute entero-colitis with (J. F. Goodhart) . xxxvi, 203

BRISTOWE (J. S.), address as President, January 20th, 1885 . xxxvi, 1
,, old laminated clots lining the ventricles of the heart; malignant disease of stomach, simulating in its symptoms malignant disease of vertebræ . . . . xxxvii, 193
,, *report* on Dr. Hilton's Fagge's case of diffused suppurative inflammation of the stomach . . . . xxvi, 83
,, — on Dr. S. Coupland's specimen of lymphoma of the prostate xxviii, 185
,, see *Kidneys* (*report* on moveable).

BROAD LIGAMENT, simple cyst of the, developed above the Fallopian tube (A. Doran) . . . . xxxv, 249
,, cysts above the Fallopian tube (A. Doran) . . xxxvii, 348
,, cyst, with albuminous contents (W. B. Hadden) . . xxxvi, 306

BROADBENT (W. H.), *remarks* in the discussion on the pathology of syphilis . . . . . xxvii, 394
,, malignant disease (sarcoma) of the pericardium . . xxxiii, 78
,, — *microscopic examination* of the thickened pericardium, by Dr. Henderson . . . . . xxxiii, 80
,, — *report* of Morbid Growths Committee on (J. F. Goodhart and H. T. Butlin) . . . . . xxxiii, 81

BROMIDE RASH, see *Potassium*.

BRONCHI, aneurysm of aorta opening into left (T. B. Peacock) . xxvi, 16
,, blood casts of (S. West) . . . . xxxi, 53
,, compression of, by aneurysm of aorta; destructive pneumonia (J. P. Irvine) . . . . . xxix, 36
,, — of left, in double aneurysm of thoracic aorta (J. P. Irvine) . xxviii, 63
,, contraction of right and left, in tertiary syphilis (P. H. Pye-Smith) . . . . . xxviii, 334
,, dilatation of, in tertiary syphilis (P. H. Pye-Smith) . . xxviii, 334
,, foreign body in the left (W. B. Hadden) . . . xxxvi, 107
,, membranous inflammation of, in an adult (P. H. Pye-Smith) . xxxi, 30
,, destructive disease of lung from obstruction of main (P. Kidd) xxxvi, 109
,, of right lung, occlusion of, by mediastinal tumour (R. D. Powell) . . . . . xxx, 249

BRONCHI (*continued*)—
„ old syphilitic scars in, stricture, &c., leading to chronic disease in the lungs (W. Ewart) . . . . xxxi, 57
„ ulcer of right, penetrating the pulmonary artery (N. Moore) . xxxii, 33

BRONCHIAL GLANDS, specimens of disease of (T. Barlow . xxx, 254
„ caseous degeneration of (J. P. Irvine) . . . xxix, 11
„ — enlargement of, acute tuberculosis following (Sir D. Duckworth) . . . . . xxvi, 246
„ — tubercle of (J. F. Goodhart) . . . . xxix, 322
„ — inflammation of, at root of the right lung (J. F. Goodhart) xxix, 323
„ — suppurating, opening into œsophagus and left bronchus (J. Poland) . . . . . xxxvi, 105
„ suppurating, at the root of the right lung, with obstruction of the trachea (G. H. Makins) . . . . xxxv, 79
„ and lung, medullary sarcoma of (T. B. Peacock) . . xxviii, 32

BRONCHIAL TUBES, compression of large, lung changes caused by (J. P. Irvine) . . . . . xxx, 239

BRONCHIECTASIS, abscess of the brain associated with (W. Cayley) . . . . . xxxv, 12

BRONCHITIS, in a case of disease of pulmonary valves, &c. (S. Coupland) . . . . . xxvi, 22
„ purulent, in case of simple ulceration establishing a communication between the trachea and œsophagus (R. E. Carrington) xxxvi, 98
„ syphilitic ulcerative (A. Q. Silcock) . . . xxxvii, 115
„ ENDO-, obliterative, in congenital syphilis (R. W. Parker) . xxxvii, 119

BRONCHOCELE, with secondary growths in bones and viscera (W. Haward) . . . . . xxxiii, 291
„ — *microscopical examination* of tumours, by F. C. Compton . xxxiii, 294
„ case in which the thyroid was removed during an attack of dyspnœa (B. Pitts) . . . . . xxxiii, 364

BRONCHO-PNEUMONIA (sloughing), in case of simple ulceration establishing a communication between the trachea and œsophagus (R. E. Carrington) . . . . xxxvi, 98

BROWN (GEORGE), per *Wm. Cayley*, cyst of the choroid plexus of large size in an infant . . . . xxvii, 25

BROWNE (LENNOX), enlargement of thyroid gland, principally of right lobe, displacing the trachea and interfering with its form xxvii, 291
„ primary cancer of tonsil . . . . xxix, 243
„ *report* on ditto, by Committee on Morbid Growths (J. F. Goodhart and H. T. Butlin) . . . . xxix, 247
„ epithelioma of tongue invading the tonsil; living specimen . xxix, 248
„ *report* on ditto, by the Committee on Morbid Growths (J. F. Goodhart and H. T. Butlin) . . . . xxix, 250
„ epithelioma of pharynx invading the larynx; living specimen . xxix, 250
additional note on ditto . . . xxxiii, (S. R.), 44
„ encephaloid cancer of the larynx . . . . xxix, 251
„ primary epithelioma of tonsil (living specimen) . . xxx, 407
additional note on ditto . . . xxxiii (S. R.), 47
„ and GILBART SMITH, ulceration of the larynx . . xxvii, 49
„ *report* on, by the Committee on Morbid Growths (H. T. Butlin and R. J. Godlee) . . . . . xxvii, 52

BRYANT (THOS.), case of complete occlusion of rectum from cancerous disease; colotomy; death nine months subsequently . xxvi, 99
„ — *report* on, by the Committee on Morbid Growths (C. H. Fagge and J. F. Goodhart) . . . . xxvi, 100

BRYANT (THOS.) (*continued*)—
,, stricture of the rectum (syphilitic ?) with recto-vaginal and anal fistulæ, colotomy, cure; death from hip disease subsequently . xxvi, 101
,, aneurysm of common femoral artery at its bifurcation with sac, reaching up to spine, probably due to embolism; ligature of external iliac artery; embolic patches in spleen and kidneys, &c. xxviii, 98
,, cases of prostatic tumours removed in the operation of lithotomy; recovery . . . . . xxix, 164
,, case of impacted fracture of the shaft of the femur . . xxix, 190
,, case of oil cyst removed from the parotid region . . xxxiii, 302
,, — *notes* of the case by Mr. Strachan . . . xxxiii, 303
,, — *report* on the case, by J. F. Goodhart . . . xxxiii, 305
,, — similar case of oil cyst of temple, by J. N. C. Davies-Colley . . . . . xxxiii, 305
,, case of charbon or malignant pustule . . . xxxiv, 293
,, *post-mortem report* on ditto, by F. A. Mahomed . . xxxiv, 294
BUCHANAN (GEORGE), on some appearances, probably of parasites, in the voluntary muscles in enteric fever . . xxxi, 366
,, see *Power* on the relation between diphtheria and milk.

BULLET flattened by impact on the frontal lobe (W. H. Battle) . xxxvii, 570

BULLET-WOUND, revolver, of cranium (C. B. Lockwood) . xxxvii, 3

BURN, extensive necrosis of the skull-cap after a (Isambard Owen) . . . . . xxxiii, 263
BURNET (R. W.), heart with calcareous plates . . . xxxii, 53
,, calcareous degeneration of the aorta . . . xxxii, 78
,, stricture of œsophagus, with ulceration and perforating mediastinal abscess and carcinoma of stomach . . . xxxiii, 191
,, sacculated aneurysm of the arch of the aorta . . xxxv, 132
,, extreme contraction of right lung; heart drawn to right side; hypertrophy of left lung . . . . xxxvi, 107
,, primary melanotic sarcoma of liver . . . xxxvi, 252

BURSA PATELLÆ, chronic enlargement of a (J. Hutchinson) . xxxi, 383

BUTLIN (HENRY T.), chondroma of the lachrymal gland . xxvi, 184
additional note to ditto . . . xxxiii (S. R.), 38
,, fatty tumour removed from the inguinal canal during the operation for hernia . . . . . xxvi, 186
,, colloid carcinoma of the breast . . . . xxvii, 233
additional note to ditto . . . xxxiii (S. R.), 40
,, warty tumour growing in the interior of a sebaceous cyst (? papilloma) . . . . . xxvii, 273
additional note to ditto . . . xxxiii (S. R), 40
,, hard carcinoma of the bladder (primary) . . . xxviii, 165
,, fatty tumour containing striated muscular fibres, from a child aged seven years . . . . . xxviii, 221
additional note to ditto . . . xxxiii (S. R.), 42
,, enchondroma of the sub-maxillary salivary gland . . xxviii, 228
,, case of multiple round-celled sarcoma in a boy . . xxix, 211
,, sequel to preceding case . . . . xxx, 396
,, fibroid patch of inter-ventricular septum of heart, blood-clots in brachial and other arteries, gangrene of jejunum . xxxi, 76
,, myeloid sarcomata of lower jaw and rib; mollities ossium . xxxi, 277
,, round-celled sarcoma, with hyaline degeneration (cylindroma) of the popliteal space . . . . . xxxii, 210
,, squamous epithelioma of the upper jaw . . . xxxii, 212
,, mixed-celled sarcoma of the thumb . . . xxxiii, 323
,, two cases of myxoma . . . . . xxxiii, 324

BUTLIN (HENRY T.) (*continued*)—
„ squamous epithelioma (squamous-celled carcinoma) of the upper jaw . . . . . xxxiii, 327
„ microscopical *report* on Mr. H. Marsh's case of carcinoma of the testis in a boy aged two years . . . . xxvi, 140
„ microscopical *examination* of Mr. Baker's case of hernia testis from a child eighteen months old . . . xxvi, 141
„ *report* on Mr. Balding's specimen of tumour of the sciatic nerve xxvii, 24
„ — on Mr. L. Browne and Dr. G. Smith's case of ulceration of the larynx . . . . . xxvii, 52
„ — on Mr. H. Marsh's case of ossifying sarcoma of upper jaw . xxvii, 219
„ — on Mr. Balding's case of recurrent tumours . . xxviii, 31
„ — on Dr. Walters' specimen of scirrhus of the diaphragm . xxviii, 219
„ — on Mr. Lennox Browne's case of primary cancer of the tonsil xxix, 247
„ — on Mr. Lennox Browne's case of epithelium of tongue invading the tonsil . . . . . xxix, 250
„ — on Mr. Bellamy and Dr. Sangster's case of cancerous ulcer of the face . . . . . xxx, 373
„ — on Dr. Gairdner's specimen of multiple tumours . . xxx, 394
„ — on Dr. Hoggan's microscopic specimens of the skin in leprosy . . . . . xxx, 510
„ — on Dr. Coupland's primary sarcoma of the liver . . xxxi, 135
„ — on Mr. H. Morris's specimen of pulsating tumour of cranium xxxi, 270
„ — on Mr. Moullin's specimen of cystic degeneration of the breast . . . . . xxxii, 217
„ — on Dr. Broadbent's specimen of thickening of the pericardium . . . . . xxxiii, 81
„ — on Mr. Stanley Boyd's case of rupture of the œsophagus . xxxiii, 129
„ — on Mr. A. Barker's specimen of supposed congenital dislocation of the hip . . . . . xxxiii, 250
„ — on Mr. Roger Williams's tumour in diverticulum of the urinary bladder . . . . . xxxiv, 156
„ — on Dr. W. B. Hadden's specimen of disseminated sarcoma . xxxiv, 239
„ — on Mr. Geo. Lawson's case of recurrent cartilaginous tumour of lower jaw . . . . . xxxiv, 264
„ — on Dr. Payne and Dr. Semon's case of rhinoscleroma . xxxvi, 81
„ — on Mr. Lane's specimens of fracture, &c., of hyoid bone and larynx . . . . . xxxvi, 93
„ see *Benton* (carcinoma of the œsophagus), *Committee* on intracranial tumours, and *Newman*.

BUZZARD (THOMAS), *remarks* in the discussion on the pathology of syphilis . . . . . xxvii, 399
„ syphilitic disease of cerebral arteries, leading to thrombosis and softening of the brain; syphilitic deposit in spleen . . xxviii, 295
„ cases of osseous and articular lesions in tabes dorsalis . xxxi, 193

CÆCUM, cylinder epithelioma of, with extension to crest of ilium and metastatic deposits (J. M. Hobson) . . . xxxv, 212
„ small fibroma of (P. Kidd) . . . . xxxvi, 210
„ intussusception of, in a dog (J. Hutchinson) . . xxvi, 249
„ rupture of, in scirrhous disease of rectum (J. Way) . . xxvi, 104

CALCAREOUS degeneration of the aorta (R. W. Burnet) . xxxii, 78
„ — of arteries (F. T. Paul) . . . . xxxvii, 216
„ deposit in thorax (J. H. Morgan) . . . xxxv, 78
„ plates, heart with (R. W. Burnet) . . . xxxii, 53

CALCIFICATION of supra-renal bodies (J. K. Fowler) . . xxxvi, 453

CALCULI, BILIARY, encysted in peritoneal adhesions (S. Coupland) xxviii, 157
,, — ulcerative escape of, from the gall-bladder into the duodenum (A. E. Barker) . . . . xxix, 142
,, — on the structure and formation of (W. M. Ord) . . xxxi, 139
,, — passed per anum (W. M. Ord) . . . xxxi, 139
additional note on ditto . . . xxxiii (S. R.), 49
,, — ulcerating into duodenum (N. Moore) . . . xxxi, 109
,, — causing intestinal obstruction (W. D. Wilkes) . . xxxvi, 218
,, intestinal (E. H. Fenwick) . . . . xxxvii, 261
,, perforating vermiform appendix; acute peritonitis (S. J. Sharkey) . . . . . xxxvii, 243
,, causing suppuration in and round gall-bladder (S. West) . xxxvii, 281
,, nasal (H. H. Clutton) . . . . . xxxv, 330
,, of the pancreas, cases of (N. Moore) . . . xxxv, 232
,, URINARY: RENAL.
,, — from the kidney (W. M. Ord) . . . xxxi, 185
,, — indigo, from the kidney (W. M. Ord) . . . xxix, 155
,, — branched (C. H. Ralfe) . . . . xxxi, 189
,, — large, almost pure triple phosphate (W. Hale White) . xxxvi, 276
,, — discharged through a fistulous opening in the loin (G. F. Whately) . . . . . xxvi, 128
,, — hitherto presumed to be composed of carbonate of lime; supplementary note (W. W. Wagstaffe) . . . xxviii, 176
,, — and abscess, ruptured into left pleural cavity (J. R. Lunn) . xxxiv, 138
,, — in a case of medullary cancer of kidney (S. Coupland) . xxxiii, 219
,, — with primary cancer of kidney (N. Moore) . . xxxiii, 199
,, — undergoing disintegration (C. H. Ralfe) . . xxxiii, 206
,, — carcinoma of kidney associated with (B. Pollard) . . xxxvi, 272
,, — hydronephrosis due to (J. K. Thornton) . . xxxvi, 269
,, — impaction of, in each ureter immediately above the vesical orifice; removal from right ureter; death (from uræmia?) (C. J. Cullingworth) . . . . . xxxvi, 278
,, URINARY: URETHRAL.
,, — impacted in the prostatic urethra; tuberculosis of urinary tract (E. H. Fenwick) . . . . xxxvii, 320
,, — embedded in the urethro-vaginal septum (R. Barnes) . xxxv, 238
,, — urethral (R. G. Hebb) . . . . xxxvi, 290
,, — in ureter from a woman aged 45, who died of cerebral hæmorrhage (N. Moore) . . . . xxxiii, 206
,, URINARY: VESICAL.
,, — large (W. Curran) . . . . . xxxii, 310
,, — from a dog (F. Treves) . . . . xxxii, 311
,, — weighing half an ounce, from a child three years old (W. J. Walsham) . . . . . xxxv, 238
,, — in a female child two years old (L. W. Marshall) . . xxxvii, 319
,, — from female bladder removed by vaginal lithotomy (C. Heath) xxvi, 134
,, — large, expelled per urethram from a girl (F. S. Eve) . xxxvii, 320
,, — vesico-vaginal (H. H. Clutton) . . . xxxvi, 308
,, — removed by supra-pubic lithotomy (P. Swain) . . xxxi, 184
,, — large, with nucleus of a mulberry calculus, removed from the bladder by lithotomy (G. Lawson) . . . xxxiv, 148
,, — impacted in wall of bladder, at the lower part, and removed by operation (Sir H. Thompson) . . . xxxv, 239
,, — latent, contained in post-trigonal pouch (E. H. Fenwick) . xxxvii, 302
,, — formed on a shell embedded near neck of bladder (W. R. Williams) . . . . . xxxiii, 204
,, — removal of, followed by epithelioma of bladder (J. N. Davies-Colley) . . . . . xxxii, 139

CALCULI, URINARY: VESICAL (*continued*)—
,, — prostate and bladder from a boy cut for, eleven years previously (J. F. Goodhart) . . . . xxvii, 208
,, — peculiarly shaped (Sydney Jones) . . . xxxvii, 340
,, — spontaneous disruption of, within the bladder (W. M. Ord) . xxix, 161
,, — cases of spontaneous disruption of (J. Kraus) . . xxx, 314
,, — specimen of spontaneous fracture of, within the bladder, exhibited by J. Croft, report on by W. M. Ord . . xxx, 318
,, — cases of spontaneously fracturing (S. Jones) xxxvii, 321; (H. H. Clutton) xxxvii, 324.
,, — spontaneous disintegration of (W. M. Ord) . . xxxii, 304
,, — which appear to have undergone spontaneous disintegration within the bladder (W. M. Ord) . . . xxviii, 170
,, — iridescence in (S. G. Shattock) . . . xxxvii, 325
,, — two specimens from animals, composed of carbonate of lime (S. G. Shattock) . . . . . xxxiv, 326
,, — cystic-oxide, removed by lithotomy (C. Heath) . . xxvii, 306
,, — cystine, 1050 grains (W. M. Ord) . . . xxxi, 384
additional note on ditto by Reg. Harrison . xxxiii (S. R.), 55
,, — cystine, conclusion of a case of (C. Heath) . . xxix, 154
,, — mixed, of cystine and oxalate of lime (S. G. Shattock) . xxxi, 182
additional note on ditto by R. Steele . . xxxiii (S. R.), 50
,, — containing carbonate and phosphate of lime (W. M. Ord) . xxix, 160
,, — small, in great part of carbonate of lime, passed by the urethra (W. M. Ord) . . . . . xxviii, 171
,, — alternating, with layers of lithates and lithic acid, encrusted by oxalate of lime (J. Hutchinson) . . . xxxi, 192
,, — three large uric acid, report on (A. E. Barker) . . xxviii, 169
additional note on ditto . . . xxxiii (S. R.), 41
CALCULOUS deposit in the urethra of oxen, producing rupture of the bladder (E. Crisp) . . . . xxviii, 453
CALLUS, true bone, formation of, at site of rupture of axillary artery (H. G. Howse) . . . . xxviii, 90
,, hypertrophied, of tibia and fibula (B. Pollard) . . xxxvi, 388
CALVARIA, bossy (D. B. Lees) . . . . xxxiv, 228
,, showing effects of fracture from a pistol-shot (F. C. Turner) . xxxv 10
,, from a case of hydrocephalus showing perforations (C. A. Ballance) . . . . . xxxvii, 366
,, of an infant with membranous opercula in the bone (J. F. Goodhart) xxxvii, 364
,, trabeculated, from a child who was the subject of a large frontal meningo-encephalocele (S. G. Shattock) . . . xxxvii, 367
,, see also *Skull*.
CANCER, unilateral, case of (P. M. Braidwood) . . xxx, 413
,, series of fifteen drawings of (J. W. Hulke) . . xxxi, 311
,, of anus (J. W. Hulke) . . . . . xxxi, 313
,, of the bladder obstructing the ureters (A. M. Sheild) . xxxvii, 315
,, of BREAST, cases of (J. W. Hulke) xxxi, 311–312; (C. F. Maunder) xxvii, 252.
,, — histology of (G. Thin) . . . . xxxi, 294
,, — following eczema of the nipple (H. M. Jones) . . xxxii, 242
,, — *analysis* of eighty-nine cases of, showing relative frequency of the seats of secondary growths (from 'Middlesex Hospital Reports,' 1867–75) . . . . . xxvii, 264
,, — of male, with secondary disease of glands (W. W. Wagstaffe) xxvii, 234
,, — of male, nine cases recorded since 1857, and twelve not previously reported: *table* of cases (W. W. Wagstaffe) . xxvii, 239–246
,, — and liver (F. C. P. Howes) . . . . xxvi, 185
,, — of both breasts, and ovaries (S. Coupland) . . xxvii, 259

CANCER (*continued*)—
,, chimney sweep's (J. W. Hulke) . . . . xxxi, 313–314
,, of right half of transverse colon (T. S. Dowse) . . xxvi, 90
,, of GALL-BLADDER (R. E. Carrington) . . xxxv, 231
,, — primary (N. Moore). . . . . xxxi, 138
,, — — (epithelioma) (S. Coupland) . . . xxxi, 136
,, of kidney, primary, with calculus (N. Moore) . . xxxiii, 199
,, of lower lip, cases of (J. W. Hulke) . . . xxxi, 312
,, of the LIVER, appearances observed in a case of (G. Thin) . xxxi, 293
,, — primary, exhibiting many features of interest (W. J. Tivy) xxxv, 227
,, of the LUNG, and hyperostosis of lower jaw (W. Cayley) . xxix, 172
,, — of right with embolism in middle cerebral artery (N. Moore) . . . . . xxxii, 32
,, in its relations to the lymphatic system (G. Hoggan) . xxix, 384
,, of ŒSOPHAGUS (H. Larder) . . . . xxxvii, 226
,, — for which gastrostomy was performed (H. A. Lediard) . xxxvii, 229
,, — with perforation into right lung; upper lobes filled with decomposing food (F. S. Eve) . . . . xxxiv, 80
,, of PANCREAS, primary (P. Kidd) . . . xxxiv, 136
,, — and liver, cancerous polypi of the portal vein and pancreatic duct (J. W. Legg) . . . . . xxvii, 189
,, of penis and inguinal glands (J. W. Hulke) . . xxxi, 314
,, of pituitary body in the anubis baboon (J. F. Goodhart) . xxxvi, 36
,, of right pleura, following cancer of right mamma successfully removed two years before (Samuel West). . . xxxii, 227
,, of the prostate, with secondary ossific deposits in the cranium and femur (A. Q. Silcock) . . . . xxxv, 244
,, of the RECTUM (W. H. Cripps) . . . . xxxii, 87
,, — for which excision was performed (H. A. Lediard) . xxxvii, 259
,, — colotomy two years and nine months before death (C. Heath) . . . . . xxvii, 145
,, — complete occulsion from, colotomy, death nine months subsequently (T. Bryant) . . . . xxvi, 99
,, of the SIGMOID FLEXURE, gangrene of bowel, peritonitis (J. F. Goodhart) . . . . . xxxi, 113
,, — with a gaseous abdominal tumour (W. H. Dickinson) . xxxiii, 161
,, and leprosy, changes in the sweat-glands in, as illustrating the extremes of atrophic and hypertrophic pathology (Geo. Hoggan) . . . . . xxx, 421
,, of the undescended testis, primary, cancer of thymus, &c. (F. A. Mahomed) . . . . . xxxiv, 182
,, of the tongue occurring simultaneously on the two sides (J. Hutchinson) . . . . . xxvi, 98
,, TONSIL, primary of the (L. Browne) . . . xxix, 243
,, — and syphilis, chief points of distinction in the clinical history of (L. Browne) . . . . xxx, 409
,, of WOMB (J. W. Hulke) . . . . xxxi, 313
,, — associated with intramural myomata, &c. (R. G. Hebb) . xxxvi, 307
,, see *Carcinoma*, *Epithelioma*, &c.
,, COLLOID of the breast (H. T. Butlin) xxvii, 233; (W. Spencer Watson) xxix, 218; (R. J. Godlee) xxx, 416
additional notes on Mr. Spencer Watson's case, xxxiii (S. R.) 43; and on Mr. Godlee's, *ib.* 48
,, — of omentum (E. Crisp) . . . . xxvi, 123
,, — of peritoneum invading the spleen (W. M. Ord) . . xxxii, 214
,, — of rectum, parts from, two years after colotomy (H. Arnott) xxvi, 120
,, — of rectum, anus, and buttocks (R. W. Lyell) . . xxix, 220
,, — of stomach, lymph-glands and lungs (P. H. Pye-Smith) . xxxiv, 100

CANCER, COLLOID (*continued*)—
,, — of a uterine fibro-myoma (W. Roger Williams) . . xxxvii, 354
,, — *report* of Morbid Growths Committee on above . . xxxvii, 356
,, — see *Carcinoma myxomatodes* and *Scirrhus* (colloid).
,, cylindrical, of humerus (J. Hutchinson, jun.) . . xxxvii, 379
,, cystic, of kidney and liver (T. S. Dowse) . . . xxvi, 132
,, diffuse, primary, of liver, combining characters of sarcoma and carcinoma (S. Coupland) . . . . xxxi, 130
,, disseminated, case of (P. Kidd) . . . . xxxiv, 240
,, encephaloid, of the larynx (L. Browne) . . . xxix, 251
,, endothelial, of the cerebellum (F. S. Eve) . . . xxxiii, 12
,, epithelial, of the rectum, two specimens (W. H. Cripps) . xxix, 123
additional note to ditto . . . xxxi (S. R.), 42
,, MEDULLARY, of kidney, associated with calculi (S. Coupland) . xxxiii, 219
,, — of the pyloric end of the stomach (John R. Lunn) . xxxiii, 138
,, — of the prostate (S. Coupland) . . . xxviii, 185
,, scirrhous, primary, of the liver (J. K. Fowler) . . xxxiii, 192
CANCER CELLS growing from the epithelium of the Malpighian tufts and tubules of the kidney (S. J. Sharkey) . . xxxiii, 195
CANCEROUS ULCER of forty-three years' duration (G. Thin) . xxix, 237
,, of the face (E. Bellamy and A. Sangster) . . . xxx, 371
,, of hepatic flexure of the colon, peritonitis, gumma in lung and in testes (J. F. Goodhart) . . . . xxx, 234
CANCRUM ORIS, diseased jawbone from case of (W. H. Cripps) . xxxi, 242
CAPILLARIES, see *Fibrosis* (arterio-capillary).
CARBOLIC ACID POISONING, acute, œsophagus and stomach from a case of (R. Smith) . . . . xxxi, 143
,, œsophagus, stomach, and intestine, from a case of (S. J. Sharkey) . . . . . xxxv, 191
,, stomach from a case of (S. West) . . . xxxv, 192
CARBONATE OF LIME, see *Lime*.
CARCINOMA of bladder (F. S. Edwards) . . . xxxvii, 317
,, — primary, hard (H. T. Butlin) . . . . xxviii, 165
,, primary, of the cerebellum; left lateral hemisphere (D'Arcy Power) . . . . . xxxvii, 66
,, of the heart (N. Moore) . . . . xxxvii, 172
,, of lower jaw (F. B. Jessett) . . . . xxxvi, 408
,, involving both superior maxillæ (G. H. Makins) . . xxxvii, 382
,, of KIDNEY, associated with calculi (B. Pollard) . . xxxvi, 272
,, — (primary) (S. J. Sharkey) . . . . xxxv, 235
,, — of the left; nephrectomy; recovery (J. McCarthy) . xxxvii, 295
,, — case showing the growth of cancer cells from the epithelium of the Malpighian tufts and tubules of the kidney (S. J. Sharkey) . . . . . xxxiii, 195
,, of the LIVER (S. Coupland) . . . . xxxi, 130
,, — primary (P. H. Pye-Smith) xxxi, 125; (F. T. Paul) xxxvi, 238.
,, of œsophagus (N. Moore) . . . . xxxiv, 79
,, of omentum (B. Fenwick) . . . . xxxiv, 269
,, of the orbit recurring fourteen years after its second removal (E. Nettleship) . . . . . xxix, 230
additional note to ditto . . . xxxiii (S. R.), 43
,, of prostate; pyæmia; cystotomy (W. Bruce Clarke) . xxxvi, 289
,, erosion and absorption of skull, the result of (T. F. Chavasse) . xxxv, 366
,, in a case of splenic leukæmia (T. Whipham) . . xxix, 313
,, of STOMACH (R. W. Burnet) xxxiii, 191; (M. Sheild) xxxvi, 194.
,, — in a child (N. Moore) . . . . xxxvi, 195
,, — of the body of the stomach (R. E. Carrington) . . xxxvii, 236

CARCINOMA (*continued*)—
,, of both suprarenals (W. B. Hadden) . . . xxxvii, 515
,, of the testes in a boy aged two years (H. Marsh) . . xxvi, 138
,, of the thyroid gland (R. E. Carrington) . . . xxxvii, 508
,, primary, of tibia (G. H. Makins) . . . xxxvi, 409
,, colloid, of the breast (H. T. Butlin) . . . xxvii, 220
additional note to ditto . . . xxxiii (S. R.), 40
,, diffused, with the distribution of Hodgkin's disease (J. F. Goodhart) . . . . . xxix, 325
,, hard spheroidal-celled, of the œsophagus (S. Benton) . xxxv, 190
,, medullary, of duodenum, occluding hepatic ducts (S. Coupland) xxxi, 145
,, — of the pyloric end of the stomach in a man (J. R. Lunn) . xxxiii, 138
,, primary melanotic, of liver (W. Hale White) . . xxxvii, 272
,, squamous-celled, of the upper jaw (H. T. Butlin) . . xxxiii, 327
,, lipomatosum of the kidney (C. H. Fagge) . . xxvii, 334
,, myxomatodes (or so-called colloid cancer of the breast), one containing large "colloid bodies" (F. S. Eve) . . xxxvii, 493
,, see *Cancer*.
CARDIAC disease, see *Heart*.
,, plexus, aneurysm of aorta pressing on (T. T. Whipham) . xxxiii, 82
CARIES of the cranium and ulna, in tertiary syphilis (P. H. Pye-Smith) . . . . . xxviii, 334
,, of spine, extensive, leading to fatal pleurisy (A. E. Barker) . xxix, 191
,, — producing aortic deformity (A. E. Barker) . . xxxi, 246
,, — lumbar, abscess, destruction of right kidney, and ulceration into duodenum; lumbar incision; death (J. N. C. Davies-Colley) . . . . . xxxvii, 561
,, of cervical vertebræ (dachshund) (H. A. Lediard) . . xxxv, 274
,, dry, of the knee-joint (H. A. Lediard) . . . xxxiv, 229
CARPUS and hand, defective, in cases of congenital absence of radius (R. W. Parker) . . . xxxiii, 236, 238
CARRINGTON (R. E.), nutshell impacted in the larynx, tracheotomy, membranous tracheitis, and purulent bronchitis, collapse of lung . . . . . xxxii, 16
,, case of mitral and tricuspid stenosis, with concurrent disease of the aortic valves . . . . . xxxii, 75
,, cerebro-spinal meningitis, a sporadic case of cerebro-spinal fever? . . . . . xxxiii, 19
,, *notes* of three cases of hour-glass contraction of the stomach, with remarks . . . . . xxxiii, 130
,, two cases of fracture of the cervical spine . . . xxxiii, 260
,, aneurysm of aorta . . . . . xxxiv, 78
,, two cases of "epidemic" cerebro-spinal meningitis . . xxxv, 51
,, ulcerative endocarditis; embolism of both middle cerebral arteries; cerebral softening; infarcts in the liver and spleen . xxxv, 108
,, cancer of gall-bladder; secondary disease of liver and kidneys; xanthopsia; bile-stained vitreous . . . xxxv, 231
,, malposition of the left kidney; arrest of development of the left side of uterus; absence of the left ovary and Fallopian tube xxxv, 237
,, a case of Hodgkin's disease, with extensive affection of the stomach and intestines . . . . xxxv, 386
,, simple ulceration establishing a communication between the trachea and œsophagus; purulent bronchitis; sloughing broncho-pneumonia . . . . . xxxvi, 98
,, fungating and ulcerating endocarditis of the mitral valve; thickened aortic valves; acute pericarditis; infarcts in liver and spleen, &c. . . . . xxxvi, 135

CARRINGTON (R. E.) (*continued*)—
,, acute atrophy or acute cirrhosis of the liver . . xxxvi, 221
,, *report* of Morbid Growths Committee on above . . xxxvi, 224
,, double "tropical abscess" of the liver, associated with multiple "pyæmic abscesses;" dysentery . . . xxxvi, 224
,, blood-cysts of supra-renal capsules; cirrhosis of liver, with masses of hepatic tissue simulating secondary growths; pigmentation of the skin . . . . . xxxvi, 454
,, mitral and tricuspid stenosis . . . . xxxvii, 171
,, carcinoma of the body of the stomach, the pyloric and œsophageal orifices being free; extreme contraction of the organ; simple atrophy of the liver; ascites . . . xxxvii, 236
,, two cases of double intestinal stricture arising in the walls of the bowel . . . . . xxxvii, 244
,, carcinoma of the thyroid gland . . . . xxxvii, 508
CARTER (H. VANDYKE), note on the histology of "lepra leprosa" (leprous eruptions) . . . . . xxvii, 297
,, — postscript to ditto . . . . . xxvii, 300
,, memorandum on leprous nerve disease . . . xxviii, 1
,, papers on the condition of the lymphatics in elephantiasis, reference to (G. Hoggan) . . . . xxx, 504
CARTILAGE, costal, fracture of seventh and eighth, with displacement of fragments (W. A. Lane) . . . xxxv, 266
,, of the first rib, changes in the, due to rheumatic arthritis (C. B. Lockwood) . . . . . xxxv, 298
,, hyaline, epulis containing masses of (H. A. Lediard) . xxxii, 244
,, loose, in the knee-joint (S. Jones) . . . xxxv, 320
,, thyroid, see *Thyroid*.
CASEOUS DEGENERATION, primary, of lymph-glands (P. H. Pye-Smith) . . . . . xxvi, 202
CASEOUS DISEASE of mesenteric glands, chronic obstruction of small intestine due to old adhesions from (C. H. Fagge) . xxvii, 157
,, enlargement of bronchial and mesenteric glands in a child, acute tuberculosis, &c., following (Sir D. Duckworth) . xxvi, 246
CATARACT, LAMELLAR, and imperfect teeth (Jon. Hutchinson) . xxvi, 235
,, — and imperfect teeth, question of the latter being caused by rickets . . . . . xxvi, 238
,, — cases in which it occurred in more than one of a family . xxvi, 241
CATHETERISM, epithelioma of bladder, probably due to irritation from (C. H. Fagge) . . . . xxviii, 167
CAVAFY (JOHN), a case of abnormal pigmentation of the skin following jaundice . . . . . xxxii, 258
,, — *report* on ditto by committee (J. Hutchinson, P. H. Pye-Smith, and W. M. Baker) . . . . xxxii, 260
,, heart disease and subcutaneous fibrous nodules following rheumatism . . . . . xxxiv, 41
,, acute atrophy of the liver . . . . xxxiv, 122
,, *report* on Mr. M. Baker's case of circumscribed scleroderma . xxxii, 262
,, see *Zancarol* (*G.*).
CAYLEY (WILLIAM), sarcoma of the cerebral pia mater . . xxvi, 1
,, syphilitic disease of the heart . . . . xxvi, 32
,, extensive disease of the aortic valves in an infant . . xxvi, 33
,, hydatid cyst of liver, which burst into the lung . . xxvii, 171
,, cirrhosis of the liver in a child aged 6 years . . xxvii, 194
,, mitral stenosis, thrombosis of left auricle and of femoral arteries, gangrene of lower extremities . . . xxix, 60

CAYLEY (WILLIAM) (*continued*)—
„ hyperostosis of the lower jaw, right parietal bone, left clavicle, and tibiæ; cancer of the lung . . . . xxix, 172
„ cirrhosis and acute atrophy of liver . . . xxxiv, 127
„ abscess of the brain associated with bronchiectasis . . xxxv, 12
„ see *Brown (G.)*; *Whately.*
„ *report* on Dr. Hilton Fagge's case of diffused suppurative inflammation of the stomach . . . . xxvi, 83
„ — on Dr. S. Coupland's specimen of lymphoma of the prostate xxviii, 185
„ — on Mr. W. Adams's case of spontaneous rupture of the œsophagus . . . . . xxix, 114
CEREBELLUM, cyst of (P. H. Pye-Smith) . . . xxxvi, 17
„ — simple (S. J. Skarkey) . . . . xxxiii, 8
„ endothelioma or villous sarcoma of (F. S. Eve) . . xxxiii, 12
„ hæmorrhage into, rupturing into the fourth ventricle (W. A. Sturge) . . . . . xxx, 194
„ gumma syphiliticum of tentorium of (T. S. Dowse) . . xxvii, 11
„ tumours of the, see *Tumours, intracranial.*
„ wound of, by wire (J. H. Morgan) . . . xxxv, 12
„ congenital absence of right hemisphere of (A. P. Gould) . xxxiii, 6
CEREBRAL ARTERIES, see *Brain.*
CEREBRAL ARTERIOLES, see *Arterioles.*
CEREBRAL HÆMORRHAGE, see *Hæmorrhage.*
CEREBRAL HEMISPHERE, see *Brain.*
CEREBRAL SINUSES, gumma syphiliticum of posterior (T. S. Dowse) . . . . . xxvii, 11
CEREBRAL TUMOURS, see *Tumours, intracranial; Brain.*
CEREBRO-SPINAL FEVER, a sporadic case of (R. E. Carrington) . xxxiii, 19
CEREBRO-SPINAL MENINGITIS, see *Meningitis.*
CEREBRUM, case of symmetrical cysts in the (B. G. Morison and F. C. Turner) . . . . . xxxv, 17
„ see *Brain.*
CERVICAL GLANDS, lymphadenoma in, with secondary growths in skin, spleen, &c. (W. S. Greenfield) . . xxix, 273, 278
CERVIX, see *Uterus* (cervix of).
CHAFFEY (W. C.), congenital malformation of heart, with persistent left duct of Cuvier . . . . . xxxvi, 175
„ malformation of pulmonary veins . . . xxxvi, 183
„ solitary kidney (congenital) . . . . xxxvi, 282
„ lympho-sarcoma of bladder . . . . xxxvi, 287
„ early sarcoma of testis . . . . . xxxvi, 302
„ pyo-salpinx in a child . . . . . xxxvi, 303
„ multiple sarcoma in a child . . . . xxxvi, 415
„ a deposit of caseous tubercle in the floor of the fourth ventricle of the brain . . . . . xxxvii, 63
„ a case of hæmorrhage into the grey matter of the spinal cord . xxxvii, 90
CHARBON, or malignant pustule, case of (T. Bryant) . . xxxiv, 293
CHARCOT (J. M.), *per T. W. Nunn*, sections of spinal cord and phrenic nerves in the two forms of progressive muscular atrophy . . . . . xxviii, 9
CHARCOT'S DISEASE (W. A. Lane) xxxv, 299, 308; (E. H. Paddison) xxxvi, 48
„ — affecting both hip-joints (W. H. White) . . xxxv, 312
CHARLES (T. CRANSTOUN), microscopical examination of Mr. Croft's case of spindle-celled sarcoma in male mammary region . xxvii, 250

CHAVASSE (THOMAS F.), tumour removed from the petrous portion of the temporal bone . . . . . xxxv, 320
,, *report* of Morbid Growths Committee on the above (A. A. Bowlby and C. J. Symonds) . . . . xxxv, 322
,, erosion and absorption of skull, the result of carcinoma . xxxv, 366
CHEEK, congenital fibro-cystic nævoid tumour of (J. Hutchinson) xxxii, 240
CHEIRO-POMPHOLYX (H. M. Jones) . . . xxxii, 272
CHEST, epithelioma in, following removal of epithelioma of the tongue (R. J. Godlee) . . . . xxvii, 253
,, vascular growth in upper part of (J. S. Wilkinson) . . xxvi, 196
CHEYNE (W. WATSON), on the relation of organisms to antiseptic dressings . . . . . xxx, 557
,, — references to papers on the subject . . . xxx, 558
,, two cases of idiopathic purpura hæmorrhagica, in which micro-organisms were present . . . . xxxv, 408
CHILD, microcephalous, brain of a (T. Barlow) . . xxviii, 8
CHIN, recurrent epithelioma of, &c., removed by operation (C. Heath) xxvii, 258
additional note to ditto . . . xxxiii (S. R.), 40
,, vesicular wart-like growth on (J. Hutchinson) . . xxxi, 342
,, — microscopical *report* on (A. Sangster) . . . xxxi, 346
CHOLESTERIN in a degenerated eyeball, from a child (J. Hutchinson) xxxi, 253
,, renal tumour chiefly consisting of (N. Moore) . . xxxvi, 272
CHONDRITIS, primary, of larynx (W. A. Lane) . . xxxvi, 82
,, and perichondritis of thyroid cartilage, in a case of epithelioma of the larynx (F. Semon) . . . . xxxi, 55
CHONDRO-EPITROCHLEARIS MUSCLE on each side (F. Taylor) . xxxv, 466
CHONDRO-SARCOMA of female breast (A. A. Bowlby) . . xxxiii, 306
,, ossifying, of both femora, with secondary deposits in lungs and bronchial and lymphatic glands (R. W. Parker) . . xxxi, 223
CHONDROMA of the lachrymal gland (H. T. Butlin) . . xxvi, 184
additional note to ditto . . . xxxiii (S. R.), 38
,, see *Osteo-chondroma*.
CHORDÆ TENDINEÆ, retroversion of mitral valve, owing to lengthening of (S. J. Sharkey) . . . . xxxvii, 171
,, rupture of, in a case of acute fatty degeneration of the heart (S. West) . . . . . xxxiii, 74
CHOREA, cardiac disease following (T. D. Savill) . . xxxvii, 167
,, canine, pathology of (W. B. Hadden) . . . xxxiv, 308
CHOROID, melanotic sarcoma of; no recurrence after removal of the eye (Spencer Watson) . . . . xxviii, 210
additional note to ditto . . . xxxiii (S. R.), 41
CHOROID PLEXUS, cyst of, of large size, in an infant (G. Brown) xxvii, 25
CHOROIDITIS in a child the subject of congenital syphilis (T. Barlow) . . . . . xxviii, 287
CHURCH (W. S.), *report* on J. S. Wilkinson's specimen of vascular growth in the neck, &c. . . . . xxvi, 198
,, case of necrosis of arytænoid cartilage in typhoid fever (Fred. S. Eve) . . . . . xxxi, 35
CHURCHILL (FREDERICK), case of multiple exostoses . . xxxiv, 210
,, congenital syphilitic necrosis of vomer . . . xxxvii, 372
,, post-nasal fibroma . . . . . xxxvii, 458
CHYLE, see *Urine* (chylous).
CHYLOUS FLUID, analyses of, by A. J. Bernays, in a case of lymphangeioma (Sydney Jones) . . . . xxvi, 231

CHYLURIA, a case of (C. H. Ralfe) . . . xxix, 388
additional note to ditto . . . xxxiii (S. R.), 45
,, fat from a case of (W. M. Ord) . . . xxix, 402
,, and blood-parasite (F. A. Trevan) . . . xxxv, 445
,, filarial hæmato-, case of (Stephen Mackenzie) . . xxxiii, 394
CILIARY BODY, commencing sarcoma of (E. Nettleship) . xxvii, 227
CIRCLE OF WILLIS, anterior artery of, see *Aneurysm.*
CIRCULATION, organs of, diseases, &c., of, xxvi, 16–80; xxvii, 59–142; xxviii, 43–119; xxix, 43–112; xxx, 258–296; xxxi, 58–100; xxxii, 35–78; xxxiii, 49–102; xxxiv, 29–78; xxxv, 104–156; xxxvi, 126–183; xxxvii, 147–217.
,, see *Coronary circulation.*
CIRRHOSIS of liver, see *Liver.*
,, pulmonary, see *Lungs.*
CLARKE (ERNEST), malformation of heart . . . xxxvi, 178
,, "Jacksonian epilepsy" . . . . xxxvii, 61
CLARKE (W. BRUCE), carcinoma of prostate, pyæmia, cystotomy . xxxvi, 289
,, congenital unilateral development of warts . . . xxxvi, 468
,, stricture of rectum; colotomy . . . . xxxvii, 258
,, a case of early puberty . . . . . xxxvii, 358
CLARKE (W. FAIRLIE), hypertrophy of the tongue . xxvi, 115
,, tubercular lupus of tongue, palate, and gums . . xxvii, 148
CLAVICLE, dislocation upwards of acromial end of, with fracture of clavicle (F. S. Eve) . . . . xxxi, 245
,, congenital deformity of (T. S. Dowse) . . . xxvi, 167
,, hyperostosis of left (W. Cayley) . . . . xxix, 172
,, sarcoma of (H. M. Jones) . . . . xxxii, 242
,, sequestrum of (H. M. Jones) . . . . xxxii, 192
,, tumour of the (W. J. Walsham) . . . . xxvii, 222
,, pulsating tumours of, with hypertrophy of the heart (H. Morris) xxxi, 259
CLAVUS, disseminated, of the hands and feet (N. Davies-Colley) . xxx, 451
CLITORIS, elephantiasis of (Dr. London) . . . xxix, 404
,, epithelioma of (Sir W. Mac Cormac) . . . xxxvii, 357
CLOT, large ante-mortem, filling the left auricle (W. Ewart) . xxix, 52
,, old laminated, lining the ventricles of the heart (J. S. Bristowe) xxxvii, 193
,, pale and red in cerebral arterioles (C. H. Jones) . . xxxv, 134
,, in brachial and other arteries (H. T. Butlin) . . xxxi, 76
,, from the surface of the brain (M. Sheild) . . . xxxvi, 17
CLUB-FOOT, congenital, the pathology and etiology of (R. W. Parker and S. G. Shattock) . . . . xxxv, 423
CLUTTON (H. H.), alveolar sarcoma of skull; secondary growth of bladder . . . . . xxxiv, 212
,, *report* on ditto by the Morbid Growths Committee (Marcus Beck and R. J. Godlee) . . . . xxxiv, 215
,, case of keloid following lupus scraping and developing in other operation wounds . . . . . xxxiv, 273
,, primary malignant disease of tonsil—probably sarcoma . xxxv, 157
,, central myeloid sarcoma of tibia which produced no expansion of the bone . . . . . xxxv, 327
,, nasal calculus . . . . . xxxv, 330
,, congenital papilloma in line of branchial fissure . . xxxv, 381
,, vesico-vaginal calculi . . . . . xxxvi, 308
,, spontaneous fracture of vesical calculus . . . xxxvii, 324
,, peculiar epithelial tumour of skin near rectum . . xxxvii, 479
,, see *Floyer*, pedunculated dermoid tumour from sigmoid flexure.

COATS (JOSEPH), *post-mortem* examination of a floating kidney . xxvii, 469
,, — see *Gairdner* and Coats, Multiple tumours.
COATI, pneumothorax in a (J. B. Sutton) . . . xxxiii, 432
COBBOLD (T. C.), on Filaria sanguinis hominis, *referred to* . xxxii, 286
COCCYX, congenital tumour of, with attached fœtus (F. Treves) . xxxiii, 285
COCKLE (JOHN), *per T. Holmes*, nearly impassable stricture of the œsophagus, fatal by ulcerative perforation of the trachea . xxviii, 123
CŒLIAC AXIS, see *Aneurysm.*
COLD, exposure to, after birth, unusual scar-leaving eruption in an infant attributed to (J. Hutchinson) . . . xxvi, 221
COLITIS, entero (A. Q. Silcock) . . . . xxxvi, 207
,, — acute, with Bright's disease (J. F. Goodhart) . . xxxvi, 203
,, polyposa, due to chronic dysentery (A. E. Durham) . . xxxvi, 209
,, ulcerative, acute, from a case of colloid cancer of the stomach (J. F. Goodhart) . . . . . xxxvi, 204
COLLES'S FRACTURE, see *Fracture.*
COLLOID BODIES (F. S. Eve) . . . . xxxvii, 493
COLLOID CANCER, see *Cancer, Carcinoma myxomatodes.*
COLLOID TUMOURS, see *Myxo-sarcoma.*
COLON, abnormality of (C. B. Lockwood) . . . xxxvii, 250
,, cancer of right half of transverse (T. S. Dowse) . . xxvi, 90
,, compression of descending, by aneurysm of abdominal aorta (W. H. Dickinson) . . . . . xxvi, 76
,, epithelioma of ascending (A. Q. Silcock) . . . xxxvi, 207
,, columnar epithelioma of lower end of (Stanley Boyd) . xxxiii, 338
,, intense inflammation of transverse, in a case of sulphuric-acid poisoning (W. Hale White) . . . . xxxiv, 96
,, cancerous ulcer of hepatic flexure, peritonitis, gumma in the lung, &c. (J. F. Goodhart) . . . . xxx, 234
,, acute extensive ulceration of (W. H. Allchin) . . xxxvi, 199
,, secondary ulceration of, in abscess of the liver (F. C. Turner) . xxxiii, 177
,, upper part of descending, showing a perforated ulcer from a case of typhoid fever (N. Moore) . . . xxxiii, 150
,, see *Sigmoid flexure.*
COLOTOMY performed by a parrot on a sheep (H. A. de Lautour) . xxxi, 386
,, for stricture of rectum (W. Bruce Clarke) . . . xxxvii, 258
,, — (syphilitic ?) cure, death from acute hip disease subsequently (T. Bryant) . . . . . xxvi, 101
,, two years and nine months before death in cancer of rectum (C. Heath) . . . . . xxvii, 145
,, parts from a case of colloid cancer of rectum two years after (H. Arnott) . . . . . xxvi, 120
,, in a case of occlusion of rectum from cancer, death nine months subsequently (T. Bryant) . . . . xxvi, 99
COMA, duration of, in diabetes (Steph. Mackenzie) . . xxxiv, 356
,, renal, death from, in case of compression of renal arteries (J. B. Yeo) . . . . . xxviii, 94
COMMITTEE (CHEMICAL), reports of:
,, on Mr. Whately's specimen of renal calculus (G. Harley and C. H. Ralfe) . . . . . xxvi, 128
,, on Dr. Wilton's specimen of intestinal concretion discharged through an abscess in the back (J. B. Sanderson and C. H. Ralfe) xxviii, 130
,, on Mr. Wagstaff's specimens of renal calculi (W. H. Dickinson and C. H. Ralfe) . . . . . xxviii, 176

COMMITTEE ON DISPLACED, MOVABLE, AND FLOATING KIDNEYS, report of . . . . . xxvii, 467–475

COMMITTEE ON MORBID GROWTHS, REPORTS of:

,, on Dr. J. B. Yeo's specimen of cardiac tumour in the cavity of the left ventricle (W. Moxon and W. W. Wagstaffe) . . xxvi, 53
,, on Dr. C. H. Fagge's specimen of suppurative inflammation of the stomach (J. S. Bristowe and W. Cayley) . . xxvi, 83
,, on Mr. T. Bryant's specimen of stricture of colon associated with cancer (C. H. Fagge and J. F. Goodhart) . . xxvi, 100
,, on Dr. E. Crisp's specimen of colloid cancer of the omentum (M. Beck and H. Arnott) . . . . xxvi, 125
,, on Mr. R. C. Lucas's specimen of diseased kidney (C. H. Fagge and J. F. Goodhart) . . . . . xxvi, 130
,, on Dr. G. C. P. Murray's specimen of ovarian tumour (J. F. Payne and W. S. Greenfield) . . . . xxvi, 144
,, on Mr. John Wood's specimen of tumour of the scapula (M. Beck and H. Arnott) . . . . . xxvi, 172
,, on Mr. R. Barwell's specimen of tumour of the wrist (W. W. Wagstaffe and H. Arnott) . . . . xxvi, 189
,, on Mr. John Wood's specimen of tumour from the zygomatic fossa of a boy (H. Arnott and M. Beck) . . . xxvi, 192
,, on Mr. J. S. Wilkinson's specimen of vascular growth in the neck and upper part of the chest (J. F. Payne and W. S. Church) . . . . . xxvi, 198
,, on Dr. P. H. Pye-Smith's specimen of caseous disease of the mesenteric glands, &c. (T. Henry Green and J. Burdon Sanderson) . . . . . xxvi, 206
,, on Mr. D. Balding's specimen of tumour of the sciatic nerve (H. T. Butlin and R. J. Godlee) . . . xxvii, 24
,, on Mr. Lennox Browne and Dr. Gilbart Smith's case of ulceration of the larynx (H. T. Butlin and R. J. Godlee) . . xxvii, 52
,, on Dr. Alex. Morison's specimen of disease of the pulmonary and tricuspid valves (J. F. Payne and W. S. Greenfield) . xxvii, 97
,, on Dr. J. F. Goodhart's case of extreme tubercular disease of the liver in a case of phthisis (C. H. Fagge and J. F. Goodhart) xxvii, 198
,, on Mr. W. J. Walsham's specimen of tumour of the clavicle (C. H. Fagge and J. F. Goodhart) . . . . xxvii, 224
,, on Mr. C. F. Maunder's tumour of the breast (W. Moxon and W. W. Wagstaffe) . . . . . xxvii, 252
,, on Mr. J. Hutchinson's tumour of the femur (H. Arnott and Marcus Beck) . . . . . xxvii, 268
,, on Mr. D. Balding's case of recurrent tumour (H. T. Butlin and R. J. Godlee) . . . . . xxviii, 31
,, on Dr. F. A. Mahomed's cases of adenoma of the liver (J. F. Payne and W. S. Greenfield) . . . . xxviii, 155
,, on Dr. S. Coupland's specimen of lymphoma of the prostate (J. S. Bristowe and W. Cayley) . . . . xxviii, 185
,, on Dr. J. Walters' specimen of scirrhus of the diaphragm (H. T. Butlin and J. F. Goodhart) . . . . xxviii, 219
,, on Mr. L. Browne's case of primary cancer of the tonsil (J. F. Goodhart and H. T. Butlin) . . . . xxix, 247
,, — case of epithelioma of the tongue invading the tonsil (J. F. Goodhart and H. T. Butlin) . . . . xxix, 250
,, on Mr. E. Bellamy and Dr. A. Sangster's specimen of cancerous ulcer of the face and nose (J. F. Goodhart and H. T. Butlin) . xxx, 373
,, on Dr. James Gairdner's specimen of multiple tumours (J. F. Goodhart and H. T. Butlin) . . . . xxx, 394

COMMITTEE ON MORBID GROWTHS, REPORTS of: (*continued*)—
,, on Mr. Chr. Heath's case of removal of the scapula (M. Beck and R. J. Godlee) . . . . . xxx, 406
,, on Dr. Geo. Hoggan's microscopic specimens of the skin in leprosy (J. F. Goodhart and H. T. Butlin) . . xxx, 510
,, on Dr. S. Coupland's specimen of primary sarcoma of the liver (J. F. Goodhart and H. T. Butlin) . . . xxxi, 135
,, on Dr. John Abercrombie's case of tumours of the vault of the skull (M. Beck and R. J. Godlee) . . . xxxi, 221
,, on Mr. H. Morris's specimen of pulsating tumour of cranium (M. Beck, H. T. Butlin, and R. J. Godlee) . . xxxi, 270
,, on Mr. T. W. Nunn's case of recurrent tumours of the breast (M. Beck and R. J. Godlee) . . . . xxxi, 276
,, on Mr. John Gay's specimen of recurrent mammary tumour (H. G. Howse and Fred. Taylor) . . . xxxi, 389
,, on Dr. C. M. Moullin's specimen of cystic degeneration of the breast (H. T. Butlin and J. F. Goodhart) . . . xxxii, 217
,, on Mr. Jonathan Hutchinson's case of tumour [epithelial ulcer] of the leg (M. Beck and R. J. Godlee) . . . xxxii, 231
,, on Mr. R. Parker's case of adeno-fibroma and carcinoma of the same breast (M. Beck and R. J. Godlee) . . . xxxii, 235
,, on Dr. W. H. Broadbent's specimen of thickening of the pericardium (J. F. Goodhart and H. T. Butlin) . . xxxiii, 81
,, on Dr. W. J. Tyson's case of stricture of the pylorus (M. Beck and R. J. Godlee) . . . . . xxxiii, 143
,, on Dr. Bedford Fenwick's specimen of intrathoracic tumour (S. Coupland and J. F. Payne) . . . . xxxiii, 299
,, on Mr. F. S. Eve and Dr. D. Williams's cases of myo-sarcoma of the kidney (M. Beck and R. J. Godlee) . . . xxxiii, 319
,, on Mr. Roger Williams's tumour in a diverticulum of the urinary bladder (J. F. Goodhart and H. T. Butlin) . . xxxiv, 156
,, on Mr. H. H. Clutton's case of tumour of the skull (Marcus Beck and R. J. Godlee) . . . . xxxiv, 215
,, on Mr. W. H. Kesteven's specimen of blood-cyst of the spinal column (Marcus Beck and R. J. Godlee) . . . xxxiv, 220
,, on Dr. W. B. Hadden's specimen of disseminated sarcoma (H. T. Butlin and Jas. F. Goodhart) . . . xxxiv, 239
,, on Mr. George Lawson's case of cartilaginous tumour of the lower jaw (J. F. Goodhart and Henry T. Butlin) . . xxxiv, 264
,, on Dr. Norman Moore's case of interstitial disease of the ovaries (C. J. Symonds and A. A. Bowlby) . . . xxxv, 248
,, on Mr. Chavasse's tumour of the petrous portion of the temporal bone (A. A. Bowlby and C. J. Symonds) . . xxxv, 322
,, on Mr. Lockwood's specimen of growth from the scalp (F. Taylor and F. C. Turner) . . . . xxxv, 341
,, on Mr. Treves's case of supposed actinomycosis (M. Beck and R. J. Godlee) . . . . . xxxv, 362
,, on Mr. Lawson's case of congenital tumour of the orbit (M. Beck and R. J. Godlee) . . . . xxxv, 381
,, on Dr. Payne and Dr. Semon's case of rhinoscleroma (J. F. Goodhart and H. T. Butlin) . . . . xxxvi, 81
,, on Dr. Carrington's case of acute atrophy or acute cirrhosis of liver . . . . . xxxvi, 224
,, on Dr. Lanchester and Dr. Hobson's case of caseous pneumonia of entire lung simulating empyema, with general tuberculosis (J. F. Payne and S. Coupland) . . . . xxxvi, 117
,, on Mr. Pollard's case of hypertrophied callus of tibia and fibula (F. S. Eve and S. J. Sharkey) . . . . xxxvi, 391

COMMITTEE ON MORBID GROWTHS, REPORTS of: (*continued*)—
„ on Mr. Barker's case of tubular epithelioma of the upper jaw (C. J. Symonds and A. A. Bowlby) . . . xxxvi, 403
„ on Dr. Macdonald's intracranial cystic tumour (R. W. Parker and S. G. Shattock) . . . . . xxxvii, 9
„ on Mr. Peeke Richards's case of tumour in the third ventricle of the brain (F. Taylor and F. C. Turner) . . xxxvii, 51
„ on Mr. Roger Williams's case of colloid cancer of a uterine fibromyoma . . . . . xxxvii, 356
„ on Mr. Hutchinson, jun.'s, case of neuroma of the parotid (S. J. Sharkey and F. S. Eve) . . . . xxxvii, 462
„ on Dr. Jacob's specimen of tumour of finger (A. A. Bowlby and C. J. Symonds) . . . . . xxxvii, 467
„ on Dr. Norman Moore's specimen of tumour of the thyroid (R. W. Parker and S. G. Shattock) . . . . xxxvii, 513
COMMITTEES, reports of other:
„ on Dr. T. S. Dowse's specimen of invaginated intestine (W. S. Greenfield and H. Morris) . . . . xxvi, 110
„ on Dr. F. A. Mahomed's case of intestinal obstruction (John Wood and J. W. Hulke) . . . . xxvi, 119
„ on Dr. A. Harbinson's sections of brain showing diffuse changes, possibly sclerotic (W. R. Gowers and G. H. Savage) . . . . . xxxiii, 33
„ on Mr. Stanley Boyd's case of rupture of the œsophagus (J. F. Goodhart and H. T. Butlin) . . . . xxxiii, 129
„ on Mr. A. E. Barker's case of supposed congenital dislocation of hip (H. Marsh, J. N. C. Davies-Colley, and H. T. Butlin) . . . . . xxxiii, 250
„ on Mr. C. T. Dent's case of double displacement of the tibiæ backwards, with deformity of the long bones and arrested development (W. Haward, C. T. Dent, T. Barlow, Hilton Fagge, and F. D. Drewitt) . . . . . xxxiii, 256
, on Dr. J. F. Goodhart's case of melasma suprarenale (S. Coupland, C. Creighton, and J. H. Fowler) . . . xxxiii, 345
„ on Dr. Stephen Mackenzie and Mr. James Startin's cases of xanthelasma (Jon. Hutchinson, A. Sangster, and H. R. Crocker) . . . . . xxxiii, 374, 376
„ on Dr. Norman Moore's specimen of fibrous structure resembling valves in the left ventricle of the heart (J. F. Payne, P. H. Pye-Smith, and S. Coupland) . . . xxxiv, 30
„ on Dr. Handfield Jones's specimens of obstruction of the cerebral vessels by atheroma (S. Coupland and J. F. Payne) . . . . . xxxiv, 60
„ on Dr. Sharkey's specimen of syphilitic inflammation of the capsule of the liver (S. Coupland and J. F. Payne) . . xxxiv, 122
„ on Dr. J. F. Goodhart's specimen of extensive hyperostosis, with bone softening and rickety changes (C. Hilton Fagge, Warrington Haward, T. Barlow, and J. F. Goodhart) . xxxiv, 201
„ on Mr. Malcolm Morris's case of so-called xanthoma in connection with diabetes (H. R. Crocker, A. Sangster, and Jon. Hutchinson) . . . . . xxxiv, 284
„ on Mr. Lane's specimens of fractures, &c., of hyoid bone and larynx (W. A. Lane, S. G. Shattock, F. Semon, and H. T. Butlin) . . . . . xxxvi, 93
„ on Dr. Handford's case of abscess of the liver (W. B. Hadden, T. D. Acland) . . . . . xxxvii, 271
„ on the nature and causes of pyæmia, septicæmia, and purulent infection (see *Pyæmia*) . . . . xxx, 1

COMMITTEES, REPORTS of other: (*continued*)—
„ committee appointed to investigate the changes exhibited by specimens of the nervous centres in cases of diabetes submitted for examination by speakers in the discussion on the morbid anatomy of diabetes (Geo. H. Savage, W. R. Gowers, and J. F. Payne) . . . . . xxxiv, 397
„ on specimens of intracranial tumours, exhibited February 2nd and 16th, 1886 (Dr. Beevor, Dr. Hadden, Dr. Ormerod, Mr. Shattock, Mr. Butlin, and Dr. Coupland), tables drawn up . xxxvii, 68

COMMUNICATIONS (special)
„ on visceral syphilis . . . . xxviii, 249–360
„ on the arterio-capillary system in connection with kidney disease xxviii, 361–397
„ on certain acute specific diseases . . . xxviii, 397–447
„ on disease of the lymphatic system, including lymphadenoma and leukæmia . . . . xxix, 269–419
„ on splenic fever . . . . . xxix, 420
„ on measles . . . . . xxix, 421–25
„ on lactic fermentation . . . . xxix, 425–467
„ discussion on lardaceous disease . . . . xxx, 511–546
„ on certain observed relations between diphtheria and milk (W. H. Power) . . . . . xxx, 546–551
„ on garget or ropy milk, or cold in udder (A. H. Smee) . xxx, 551–557
„ on the relation of organisms to antiseptic dressings (W. W. Cheyne) xxx, 557–580

COMPTON (F. C.), microscopical examination of tumours in W. Haward's case of bronchocele . . . . xxxiii, 294

CONCRETION, intestinal, discharged through abscess in the back (John Wilton) . . . . . xxviii, 129
„ in the kidney, see *Kidney*.

CONGESTION, long-continued, due to backward dislocation of the knee-joint, causing eczema squamosum of leg (H. G. Howse) . xxx, 454
„ of brain, extreme, due to obstructed pulmonary circulation; diffuse punctiform hæmorrhages in substance of cerebral hemispheres (S. Coupland) . . . . xxx, 189

CONNECTIVE TISSUE, changes in, in granular kidney (R. Saundby) xxxi, 156
„ relations of elephantiasis arabum to (G. Thin) . . xxxi, 337
„ see *Tumour*.

CONSTRICTION of aortic, mitral, and tricuspid valves (S. J. Sharkey) xxxvii, 170

CONTAGIUM, experiments and observations on vaccine and variolous (P. M. Braidwood and F. Vacher) . . . xxviii, 409

CONTRACTION, hour-glass, see *Stomach*.

CONVULSIONS, uræmic, in a case of syphilitic tubercle of the lung (J. F. Goodhart) . . . . . xxx, 233

CORACOID PROCESS, fracture of, followed by fibrous repair (S. G. Shattock) . . . . . xxxii, 155

CORD, see *Spermatic cord, Spinal cord.*

CORIUM, pigmentation of (S. Paget) . . . xxxvii, 225

CORN, grain of, from cæcum causing perityphlitis and intestinal strangulation (W. Hale White) . . . . xxxvi, 210

CORNEA, sarcomatous tumour from (G. Lawson) . . xxvi, 179

CORNIL (V.), letters on the characters of Mr. H. Morris's pulsating tumour of the cranium . . . . xxxi, 267

CORONARY CIRCULATION, remarks upon (S. West) . . xxxv, 110

CORPORA CAVERNOSA and spongiosum penis, gangrene of, from thrombosis of iliac vein (?) (J. Gay) . . . xxx, 323

CORPUS LUTEUM in left ovary in a case of right tubal fœtation (S. West) . . . . . xxxiii, 218
COSTAL CARTILAGES, see *Cartilages*.
COUPLAND (SIDNEY), dissection and microscopic characters of a case of multiple neuroma of forearm . . . xxvi, 6
,, diffused aneurysm of the abdominal aorta . . . xxvi, 18
,, disease of the pulmonary valves, dilatation of artery, patent foramen ovale, bronchitis, &c. . . . . xxvi, 22
,, ulcerative endocarditis, vegetations on and perforation of aortic valves, aneurysm of mitral valve, &c. . . . xxvii, 73
,, cancer of both breasts and ovaries . . . xxvii, 259
,, organs from a case of infantile syphilis: interstitial myocarditis and nephritis gummata in liver and lung . . xxvii, 30
,, lymphadenoma of the stomach, mesenteric glands, kidneys, ovaries, thyroid, &c. . . . . xxviii, 126
,, biliary calculi encysted in peritoneal adhesions . . xxviii, 157
,, "solitary" kidney . . . . . xxviii, 159
,, lymphoma (lympho-sarcoma) of the prostate; secondary nodules in pancreas and supra-renal capsule . . . xxviii, 179
,, — *report* of Morbid Growths Committee on (J. S. Bristowe and W. Cayley) . . . . . xxviii, 185
,, medullary cancer of the prostate . . . . xxviii, 185
,, intestines and abdominal lymphatic glands from case of lymphadenoma . . . . . xxix, 363
,, diffuse punctiform hæmorrhages in substance of cerebral hemispheres in extreme congestion of brain, due to obstructed pulmonary circulation . . . . . xxx, 189
,, chronic lobar pneumonia; grey induration, gangrene, and secondary suppuration, in lower lobe of lung . . xxx, 224
,, defect in the ventricular septum of the heart, probably congenital; unusual site of aperture . . . xxx, 266
,, primary diffuse malignant growth in the liver, combining characters of sarcoma and carcinoma . . . xxxi, 130
,, — *report* of Morbid Growths Committee on (J. F. Goodhart and H. T. Butlin) . . . . . xxxi, 135
,, primary cancer (epithelioma) of the gall-bladder . . xxxi, 136
,, volvulus of small intestine due to a complete Meckel's diverticulum . . . . . xxxi, 144
,, medullary carcinoma of duodenum, beyond pylorus, occluding hepatic ducts . . . . . xxxi, 145
,, hernia of ileum through a rent in the great omentum . xxxi, 146
,, ostitis with ulceration of skull, gummatous infiltration of dura mater, &c., from a case of syphilis . . . xxxi, 243
,, two cases of late hereditary syphilis . . . xxxi, 376
,, medullary cancer of kidney associated with calculi . . xxxiii, 219
,, analysis of twenty cases of diabetes at the Middlesex Hospital . xxxiv, 336
,, ulceration of large intestine in enteric fever . . xxxv, 208
,, atrophy of adrenals with Addison's disease . . . xxxvi, 423
,, dissection of adrenals, solar plexus, and semilunar ganglia, from a case of Addison's disease . . . . xxxvi, 452
,, see *Balding* (*M.*).
,, see *Macdonald* (*P. W.*), intracranial cystic tumour . . xxxvii, 6
,, see *Committee* on intracranial tumours.
,, *report* on Dr. B. Fenwick's specimen of intrathoracic tumour . xxxiii, 299
,, — on Dr. Goodhart's case of melasma suprarenale . . xxxiii, 345
,, — on Dr. N. Moore's case of abnormal heart . . xxxiv, 30
,, — on Dr. Handfield Jones's cases of obstruction of cerebral arteries by atheroma . . . . . xxxiv, 60

COUPLAND (SIDNEY) (*continued*)—
„ *report* on Dr. Sharkey's case of syphilitic inflammation of the capsule of the liver . . . . . xxxiv, 122
„ on Drs. Lanchester and Hobson's case of caseous pneumonia . xxxvi, 117
COW, old dislocation of hip in a (F. S. Eve.) . . . xxxvii, 587
COXWELL (C. FILLINGHAM), case of amyotrophic lateral sclerosis . xxxv, 42
CRANIAL BOSSES (J. Abercrombie) . . . xxxi, 244
CRANIOTABES, specimen of (T. Barlow) . . . xxx, 332
„ associated with congenital syphilitic disease of parietal bone (T. Barlow) . . . . . xxxi, 236
CRANIUM, residual abscess of posterior fossa of base of (H. A. Lediard) . . . . . xxxiii, 282
„ caries of, in tertiary syphilis (P. H. Pye-Smith) . . xxviii, 334
„ secondary ossific deposit in (A. Q. Silcock) . . . xxxv, 244
„ two cases of disease of (N. Moore) . . . xxxi, 238
„ erosion and absorption, the result of carcinoma (T. F. Chavasse) xxxv, 366
„ fracture of, chronic hydrocephalus in an adult, apparently the result of (P. H. Pye-Smith) . . . . xxvii, 27
„ — compound, septicæmia after (F. C. Turner) . . xxxvii, 262
„ — simple, in infants, followed by the development of a pulsating subcutaneous tumour (R. J. Godlee) . . xxxvi, 313
„ of chronic hydrocephalus (N. Moore) . . . xxxvii, 366
„ congenital malformation of (F. Treves) . . . xxxiv, 228
„ extensive necrosis of, after a burn (Isambard Owen) . . xxxiii, 263
„ perforation of, by epithelioma of the side of the head (J. W. Hulke) . . . . . xxvi, 187
„ sarcoma, alveolar, of; secondary growth of bladder (H. H. Clutton) . . . . . xxxiv, 212
„ — medullary, in a child (F. B. Jessett) . . . xxxv, 363
„ syphilitic disease of (W. S. Greenfield) . . . xxviii, 262
„ bones of, lesion in congenital syphilis, three living cases (T. Barlow and D. B. Lees) . . . . xxx, 350
„ specimens of disease of, in congenital syphilis (T. Barlow) . xxx, 333
„ of case of so-called fœtal rickets (?) fœtal cretinism (T. Barlow) xxxv, 459
„ natiform (N. Moore) . . . . . xxxv, 282
„ thinning of bones of, from pressure produced by intracranial tumours (W. Hale White) . . . . xxxvii, 360
„ of baboon, with extraordinary thickness of bone (J. B. Sutton) . xxxiv, 311
„ peculiar condition of bones of, in an infant (trabeculated skull) (W. Hale White) . . . . . xxxvii, 361
„ dermoid tumour growing from base of (W. Hale White) . xxxii, 201
„ pulsating tumour of (H. Morris) . . . xxxi, 259
„ ostitis, with ulceration of, &c., from a case of syphilis (S. Coupland) . . . . . xxxi, 243
„ deep ulceration of (N. Moore) . . . . xxxiv, 209
„ revolver bullet-wound of (C. B. Lockwood) . . xxxvii, 3
CREIGHTON (C.), bovine tuberculosis (perlsucht) in a Nil-ghau (*Antilope picta*) . . . . . xxxiii, 426
„ bovine tuberculosis in an Eland . . . . xxxiii, 428
„ *report* on Dr. Goodhart's case of melasma suprarenale . xxxiii, 345
CRETINISM, fœtal, see *Rickets, fœtal.*
„ — — case of (J. B. Sutton) . . . . xxxv, 462
„ sporadic, absence of thyroid gland and fatty tumours in a case of (F. Beach) . . . . . xxvii, 316
„ — four cases of, with remarks on some points in the pathology of the disease (A. A. Bowlby) . . . xxxv, 450

CRICOID CARTILAGE, deformity of (W. A. Lane) . . xxxv, 75
,, necrosis of, during convalescence from smallpox (Fred. S. Eve) xxxi, 33

CRIPPS (W. HARRISON), fatty degeneration of muscles of both legs . xxvi, 234
,, two specimens of epithelial cancer of the rectum . . xxix, 123
additional note to ditto . . . xxxi (S. R.), 42
,, volvulus of the ileum . . . . . xxxi, 111
,, imperforate rectum . . . . . xxxi, 112
,, diseased jawbone from case of cancrum oris . . xxxi, 242
,, cartilaginous tumour of arm . . . . xxxi, 287
,, adenoid disease of the rectum (cancer) . . . xxxii, 87
,, two cases of disseminated polypus of the rectum . . xxxiii, 165
,, section of galls . . . . . xxxv, 489
,, fibrous stricture of the rectum . . . . xxxvii, 255

CRISP (EDWARD), pleuro-pneumonia, hæmoptysis eighteen months before death, cavity near apex filled with bony deposit . xxvi, 14
,, pericarditis, pus in pericardium . . . . xxvi, 67
,, colloid cancer of the omentum . . . . xxvi, 123
,, — *report* on, by the Committee on Morbid Growths (M. Beck and H. Arnott) . . . . . xxvi, 125
,, tubercle in twenty-one pheasants . . . . xxvi, 249
,, two examples of tumours in the common fowl . . xxvi, 251
,, torticollis in the common fowl . . . . xxvi, 252
,, *remarks* in the discussion on the germ theory of disease . xxvi, 303
,, meningitis . . . . . xxvii, 28
, fatty tumour from the pectoral muscle of a hen . . xxvii, 339
,, rickets in young pheasants . . . . xxvii, 339
,, fractured humerus of a gorilla . . . . xxvii, 340
,, fibroid ovarian tumour . . . . . xxviii, 195
,, calculous deposit in the urethra of oxen, producing rupture of the bladder . . . . . xxviii, 453
,, a double duck's egg . . . . . xxviii, 454
,, pneumonia in birds . . . . . xxviii, 455
,, miliary tubercle of the lungs in an infant aged 3 months . xxix, 34
,, imperforate anus . . . . . xxix, 115
,, rabies of the dog . . . . . xxx, 584
,, *remarks* in the discussion on rickets . . . xxxii, 331

CROCKER (H. RADCLIFFE), bromide of potassium eruption in an infant . . . . . xxix, 252
,, cases of congenital malformation of the heart . xxx, 273, 275, 276
,, case of warty growth on tricuspid valves . . . xxx, 281
,, congenital malformation of the heart of a girl, aged 13, transposition of pulmonary artery, &c. . . . xxxi, 92
,, complete occlusion of aortic orifice by a fibrinous and calcareous mass, &c. . . . . xxxi, 93
,, histology and pathology of morphœa and its relation to scleroderma adultorum . . . . . xxxi, 315
,, specimen shown in the discussion on rickets . . xxxii, 390
,, histology and pathology of molluscum contagiosum . . xxxii, 254
,, *remarks* in discussion on diabetes [Dr. Duhomme's method of quantitative estimation of sugar in urine, &c.] . . xxxiv, 395
,, and TILBURY FOX, the minute anatomy of dysidrosis . . xxix, 264
,, *report* on Mr. J. Startin and Dr. Stephen Mackenzie's cases of xanthelasma . . . . . xxxiii, 376
,, on Mr. Malcolm Morris's case of xanthoma in connection with diabetes . . . . . xxxiv, 284

CROFT (JOHN), spindle-celled sarcoma in male mammary region . xxvii, 249
,, — *microscopical examination* of ditto, by T. Cranstoun Charles xxvii, 250

CROFT (JOHN) (*continued*)—
,, specimens of spontaneous fracture of calculi within the bladder, *report* on, by W. M. Ord . . . . xxx, 318
,, tubercular disease of synovial membranes, and tubercular disease of joints . . . . . xxxii, 174
,, — *microscopical report* on the cases of ditto, by W. S. Greenfield . . . . . xxxii, 177
,, per *W. H. Battle*, sarcoma of the kidney . . . xxxvi, 274
,, — bullet flattened by impact on the frontal lobe . . xxxvii, 570
,, see *West*.
CROMBIE (A.), per *Jonathan Hutchinson*, ainhum . . xxxii, 302
CROOKSHANK (EDGAR), per *L. Hudson*, photographs of micro-organisms . . . . . xxxvii, 571
CROP, duck's, filled with large nails, causing death (W. Curran) . xxvi, 253
CROUP secondary to hooping-cough (W. Squire) . . xxvii, 53
CROUPOUS ENTERITIS (A. Q. Silcock) . . . xxxvi, 206
CROUPOUS INFLAMMATION following scald of fauces, larynx, and œsophagus (J. N. Davies-Colley) . . . xxxiii, 34
CRYPTORCHID, a (W. Hale White) . . . . xxxvi, 312
CRYSTALLISABLE fatty principle in chylous urine (A. Morrison) . xxix, 394
CULLINGWORTH (C. J.), impaction of a large calculus in each ureter immediately above the vesical orifice, causing dilatation of the ureters and abscesses in the kidneys, the kidney on the right side forming a large abdominal tumour; abdominal section with a view to nephrectomy; removal of calculus from right ureter; death (from uræmia?) . . . . xxxvi, 278
CURNOW (JOHN), double aortic arch enclosing trachea and œsophagus . . . . . xxvi, 33
,, hydatid cyst in lung; empyema . . . . xxxiv, 24
,, ulceration of large and small intestines in enteric fever . xxxiv, 116
CURRAN (WILLIAM), per *Henry Arnott*, duck's crop filled with large nails, causing the death of the bird . . . xxvi, 253
,, per *Fr. Taylor*, vesical calculi . . . . xxxii, 310
CURVATURE of the femur, two cases, due to osteitis deformans and to injury followed by chronic inflammation (A. A. Bowlby) xxxiv, 192
CUTANEOUS GLANDS, see *Skin*.
CYANOSIS, heart from a case of, atresia of pulmonary orifice, patent ductus arteriosus, &c. (R. C. Lucas) . . . xxvi, 26
,, in a case of malformation of heart (T. B. Peacock) . . xxvii, 131
CYLINDROMA of the popliteal space (H. T. Butlin) . . xxxii, 210
CYNOCEPHALUS PORCARIUS, W. Africa, rickets in (J. B. Sutton) xxxiv, 312
CYST containing clear fluid, probably dilated lymphatic spaces (A. E. Barker) . . . . . xxxiv, 304
,, ramifying, in the brain, with congenital malformation of cerebral vessels (W. Ewart) . . . . xxxi, 1
,, simple, in cerebellum (S. J. Sharkey) . . . xxxiii, 8
,, of the cerebellum, with numerous small cysts in the pancreas and kidneys (P. H. Pye-Smith) . . . . xxxvi, 17
,, symmetrical, in the cerebrum (B. G. Morrison and F. C. Turner) xxxv, 17
,, simple, occurring in the right lateral ventricle (D'Arcy Power) xxxvii, 57
,, broad ligament, above the Fallopian tube (A. Doran) . . xxxvii, 348
,, — simple, developed abve the Fallopian tube (A. Doran) . xxxv, 249
,, — with albuminous contents (W. B. Hadden) . . xxxvi, 306
,, congenital, in larynx (J. Abercrombie) . . . xxxii, 33

CYST (*continued*)—
„ of choroid plexus, of large size, in an infant (G. Brown) . xxv, 271
„ removed from wall of small intestine (W. H. Battle) . . xxxvi, 213
„ simple, in connection with the liver (S. J. Sharkey) . . xxxiii, 168
„ of liver (simple) (W. B. Hadden) . . . xxxvii, 266
„ ovarian, pedunculated fibroma on the outer wall of (A. Doran) . xxxvi, 306
„ in connection with the ovaries occurring in twin infants (A. Leared) . . . . . xxix, 171
„ ovarian, see *Ovarian.*
„ parovarian, with twisted pedicle and intracystic hæmorrhage (H. A. Lediard) . . . . . xxxvii, 353
„ peritoneal, with blood cyst of left ovary (J. K. Thornton) . xxix, 145
additional note to ditto . . . xxxiii (S. R.), 42
„ in pia mater; deformity of brain (F. C. Turner) . . xxxv, 22
„ large single, of the testicle (A. Doran) . . . xxix, 163
additional note to ditto . . . xxxiii (S. R.), 43
„ on deep branch of ulnar nerve (F. S. Edwards) . . xxxv, 65
„ see *Blood-cyst.*
„ dermal, of finger (A. E. Barker) . . . . xxxvii, 478
„ dermoid, of the brain (J. P. Irvine) . . . xxx, 195
„ — ovarian (J. K. Thornton) . . . . xxvii, 209
„ — in a case of thrombosis of pulmonary artery (F. A. Mahomed) . . . . . xxxiv, 72
„ — under the tongue; pigmentation of corium (S. Paget) . xxxvii, 225
„ — of testicle (B. Pollard) . . . . xxxvii, 342
„ — congenital, occurring in the branchial and other clefts (W. W. Wagstaffe) . . . . . xxix, 194
„ — *table* of cases of, found in unusual position on the face (W. W. Wagstaffe) . . . . . xxix, 203
„ hydatid, see *Hyatid.*
„ mucous, of tongue (W. B. Hadden) . . . . xxxvii, 225
„ multilocular, of epididymis (F. S. Eve) . . . xxxvii, 342
„ oil, removed from the parotid region (T. Bryant) . . xxxiii, 302
„ — of temple (J. N. C. Davies-Colley) . . . xxxiii, 305
„ papillary, of the ovary (A. Doran) . . . xxxiii, 207
„ para-vaginal, in a case of thrombosis of pulmonary artery (F. A. Mahomed) . . . . . xxxiv, 72
„ proliferating, in the ovary of a seven months' fœtus (A. Doran) xxxii, 147
„ sebaceous, of finger (J. Poland) xxxv, 399; (A. A. Bowlby) xxxv, 399.
„ — warty tumour growing in the interior of (H. T. Butlin) . xxvii, 273
additional note on ditto . . . . xxxiii (S. R.), 40
„ synovial, intermuscular, four cases (D'Arcy Power) . . xxxvi, 337
„ — in the thigh, from chronic rheumatic arthritis of the hip (S. Paget) . . . . . xxxvi, 342

CYSTIC degeneration, see *Degeneration.*
„ disease of the liver and of both kidneys (P. H. Pye-Smith) . xxxii, 112
„ — bilateral, of the kidneys in the new-born (S. G. Shattock) . xxxvii, 287
„ — (cystic adenoma) of the ovary (F. S. Eve) . . xxxvii, 343
„ — incipient, of parovarium and broad ligament (A. Doran) . xxxiv, 169
„ — the left testicle affected with (W. Haward) . . xxviii, 177
„ squamous epithelioma, see *Epithelioma.*

CYSTICERCI of brain (G. Gulliver) . . . . xxxvii, 60

CYSTINE, see *Calculus.*

CYSTITIS, suppurative phlebitis of vesical, iliac, and femoral veins following (W. J. Walsham) . . . . xxx, 321
„ tubercular exfoliating (E. H. Fenwick) . . . xxxvii, 310

CYSTOTOMY, for carcinoma of prostate (W. Bruce Clarke) . xxxvi, 289

DACHSHUND, caries of cervical vertebræ in a (H. A. Ledlard) . xxxv, 274
DALTON (NORMAN), case of enchondroma of the lung and lymphatic glands of the mediastina . . . . xxxv, 82
,, tubercles and cylindrical epithelioma in same section of liver xxxvi, 235
,, infiltrating growth in liver and supra-renal capsule . . xxxvi, 247
DARWIN (FRANCIS), letter to Dr. N. Moore on the power of the grain seeds "Flechilla" and "Aristida" to work their way into the bodies of animals . . . . xxxiii, 424
DASYURUS, lympho-sarcoma of mesenteric lymphatic glands of a (F. S. Eve) . . . . . xxxiii, 432
DAVIDSEN on the dental defects in connection with lamellar cataract or those from rickets (notice) . . . . xxvi, 238
DAVIDSON (A.), on syphilitic disease of cerebral artery . . xxviii, 300
DAVIDSON (DYCE), case of lamellar cataract, its connection with fits in infancy without deformities of teeth . . xxvi, 243
DAVIES-COLLEY (J. N. C.), congenital occlusion of small intestine . xxix, 115
,, protrusion of orifice of ureter through meatus urinarius in a female child . . . . . xxx, 310
,, disseminated clavus of the hands and feet . . . xxx, 451
,, — *report* on ditto by H. G. Howse and C. H. Fagge . xxx, 453
,, epithelioma of bladder, following removal of a calculus . xxxii, 139
,, croupous inflammation following scald of fauces, larynx, and œsophagus . . . . . xxxiii, 34
,, total obliteration of hernial sac in a case in which Wood's operation for radical cure had been followed, four years later, by the operation for strangulated hernia . . . xxxiii, 164
,, congenital hypertrophy of first and second toes of left foot (pes gigas) . . . . . xxxiii, 235
,, oil cyst of temple . . . . . xxxiii, 305
,, lympho-sarcoma of the back, accompanied by spreading ulceration xxxiv, 258
,, anthrax of face . . . . . xxxiv, 291
,, bones and kidneys from a case of osteo-malacia in a girl aged 13 xxxv, 285
,, *report* upon the microscopical appearances of Mr. Davies-Colley's case of osteo-malacia (C. J. Symonds) . . . xxxv, 292
,, congenital fibro-sarcomatous tumour of back . . xxxv, 382
,, synostosis of vertebra . . . . . xxxvi, 359
,, cylindrical slough of mucous membrane of rectum . . xxxvii, 251
,, caries of lumbar spine, abscess, destruction of right kidney, and ulceration into duodenum; lumbar incision; death . . xxxvii, 561
,, slough of part of abdominal muscle and its aponeurosis, following punctured wound . . . . . xxxvii, 566
,, *report* on Mr. A. Barker's specimen of supposed congenital dislocation of the hip . . . . . xxxiii, 250
DAVIS (JAMES), details of a case of penetrating wound of the heart xxx, 278
DAVY (HENRY), case of melasma suprarenale, with simple atrophy of the supra-renal capsules . . . . xxxiii, 360
DAY (W. H.), case of sarcoma of the right kidney confined to the capsule . . . . . xxxii, 142
,, and J. KNOWSLEY THORNTON, cystic kidney removed from a child. . . . . xxxi, 167
DEFORMITIES of bones and muscles near the shoulder-joint (C. B. Lockwood) . . . . . xxxiv, 227
,, of foot (Sydney Jones) . . . . . xxxvii, 555
,, of the feet from perforating ulcers (C. T. Dent) . . xxxv, 448

DEFORMITIES (*continued*)—
,, of thyroid and cricoid cartilages (W. A. Lane) . . xxxv, 75
,, extreme, from rachitic osteo-malacia (R. Barwell) . . xxxiv, 202
,, congenital, case of (F. Treves) . . . . xxxvi, 494
,, — of clavicles (T. S. Dowse) . . . . xxvi, 167
,, — of foot (nine toes) (F. Mason) . . . xxx, 583
,, rickety, of the thorax, with spontaneous fracture of ribs (R. W. Parker) . . . . . xxxiii, 257
,, see *Malformation.*

DEGENERATION of the lungs of uncertain nature (S. West) . xxx, 220
,, (true) in association with yellow fever (W. H. White) . xxxv, 217
,, caseous, of bronchial glands (J. P. Irvine) . . . xxix, 11
,, cystic, universal, of brain, two cases (G. H. Savage and W. Hale White) . . . . . xxxiv, 1
,, — of breast (C. M. Moullin) . . . . xxxii, 215
,, — of the liver (G. H. Savage and W. Hale White) . . xxxv, 214
,, fibroid, of supra-renal bodies (F. C. Turner) . . xxxv, 395
,, hyaline, of popliteal space (H. T. Butlin) . . . xxxii, 210
,, symmetrical, in the spinal cord and medulla oblongata (W. B. Hadden) . . . . . xxxiii, 21
,, see *Calcareous degeneration, Calcareous plates, Caseous, Fatty.*

DELIRIUM TREMENS, pachymeningitis hæmorrhagica in (W. S. Greenfield) . . . . . xxix, 1

De Meric (Vincent), *remarks* in the discussion on the pathology of syphilis . . . . . xxvii, 389

De Morgan (C.), multiple neuroma of the forearm . . xxvi, 2

Dent (Clinton T.), case of double displacement of the tibiæ backwards, with deformity of the long bones and arrested development . . . . . xxxiii, 250
,, *report* of Committee on ditto (W. Haward, C. T. Dent, T. Barlow, C. Hilton Fagge, and F. D. Drewitt) . . xxxiii, 256
,, deformity of the feet from perforating ulcers . . xxxv, 448

DERMAL CYST, see *Cyst.*

DERMATITIS papillomatosa capillitii (W. M. Baker) . . xxxiii, 367
,, transitory, in a case of double hemiplegia of infants (Jon. Hutchinson) . . . . . xxxiii, 27

DERMOID CYST, see *Cyst.*
,, tumour, see *Tumour, Ovaries.*

DEVELOPMENT, general arrest of, in a case of unusual scar-leaving eruption in an infant from exposure to cold after birth (J. Hutchinson) . . . . . xxvi, 221
,, arrested, of the bones of both forearms (A. Doran) . . xxvii, 314
,, — of the right upper limb in man (S. G. Shattock) . . xxxii, 276
,, — of long bones in a case of double displacement of the tibiæ backwards (C. T. Dent) . . . . xxxiii, 250
,, — of upper end of humerus following a dislocation with suppuration about the epiphysis in infancy (A. E. Barker) . xxxvii, 360

Devis (C. J.), *per J. F. Payne*, case of acute myositis of thigh . xxxii, 273

DIABETES, morbid anatomy of, discussion upon the . . xxxiv, 328
,, *remarks* by the President, J. W. Hulke . . . xxxiv, 328
,, — Samuel Wilks . . . . . xxxiv, 328
,, — C. H. Ralfe [aceto-acetic acid test for indicating presence of acetone, &c.] . . . . . xxxiv, 329
— David W. Finlay [record of a fatal case, and analysis of twenty cases at the Middlesex Hospital by Drs. Finlay and Coupland] xxxiv, 333

DIABETES, discussion on morbid anatomy of (*continued*)—
,, — J. F. Goodhart, for Dr. Hamilton, of Aberdeen [specimen of lipæmic blood] . . . . . xxxiv, 347
,, — W. Hale White [condition of nervous system in diabetes; *post-mortems* of cases at Guy's; examination of urine in insane persons] . . . . . xxxiv, 348
,, — Stephen Mackenzie [analysis of fatal cases in the London Hospital, naked-eye appearances of the body and results of microscopical examinations] . . . . xxxiv, 355
,, — Seymour Taylor . . . . . xxxiv, 365
,, — Frederick Taylor [condition of nervous system, mode of death in diabetes, &c.] . . . . xxxiv, 367
,, — Dawson Williams [cases from records of University College Hospital, deaths from Registrar-General's returns] . . xxxiv, 374
,, — W. Howship Dickinson [reply to Dr. F. Taylor, microscopic appearances of the organs and perivascular changes] . xxxiv, 385
,, — F. W. Pavy [chemical conditions of the blood in diabetes, maltose, &c.] . . . . . xxxiv, 391
,, — Douglas Powell [non-connection of phthisis and diabetes] . xxxiv, 393
,, — H. Radcliffe Crocker [Dr. Duhomme's method of quantitative estimation of sugar in urine, &c.] . . . xxxiv, 395
,, — *report* of Committee appointed to investigate the changes exhibited by specimens of nervous centres in the cases of diabetes submitted for examination (Geo. H. Savage, W. R. Gowers, and J. F. Payne) . . . . xxxiv, 397
,, blood from a patient who died of (N. Moore) . . xxxii, 72
,, lipæmic blood in (W. B. Hadden) . . . xxxvii, 566
,, morbid appearances in the brain, spinal cord, &c., in a case of (A. Silver and J. P. Irvine) . . . . xxix, 25
,, mellitus, sympathetic system in (W. Hale White) . . xxxvi, 67
,, insipidus, tumour of optic tract from a case of (N. Moore) . xxxii, 5
,, phosphatic, case of so-called (C. H. Ralfe) . . . xxix, 151
additional note to ditto . . . xxxiii (S. R.), 43
DIAPHRAGM, aneurysm of the aorta beneath the pillars of (L. Marshall) . . . . . xxviii, 85
,, in a case of rickets (N. Moore) . . . . xxxiv, 185
,, scirrhus of the (J. Walters) . . . . xxviii, 218
,, hernia, true (G. Garlick) . . . . xxix, 125
,, traumatic hernia through (J. H. Targett) . . . xxxvii, 239
DIARRHŒA, acute, intestine from a case of (S. Paget) . . xxxvi, 208
DIASTASIS of cervical spine (G. H. Makins) . . . xxxvii, 385
DICKINSON (W. HOWSHIP), aneurysm of abdominal aorta compressing the ureter and the descending colon . . . xxvi, 76
,, ulceration of the bowel as a consequence of renal disease . xxix, 117
,, two cases in which tubercle was associated with, or simulative of, lymphadenoma . . . . . xxix, 373
,, idiopathic anæmia . . . . . xxix, 379
,, — observations on ditto (Sir William Gull) . . xxix, 382
,, chylous urine . . . . . xxix, 391
,, address on lardaceous disease in reference to its anatomical seats and pathological relations . . . xxx, 511
,, reply in the discussion on lardaceous disease . . xxx, 537
,, abscess of the liver consequent upon dysentery contracted in England . . . . . xxxii, 127
,, remarks in the discussion on rickets . . . xxxii, 336
,, cancer of sigmoid flexure attended with a gaseous abdominal tumour . . . . . xxxiii, 161

DICKINSON (W. HOWSHIP) (*continued*)—
,, remarks in discussion on diabetes [reply to Dr. F. Taylor, microscopic appearances in organs and perivascular changes] . xxxiv, 385
,, blue pigment from the mouth . . . . xxxvi, 476
,, multiple sarcomata projecting upon the surface of the head . xxxvii, 463
,, *report* on Mr. Wagstaffe's specimens of renal calculi . . xxviii, 176

DIEFFENBACH'S operation for pseudarthrosis, long retention of the ivory pegs in (W. Anderson) . . . xxxii, 170

DIGESTION, ORGANS OF, DISEASES, ETC., xxvi, 81–127; xxvii, 143–203; xxviii, 120–158; xxix, 113–150; xxx, 297–309; xxxi, 101–147; xxxii, 79–138; xxxiii, 103–194; xxxiv, 79–137; xxxv, 157–234; xxxvi, 184–261; xxxvii, 218–283.

DILATATION of the central canal of the spinal cord (N. Moore) . xxxii, 7
,, see *Artery, Heart*, &c.

DIPHTHERIA associated with enteric fever (W. S. Greenfield) . xxix, 29
,, on the nature of certain observed relations between, and milk (W. H. Power) . . . . . xxx, 546
,, of the larynx, spreading upwards to the pharynx and uvula (W. A. Lane) . . . . . xxxv, 75

DIPHTHERITIC FALSE MEMBRANE (W. S. Greenfield) . xxviii, 41

DISCUSSIONS, see *Diabetes, Germ Theory, Lardaceous Disease, Rickets.*

DISEASES, ETC., OF THE NERVOUS SYSTEM, xxvi, 22; xxvii, 1–39; xxviii, 1–31; xxix, 1–28; xxx, 189–219; xxxi, 1–29; xxxii, 1–15; xxxiii, 1–33; xxxiv, 1–18; xxxv, 9–74; xxxvi, 13–72; xxxvii, 1–113.

,, **OF THE ORGANS OF RESPIRATION**, xxvi, 1–10; xxvii, 40–58; xxviii, 32–42; xxix, 29–42; xxx, 220–257; xxxi, 30–57; xxxii, 16–34; xxxiii, 34–48; xxxiv, 19–28; xxxv, 75–103; xxxvi, 73–125; xxxvii, 114–146.

,, **OF THE ORGANS OF CIRCULATION**, xxvi, 11–15; xxvii, 59–142; xxviii, 43–119; xxix, 43–112; xxx, 258–296; xxxi, 58–100; xxxii, 35–78; xxxiii, 49–102; xxxiv, 29–78; xxxv, 104–156; xxxvi, 126–183; xxxvii, 147–217.

,, **OF THE ORGANS OF DIGESTION**, xxvi, 81–127; xxvii, 143–203; xxviii, 120–158; xxix, 113–150; xxx, 297–309; xxxi, 101–147; xxxii, 79–138; xxxiii, 103–194; xxxiv, 79–137; xxxv, 157–234; xxxvi, 184–261; xxxvii, 218–282.

,, **OF THE GENITO-URINARY ORGANS**, xxvi, 128–152; xxvii, 204–217; xxviii, 159–200; xxix, 151–171; xxx, 310–331; xxxi, 148–192; xxxii, 139–151; xxxiii, 195–221; xxxiv, 138–184; xxxv, 235–251; xxxvi, 262–312; xxxvii, 284–359.

,, **OF THE OSSEOUS SYSTEM**, xxvi, 153–177; xxvii, 218–226; xxviii, 201–209; xxix, 172–193; xxx, 332–359; xxxi, 193–251; xxxii, 152–193; xxxiii, 222–284; xxxiv, 185–229; xxxv, 252–329; xxxvi, 313–396; xxxvii, 360–448.

,, **OF THE ORGANS OF SPECIAL SENSE**, xxvi, 178–179; xxvii, 227–232; xxviii, 210–212; xxxi, 252–255; xxxiv, 230–232; xxxv, 330–334; xxxvii, 449.

,, **MORBID GROWTHS AND TUMOURS**, xxvi, 180–198; xxvii, 233–284; xxviii, 213–230; xxix, 194–251; xxx, 360–438; xxxi, 256–314; xxxii, 194–244; xxxiii, 285–338; xxxiv, 233-269; xxxv, 335–384; xxxvi, 397–419; xxxvii, 450–506.

DISEASES, ETC., OF DUCTLESS GLANDS [SPLEEN, SUPRA-RENAL CAPSULES AND THYROID], xxvi, 199–208; xxvii, 285–294; xxviii, 231–235; xxx, 478–510; xxxi, 350–352; xxxiii, 339–366; xxxiv, 270–271; xxxv, 385–396; xxxvi, 420–465; xxxvii, 507–515.

„ **OF THE SKIN**, xxvi, 209–223; xxvii, 295–302; xxviii, 236–248; xxix, 252–268; xxx, 439–477; xxxi, 315–349; xxxii, 245–272; xxxiii, 367–393; xxxiv, 272–290; xxxv, 397–407; xxxvi, 466–475; xxxvii, 516–545.

„ **SPECIAL COMMUNICATIONS**, xxviii, 249–447; xxix, 269–467; xxx, 511–580.

„ **MISCELLANEOUS SPECIMENS**, xxvi, 224–248; xxvii, 303–338; xxviii, 448–451; xxx, 581–589; xxxi, 353–384; xxxxii, 273–310; xxxiii, 394–425; xxxiv, 291–307; xxxv, 408–467; xxxvi, 476–498.

„ **SPECIMENS FROM LOWER ANIMALS**, xxvi, 249–254; xxvii, 339–340; xxviii, 452–456; xxxi, 385–388; xxxii, 311–312; xxxiii, 426–435; xxxiv, 308–327; xxxv, 468–488; xxxvi, 499–553.

„ **OF VEGETABLES**, xxxv, 489; xxxvii, 593–594.

„ **ACUTE SPECIFIC**, on certain, xxviii, 397–447.

„ see *Organisms* characteristic of: *Germ Theory.*

DISINTEGRATION OF CALCULI, see *Calculi.*

DISLOCATION, old, partial, of the ankle backwards (H. A. Lediard) xxxiii, 281
„ with fracture of the astragalus backwards and inwards (Sir W. Mac Cormac) . . . . . xxvi, 174
„ costo-chondral, in a case of fracture of sternum (W. A. Lane) . . . . . xxxiv, 223
„ of acromial end of clavicle (F. S. Eve) . . . xxxi, 245
„ direct backward, of the hip, without fracture of the acetabulum (S. Paget) . . . . . xxxvi, 336
„ of the hip-joint from disease (H. A. Lediard) . xxxi, 247–248
„ old, of hip of a cow (F. S. Eve) . . . xxxvii, 587
„ congenital, of both hips (Sydney Jones) . . . xxvi, 158
„ supposed congenital, of hip (A. E. Barker) . . xxxiii, 247
„ of humerus, with suppuration about the epiphysis in infancy, followed by arrest of development (A. E. Barker) . . xxxvii, 360
„ of the hyoid bone (W. A. Lane) . . , . xxxvi, 82
„ pathological, of interphalangeal joint (C. B. Lockwood) . xxxvii, 560
„ of knee-joint outwards (J. Poland) . . . xxxvii, 385
„ backward, of knee-joint, with congestion causing eczema squamosum of leg (H. G. Howse) . . . . xxx, 454
„ of the external semilunar fibro-cartilage of the knee-joint (R. J. Godlee) . . . . . xxxi, 240
„ of the patella, old outward (C. J. Symonds) . . xxxii, 193
„ old subcoracoid, of right shoulder-joint (J. Poland) . . xxxvii, 383
„ recent, of the first phalanx of the thumb forwards (F. S. Eve) . . . . . xxxi, 216

DISRUPTION OF CALCULI, see *Calculi.*

DISSECTION of a stump (J. B. Sutton) . . . xxxv, 449

DIVERTICULUM of bladder, sarcoma of (W. Roger Williams) . xxxiv, 152
„ compound, in connection with the prostatic urethra (W. A. Lane) . . . . . xxxvi, 288
„ of ileum invaginated in the inguinal canal (T. S. Dowse) . xxvi, 109

DIVERTICULUM (*continued*)—
,, attached to umbilicus, causing intestinal obstruction (Sydney Jones) . . . . . xxxiii, 145
,, multiple, of the small intestine, with congenital stricture of the duodenum (N. Moore) . . . . xxxv, 202
,, distension, of small intestine, two specimens (C. H. Fagge) . xxvii, 146
,, perforation of a, in a case of acute intestinal obstruction (A. Doran) . . . . . xxix, 122
,, Meckel's, table of cases of (N. Moore) . . . xxxv, 203
,, — volvulus of small intestine due to a (S. Coupland) . xxxi, 144
,, of œsophagus (N. Moore) . . . . xxxiii, 191
DOG, vesical calculus from a (F. Treves) . . . xxxii, 311
,, pathology of chorea in the (W. B. Hadden) . . xxxiv, 308
,, glandular epithelioma in lung of (A. Q. Silcock) . . xxxvii, 590
,, intussusception of the ileum and cæcum in a (J. Hutchinson) . xxvi, 249
,, larynx and trachea from a dog dying of measles (W. Squire) . xxvii, 340
,, rabies of the (Edwards Crisp) . . . . xxx, 584
,, rheumatic arthritis in a (N. Moore) . . . xxxiii, 432
,, heart of, *Filaria immitis* in a (S. G. Shattock) . . xxxiii, 434
,, see *Dachshund*.
DORAN (ALBAN), case of arrested development of the bones of both forearms; extreme senile changes in osseous tissue . . xxvii, 314
,, fracture of the sesamoid bones in both fore feet of a horse . xxviii, 452
,, case of acute intestinal obstruction, perforation of a diverticulum xxix, 122
,, large single cyst of the testicle . . . . xxix, 163
additional note on ditto . . . xxxiii (S. R.), 43
,, perforating ulcers of the ileum from obstruction after ovariotomy xxx, 298
,, papilloma of the Fallopian tube, with ascites and pleuritic effusion . . . . . xxxi, 174
additional note on ditto . . . xxxiii (S. R.), 49
,, dilatation of Fallopian tubes . . . . xxxi, 192
,, dissection of a leg atrophied from infantile paralysis and amputated, from a patient aged 20 . . . xxxi, 381
,, proliferating cysts in the ovary of a seven months' fœtus . xxxii, 147
,, papillary cysts of the ovary . . . . xxxiii, 207
,, horny growth from the neck . . . . xxxiii, 337
,, incipient cystic disease of the parovarium and broad ligament . xxxiv, 169
,, simple cyst of the broad ligament developed above the Fallopian tube . . . . . xxxv, 249
,, pedunculated fibroma on the outer wall of an ovarian cyst . xxxvi, 306
,, broad ligament cysts above the Fallopian tube . . xxxvii, 348
,, see *Harris* (*V.*).
,, *microscopic examination* of the so-called abscesses of the liver in Sir Jos. Fayrer's case of acute dysentery . . xxxii, 126
DOUGALL (JOHN), remarks in the discussion on the germ theory of disease . . . . . xxvi, 296–303
DOWSE (T. S.), aneurysm of the base of the pulmonary artery . xxvi, 28
,, aneurysm of arch of aorta, rupture of sac, hæmorrhage into pericardium . . . . . xxvi, 40
,, aneurysm of ascending part of arch of aorta . . xxvi, 42
,, cancer of the right half of transverse portion of colon . xxvi, 90
,, a diverticulum of the ileum invaginated in the inguinal canal . xxvi, 109
,, — *report* on, by W. S. Greenfield and H. Morris . . xxvi, 110
,, syphilitic disease of the rectum, two cases . . . xxvi, 111
,, cystic cancer of kidney and liver . . . xxvi, 132
,, congenital deformity of clavicles . . . . xxvi, 166
,, subarachnoid hæmorrhage of spinal cord . . . xxvii, 1

Dowse (T. S.) (*continued*)—
,, hæmorrhage into pons Varolii and fourth ventricle . . xxvii, 7
,, glio-sarcoma of the brain . . . . xxvii, 8
,, gumma syphiliticum of posterior cerebral sinuses and tentorium cerebelli . . . . . xxvii, 11
,, thrombosis of internal carotid arteries, hemiplegia, death . xxvii, 67
,, the pathology of a case of paralysis agitans, or Parkinson's disease . . . . . xxix, 17

Dreschfeld (J.), microscopical examination of the capsule, ganglion, skin, and lung, in Leech's case of Addison's disease . xxx, 484
,, fatty tumour of abdomen, showing fibrous and osseous changes xxxi, 287

DRESSINGS, antiseptic, on the relations of organisms to (W. W. Cheyne) . . . . . xxx, 557

Drewitt (F. G. Dawtrey), remarks in the discussion on rickets . xxxii, 386
,, analogy between rheumatic nodules of children and heart disease (living specimen) . . . . xxxiv, 50
,, heart and pericardium showing vegetations on mitral valve and fibrous nodules on pericardium in case of rheumatic subcutaneous nodules . . . . . xxxvii, 168
,, *report* on Mr. Dent's case of displacement of the tibiæ . xxxiii, 256

Drysdale (C. R.), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 360

DUCK'S CROP filled with large nails, causing death (W. Curran) xxvi, 253

Duckworth (Sir Dyce), acute tuberculosis, tubercular pleurisy and pericarditis following caseous enlargement of bronchial and mesenteric glands in a child eight months old . . xxvi, 246
,, case of scleroderma adultorum, illustrating its circumscribed and diffuse forms . . . . . xxxi, 322
additional note on ditto . . . xxxiii (S. R.), 53
,, case of sarcoma of the lung, with secondary deposits in the brain, &c. . . . . xxxvi, 120
,, and V. D. Harris, microscopical examination of some pustules removed from the back of the hand in a case of iodide of potassium eruption . . . . . xxx, 476
,, — case of area celsi [porrigo decalvans], examined after death . . . . . xxxiii, 386

DUCT-PAPILLOMA of breast (B. Pollard) . . . xxxvii, 483

DUCTLESS GLANDS, see *Glands*.

DUCTS, see *Bile-duct, Hepatic ducts*.

DUCTUS ARTERIOSUS, patent (W. Hale White) . . xxxvi, 182
,, — in a case of cyanosis (R. C. Lucas) . . . xxvi, 26
,, — in congenital atresia of right ventricle (J. Abercrombie) . xxxiv, 78
,, unobliterated, without other malformation of the heart and great vessels (W. J. Walsham) . . . . xxviii, 43
,, closed, in malformed heart (T. B. Peacock) . . xxxii, 35
,, — with patency of foramen ovale, &c. (D. W. Finlay) . xxx, 262

DUCTUS COMMUNIS CHOLEDOCHUS, see *Bile-duct* (common).

Duffin (A. B.), case of erythema multiforme . . . xxvi, 213

DUHOMME'S method of quantitative estimation of sugar in urine . xxxiv, 395

Duka (Theodore), case of dry gangrene of both lower extremities xxvi, 245

Dunbar (J. J. M.), a pin spontaneously expelled after eleven months' retention in the pharynx xxviii, 120

DUODENUM, medullary carcinoma of, occluding hepatic ducts (S. Coupland) . . . . . xxxi, 145
,, lympho-sarcoma invading (N. Moore) . . . xxxiv, 99
,, congenital stricture of the (N. Moore) . . . xxxv, 202
,, congenital occlusion of, above the common bile-duct (G. Eastes) xxxi, 114
,, ulcer of; fatal hæmorrhage; pouching of duodenum (F. C. Turner) . . . . . xxxv, 200, 201
,, cases of simple ulcer of (N. Moore) . . xxxi, 108; xxxiv, 98
,, ulceration of, extension into the portal vein, hæmorrhage (S. O. Habershon) . . . . . xxvii, 155
,, ulceration into, in case of caries of lumbar spine (N. Davies-Colley) . . . . . xxxvii, 561
,, ulcerative escape of biliary calculi from the gall-bladder into the (A. E. Barker) . . . . . xxix, 142
,, fistulous communication with gall-bladder (W. Hale White) . xxxvii, 280

DURA MATER, condyloma of, in tertiary syphilis (P. H. Pye-Smith) . . . . . xxviii, 334
,, fibro-sarcoma of (D'Arcy Power) . . . xxxvii, 12
,, hæmatoma of (F. C. Turner) . . . xxxvi, 16
,, tuberculous growth of, with affection of the subjacent vertebra (W. Hale White) . . . . . xxxvii, 97
,, tubercular mass attached to (H. Sainsbury) . . xxxv, 9
,, tumour of, pressing upon the cord in cervical region (H. A. Lediard) . . . . . xxxiii, 25
,, spinal, syphilitic meningitis and gumma of the (F. Taylor) . xxxv, 36

DURHAM (ARTHUR E.), multiple ulceration and sloughing sarcomata in various parts of the body, especially in the limbs . xxxiv, 243
,, extensive sloughing of the neck, "nondescript," lympho-sarcomatous tumour . . . . . xxxiv, 245
,, enormous osteo-sarcoma of the left femur in a boy . . xxxiv, 265
,, two cases of ossification in tumours not connected with bone . xxxv, 378
,, per *G. N. Pitt*, colitis polyposa due to chronic dysentery, and a polypus connected with Meckel's diverticulum . . xxxvi, 209

DYSENTERIC ABSCESSES, see *Abscesses*.

DYSENTERY contracted in England, abscess of liver consequent on (W. H. Dickinson) . . . . . xxxii, 127
,, acute, and liver abscess; the liver and large intestine of a case of multiple abscess (Sir J. Fayrer) . . . xxxii, 126
,, chronic, and abscess of the liver, opened by aspiration and then by incision; death on sixth day (Sir J. Fayrer) . . xxxii, 119
,, abscess of the liver; secondary abscesses of the brain . xxxv, 210
,, in case of double "tropical abscess" of the liver, associated with multiple "pyæmic abscesses" (R. E. Carrington) . xxxvi, 224
,, chronic, colitis polyposa due to (A. E. Durham) . . xxxvi, 209

DYSIDROSIS, minute anatomy of (T. Fox and H. R. Crocker) . xxix, 264

DYSMENORRHŒAL MEMBRANE, lardaceous reaction in (J. Williams) . . . . . xxvii, 322

EAR, epithelioma of the (A. A. Bowlby) . . . xxxv, 330
,, external, epithelioma of the (W. Roger Williams) . . xxxv, 331
,, see *Aneurysm* by anastomosis.

EASTES (GEORGE), per *J. F. Goodhart*, congenital occlusion of the duodenum above the common bile-duct . . . xxxi, 114
,, — case of Addison's disease, bronzing of the skin for eight years, atrophy of the suprarenal capsules . . xxxiii, 346

ECTOPIA from crop of a pigeon (F. S. Eve) . . . xxxvii, 592
ECZEMA in the horse (G. Thin) . . . . xxx, 589
,, of the nipple, cancer of mamma following (H. M. Jones) . xxxii, 242
,, squamosum of leg, associated with elephantiasis from long-continued congestion, due to backward dislocation of the knee-joint (H. G. Howse) . . . . xxx, 454
EDMUNDS (WALTER), external hydrocephalus . . . xxxii, 4
,, spinal nerves from three cases of infantile paralysis . . xxxiv, 15
,, casts and photograph of the legs of a boy, aged 11 years, showing hypertrophy of right tibia . . . . xxxvi, 387
,, loose bodies in osteo-arthritic joints . . . xxxvii, 447
,, see *White* and Edmunds (amputation changes in nerves).
EDWARDS (BRANFORD), see *Goodhart*, Tumours of maxilla.
EDWARDS (F. SWINFORD), per *F. S. Eve*, spindle-celled sarcoma of epididymis . . . . . xxxiii, 334
,, case of comminuted fracture of the tibia, with impaction of the anterior tibial vessels and nerve, followed by gangrene . xxxiv, 222
,, cyst on deep branch of ulnar nerve . . . . xxxv, 65
,, carcinoma of bladder . . . . . xxxvii, 317
,, round-celled sarcoma of skin . . . . xxxvii, 468
EGG, double, of a duck (E. Crisp) . . . . xxviii, 454
ELAND, bovine tuberculosis in an (C. Creighton) . . xxxiii, 428
ELBOW-JOINT from a case of scarlet fever (N. Moore) . . xxxiv, 225
,, excision of, articular extremities of bones removed in a case of (W. Adams) . . . . . xxvi, 154
,, tubercular disease of (G. H. Makins) . . . xxxii, 189
ELDER (G.), per *Jon. Hutchinson*, notes of case of osteo-enchondromata . . . . . xxxiii, 280
ELEPHANTIASIS, with enormous discharge of milky fluid (W. W. Wagstaffe) . . . . . xxvi, 215
additional note on ditto . . . xxxiii (S. R.), 38
,, of the clitoris (Dr. London) . . . . xxix, 404
,, of the right lower extremity (W. Newman) . . xxvi, 211
,, of the toes in a case of lymphangeioma (S. Jones) . . xxvi, 227
,, of both hands and feet (Dr. London) . . . xxix, 406
,, of leg, threatened (J. Bancroft) . . . . xxix, 411
,, with eczema squamosum of leg, from congestion, due to backward dislocation of the knee-joint (H. G. Howse) . . xxx, 454
,, ARABUM, histology of, and its relations to normal connective tissue (G. Thin) . . . . . xxxi, 337
,, — [two specimens of scrotal] (Sir J. Fayrer and D. Power) . xxx, 488
,, GRÆCORUM, a living specimen (P. H. Pye-Smith) . . xxvi, 218
ELONGATION of limb in connection with disease of the knee (Sydney Jones) . . . . . xxvi, 159
EMBOLIC MASSES in the kidneys in a case of stenosis of the mitral valve (J. F. Goodhart) . . . . xxvii, 100
EMBOLIC PATCHES in spleen and kidneys, in a case of aneurysm of common femoral artery (T. Bryant) . . . xxviii, 98
EMBOLISM of aorta, clot detached from left ventricle, death (S. West) . . . . . xxxiv, 62
,, of abdominal aorta in a case of spontaneous cure of abdominal aneurysm (J. F. Goodhart) . . . . xxvi, 74
,, probable, of the abdominal aorta, two cases (J. A. P. Price) . xxxvii, 199
,, of the middle cerebral artery in Hodgkin's disease (H. G. Sutton) xxix, 344
,, — in cancer of right lung (N. Moore) . . . xxxii, 32

EMBOLISM (*continued*)—
,, of both middle cerebral arteries (R. E. Carrington) . . xxxv, 108
,, — and of left coronary (R. G. Hebb) . . . xxxvi, 140
,, — of left, left vertebral artery, spleen, and kidneys (S. J. Sharkey) xxxvi, 139
,, of muscular tissue of the heart in a case of stenosis of mitral valve, &c. (J. F. Goodhart) . . . . xxvii, 100
,, of pulmonary artery in the fourth week of enteric fever (C. H. Fagge) . . . . . xxvii, 70
,, — succeeding thrombosis of the veins of one lower extremity (R. Lyell) . . . . . xxx, 294
,, — followed by gangrene of lung (A. Q. Silcock) . . xxxvii, 131
,, — in a case of fracture of metatarsal bones of right foot, death (Stanley Boyd) . . . . . xxxiii, 93
,, of branches of renal artery (W. S. Greenfield) . . xxvi, 58
,, cases of aneurysm from (J. F. Goodhart) . . . xxviii, 106
,, aneurysm of common femoral artery at its bifurcation, probably due to (T. Bryant) . . . . . xxviii, 98
,, aneurysm in calf of leg, and bifurcation of popliteal into anterior and posterior tibials, probably due to (T. Bryant) . xxviii, 103
,, minute, secondary localised emphysema from [in an antelope] (H. Gibbes) . . . . . xxxv, 482
EMPHYSEMA in a case of fibroid phthisis, syphilitic (J. F. Goodhart) . . . . . xxx, 232
,, disease of pulmonary valves in a case of (S. Coupland) . xxvi, 22
,, and collapse in left lung, from compression of its branches by an aneurysm of the aorta (J. P. Irvine) . . . xxx, 244
,, secondary localised, from minute emboli [in an antelope] (H. Gibbes) . . . . . xxxv, 482
EMPHYSEMATOUS CYST in a case of atelectasis of lungs (T. Barlow) . . . . . xxxi, 48
EMPYEMA, cerebral abscesses after successful operation for (P. H. Pye-Smith) . . . . . xxviii, 4
,, in a case of hydatid cyst in lung (J. Curnow) . . xxxiv, 24
,, suppuration in region of tonsil, pericarditis, &c. (J. F. Goodhart) . . . . . xxvii, 102
ENCEPHALOCELE (J. B. Sutton) . . . . xxxiv, 18
,, see *Meningo-encephalocele.*
ENCHONDROMA of the lung and lymphatic glands of the mediastina (N. Dalton) . . . . . xxxv, 82
,, primary, of the lung (J. W. Legg) . . . xxvi, 11
,, large recurrent, of the upper jaw (J. H. Keeling) . . xxxi, 250
additional note on ditto . . . xxxiii (S. R.), 51
,, of pelvis (F. S. Eve) . . . . . xxxvi, 395
,, of the submaxillary salivary gland (H. T. Butlin) . . xxviii, 228
,, FIBRO- (H. A. Lediard) . . . . xxxii, 244
,, OSTEO-, notes of a case of (G. Elder) . . . xxxiii, 280
ENDARTERITIS, partial closure of left carotid by (H. Handford) xxxvii, 5
,, deformans of aorta, stenosis of the orifices of the coronary arteries due to (W. S. Greenfield) . . . xxvi, 55
ENDOBRONCHITIS, see *Bronchitis.*
ENDOCARDITIS following incompetency of aortic valves (E. H. Greenhow) . . . . . xxxi, 73
,, with miliary abscesses of the heart, in a case of hip-joint disease (N. Moore) . . . . . xxxiv, 52
,, cerebral aneurysms associated with (W. R. Gowers) . . xxvii, 83
,, in a case of aneurysm of mitral valve (J. W. Legg) . . xxvi, 48

ENDOCARDITIS (*continued*)—
„ chronic, with similar changes in the aorta (N. Moore) . xxxvii, 169
„ tricuspid septic, ? consequent upon previous pneumonia (H. (Handford) . . . . . xxxvii, 166
„ ulcerative, &c. (F. Taylor) xxxiv, 38; (R. E. Carrington) xxxv, 108.
„ — series of cases of (J. F. Goodhart) . . . xxxiii, 52
„ — *table* of cases at Guy's Hospital in nine years, 1873-81, and selection from *post-mortem* records, showing prevalence of fever and septic inflammation (J. F. Goodhart) . . xxxiii, 56-58
„ — *table* of . . . . . xxx, 132
„ — right-sided (W. B. Hadden) . . . xxxvii, 165, 166
„ — circumscribed (F. C. Turner) . . . . xxx, 143
„ — fungating and, of the mitral valve (R. E. Carrington) . xxxvi, 135
„ — (non-valvular), perforating left ventricle (Steph. Mackenzie). xxxiii, 61
„ — in a case of aneurysm of common femoral artery (T. Bryant) . . . . . xxviii, 98
„ — upon old heart disease (T. Bryant) . . . xxviii, 103
„ — vegetations on aortic valves, &c. (S. Coupland) . . xxvii, 73
„ — with embolism of the left middle cerebral artery, left vertebral artery, spleen, and kidneys (S. J. Sharkey) . . xxxvi, 139

ENDOCARDIUM, necrosis over the auricular surface of its larger curtain (F. C. Turner) . . . . xxxv, 109

ENDOMETRITIS, tubercular, in a young child (A. Q. Silcock) . xxxvi, 303

ENDOPERICARDITIS, recent, in case of necrosis with softening in pyramids of the kidneys (F. C. Turner) . . xxxvii, 290

ENDOTHELIOMA, or villous sarcoma of the cerebellum (F. S. Eve) xxxiii, 12

ENDOTRACHEITIS, see *Tracheitis.*

ENTERIC FEVER, embolism of pulmonary artery in the fourth week of (C. H. Fagge) . . . . xxvii, 70
„ diphtheria associated with (W. S. Greenfield) . . xxix, 29
„ necrosis of the cartilages of the larynx in (Fred. S. Eve) . xxxi, 33
„ with extreme ulceration of larynx and but little affection of ileum (C. H. Fagge) . . . . . xxvii, 40
„ ulceration of large intestine in (Steph. Mackenzie) xxxiii, 161; (S. Coupland) xxxv, 208.
„ — of large and small intestines in (J. Curnow) . . xxxiv, 116
„ portion of intestine from a fatal case of relapse of (J. J. Pringle) xxxvi, 196
„ appearances, probably of parasites, in the voluntary muscles in (G. Buchanan) . . . . . xxxi, 366
„ see also *Typhoid* Fever.

ENTERITIS, acute, and sloughing uvula (J. F. Goodhart) . xxvi, 84
„ ulcerative, acute, above a hernia (J. F. Goodhart) . . xxxvi, 204
„ croupous (A. Q. Silcock) . . . . xxxvi, 206
„ see *Gastro-enteritis.*

ENTERO-COLITIS, see *Colitis.*

ENTEROLITH, an oriental bezoar (W. M. Ord) . . xxxi, 385

ENTEROTOMY in a case of intussusception of ileum (H. Morris) . xxviii, 131

"**EPIDEMIC**" cerebro-spinal meningitis, two cases of (R. E. Carrington) . . . . . xxxv, 51

EPIDIDYMIS, multilocular cyst of (F. S. Eve) . . . xxxvii, 342
„ deposit of bone in (J. A. P. Price) . . . xxxvi, 296
„ spindle-celled sarcoma of (F. S. Edwards) . . . xxxiii, 334
„ and cord, myxo-fibroma of (J. Gay) . . . xxxi, 310
additional note on ditto . . . xxxiii (S. R.), 53

EPIGLOTTIS, necrosis of in typhoid fever (S. West) . . xxxiii, 37
,, — from a case of typhoid fever (N. Moore) . . xxxiii, 38
EPILEPSY, Jacksonian (Ernest Clarke) . . . xxxvii, 61
EPIPHYSES, separation of, in hæmorrhagic periostitis of long bones (T. Smith) . . . . . xxvii, 219
EPIPHYSIAL DISEASE from a case of inherited syphilis (W. Haward) . . . . . xxviii, 356
,, and interstitial pneumonia in congenital syphilis (J. F. Goodhart) . . . . . xxviii, 359
EPITHELIAL GROWTHS in liver and kidney secondary to epithelioma of tongue (J. Poland) . . . . xxxvi, 411
EPITHELIAL TUMOUR, see *Tumours*.
EPITHELIOMA of the BLADDER, from a case of hæmaturia (W. A. Berridge) . . . . . xxxiv, 161
,, — following removal of a calculus (J. N. Davies-Colley) . xxxii, 139
,, — of posterior wall, secondary to perineal fistula, and probably due to irritation from catheterism (C. H. Fagge) . . xxviii, 167
,, in chest and toe following successful removal of an epithelioma of the tongue without involvement of glands in the neck (R. J. Godlee) . . . . . xxvii, 253
,, of chin, recurrent, and submental tissues removed by operation (C. Heath) . . . . . xxvii, 258
additional note to ditto . . . xxxiii (S. R.), 40
,, of the clitoris (Sir W. Mac Cormac) . . . xxxvii, 357
,, of ascending colon (A. Q. Silcock) . . . xxxvi, 207
,, of the ear (A. A. Bowlby) . . . . xxxv, 330
,, — of the external (W. Roger Williams) . . . xxxv, 331
,, of the foot from injury, two cases (H. A. Lediard) . . xxxv, 377
,, of the gall-bladder (S. Coupland) . . . xxxi, 136
,, of the side of the head perforating the skull (J. W. Hulke) . xxvi, 187
,, secondary, of lower jaw (B. Pollard) . . . xxxvii, 492
,, of larynx, secondary deposits in lymphatic glands, &c. (F. Semon) . . . . . xxxi, 55
,, arising in an ulcer of the leg (C. J. Symonds) . . xxxii, 244
,, of the lip in a woman (G. Thin) . . . . xxix, 236
,, recurrence of, in the lung; two cases (R. J. Godlee) . . xxxii, 27
,, of the nail (J. Hutchinson, jun.) . . . . xxxvi, 468
,, of œsophagus, fistula between œsophagus and trachea, death from hæmorrhage (T. Whipham) . . . xxvi, 91
,, of the penis (Thos. W. Nunn) . . . . xxxi, 298
,, of pharynx invading the larynx (L. Browne) . . xxix, 250
additional note to ditto . . . xxxiii (S. R.), 44
,, — involving the larynx, trachea, and œsophagus (T. Gilbart Smith) . . . . . xxxi, 102
,, of stomach, with diffusion of secondary deposits in other viscera and the integuments (D. W. Finlay) . . . xxxiv, 102
,, of TONGUE, involving the lower jaw, removed (C. Heath) . xxvii, 144
additional note to ditto . . . xxxiii (S. R.), 39
,, — with secondary growths in the lung, &c. (R. J. Godlee) . xxxii, 27
,, — excision of third of the tongue for, followed by gangrene of the lung (H. Royes Bell) . . . . xxxii, 26
,, — epithelial growths in liver and kidney secondary to (J. Poland) . . . . . xxxvi, 411
,, — and fauces following syphilitic gumma (W. M. Baker) . xxxv, 189
,, primary, of tonsil, living specimen (L. Browne) . . xxx, 407
additional note to ditto . . . xxxiii (S. R.), 47

EPITHELIOMA (*continued*)—
,, columnar, of lower end of colon, secondary deposits in liver (Stanley Boyd) . . . . . xxxiii, 338
,, — of antrum of upper jaw (R. Parker) . . . xxxii, 239
,, cylinder, of cæcum, with extension to crest of ilium, and metastatic deposits (J. M. Hobson) . . . . . xxxv, 212
,, cylindrical, and tubercles in same section of liver (N. Dalton) . xxxvi, 235
,, glandular, of lung of a dog (A. Q. Silcock) . . . xxxvii, 590
,, round-celled acinous, or adenoma of upper jaw (R. Parker) . xxxii, 239
,, squamous, of the bladder, with secondary growths in left lung (R. J. Godlee) . . . . . xxxii, 30
,, — of the upper jaw (H. T. Butlin) xxxii, 212; xxxiii, 327.
,, — disseminated cystic, case of (S. J. Sharkey) . . xxxv, 374
,, tubular, of upper jaw (A. E. Barker) xxxvi, 400; (B. Pollard) xxxvi, 406.

EPITHELIUM, changes in, in granular kidney (R. Saundby) . xxxi, 152

EPULIS, containing masses of hyaline cartilage (H. A. Lediard) . xxxii, 244

ERUPTION, unusual scar-leaving, in an infant, followed by general arrest of development, attributed to exposure to cold after birth (J. Hutchinson) . . . . . xxvi, 221
,, see *Bromide of Potassium.*

ERYSIPELAS, relationship of pyæmia and septicæmia to . xxx, 6

ERYTHEMA CIRCUMSCRIPTUM in the horse (G. Thin) . xxx, 588
,, multiforme, case of (A. B. Duffin) . . . xxvi, 21
,, nodosum, bromide rash simulating (P. Horrocks) . . xxxiv, 272

ERYTHRASMA, specimen from a case of (J. F. Payne) . . xxxvii, 516

EUSTACHIAN VALVE abnormally developed (R. C. Lucas) . xxvi, 26

EVE (FREDERIC S.), cases of necrosis of the cartilages of the larynx in smallpox, and enteric fever . . . xxxi, 33
,, a case of so-called aneurysm by anastomosis of the ear . xxxi, 88
,, hernia into the vaginal process of peritoneum and undescended testicle . . . . . xxxi, 147
,, patent vaginal process of peritoneum . . . xxxi, 147
,, case of cystic degeneration of the kidneys . . . xxxi, 164
,, syphilitic disease of testicle . . . . xxxi, 190
,, recent dislocation of the first phalanx of the thumb forwards . xxxi, 216
,, case of disease of the bones in a fœtus, presumably syphilitic . xxxi, 233
,, dislocation upwards of the acromial end of clavicle, with fracture of clavicle . . . . . xxxi, 245
,, lmypho-sarcoma, "lymphadenoma," of the mediastinum involving the pericardium . . . . . xxxi, 279
,, tumour found loose in abdominal cavity . . . xxxi, 311
,, fatty metamorphosis of the muscles of the leg, with talipes equino-varus from long-standing paralysis . . xxxi, 381
,, sarcoma of the lower extremity of the femur, extending into the knee-joint, and simulating destructive disease of the joint . xxxii, 169
,, symmetrical exostoses of the inferior maxilla . . xxxii, 170
,, endothelioma (endothelial cancer or villous sarcoma) of the cerebellum . . . . . xxxiii, 12
,, calcareous tumour of brain (psammoma) . . . xxxiii, 14
,, three cases of perforating ulcer of the foot . . . xxxiii, 283
,, specimens of tumours composed of striped muscle and sarcoma tissue (striped myo-sarcoma), connected with the kidneys . xxxiii, 312
,, *report* of the Morbid Growths Committee on ditto (M. Beck and R. J. Godlee) . . . . . xxxiii, 319
,, adenoma of the cutaneous glands, partially calcified . . xxxiii, 335

Eve (Frederic S.) (*continued*)—
,, lympho-sarcoma (lymphadenoma) of mesenteric lymphatic glands of a dasyurus . . . . . xxxiii, 432
,, overgrowth of the hoofs of the fore limbs of a horse . . xxxiii, 433
,, chronic synovitis of the radio-carpal joint of a horse, with hernial bulgings of the synovial membranes into the sheaths of the extensor tendons . . . . xxxiii, 433
,, cancer of œsophagus, with perforation into right lung; upper lobes converted into a cavity filled with decomposing food . xxxiv, 80
,, hypertrophy of condyle of lower jaw . . . xxxiv, 187
,, two specimens of congenital hypertrophy or giant-growth of limbs . . . . . xxxiv, 298
Case 1, congenital hypertrophy of foot and leg, especially of skin and subcutaneous tissue of sole . . xxxiv, 298
,, 2, ditto of hand and forearm . . . xxxiv, 300
,, pedunculated adeno-fibro-sarcoma of groin . . . xxxv, 338
,, hydatid cyst from the calf of the leg . . . xxxv, 448
,, two cases of sarcoma of the bladder . . . xxxvi, 284
,, enchondroma of pelvis . . . . . xxxvi, 395
,, two specimens of connective-tissue tumour of the tongue . xxxvii, 223
,, a large urinary calculus expelled per urethram from a girl . xxxvii, 320
,, multilocular cyst of epididymis . . . . xxxvii, 342
,, on the origin of cystic disease (cystic adenoma) of the ovary . xxxvii, 343
,, two cases of carcinoma myxomatodes (or so-called colloid cancer of the breast), one containing large "colloid bodies" . xxxvii, 493
,, myxo-sarcoma, or so-called colloid or hydatid tumour of the great omentum; and case of tubercle of the great omentum . xxxvii, 496
,, pseudo-granuloma fungoides of foot (with précis of case by Mr. Hulke) . . . . . xxxvii, 536
,, old dislocation of the hip of a cow . . . xxxvii, 587
,, ectopia from crop of a pigeon . . . . xxxvii, 592
,, see *Lingard* (*A.*), actinomycosis of the jaws and tongue of oxen.
,, see *Edwards* (*F. S.*).
,, *report* on Mr. Pollard's case of hypertrophied callus of tibia and fibula . . . . . xxxvi, 391
,, — Mr. Hutchinson, jun.'s case of neuroma of the parotid . xxxvii, 462

Ewart (J. Cossar), life-history of Bacillus anthracis (in splenic fever) . . . . . xxix, 420

Ewart (William), large *ante-mortem* clot, filling the left auricle in a case of stenosis of the tricuspid and mitral valves . xxix, 52
,, ramifying cyst in the brain, with congenital malformation of cerebral vessels . . . . . xxxi, 1
,, old syphilitic scars in the larynx, trachea, and bronchi, stricture of bronchi, &c. . . . . xxxi, 57
,, extra-pericardial aneurysm of the ascending aorta, unusually small orifice, leakage into pericardium without visible perforation . . . . . xxxi, 82
,, fibro-cretaceous ring surrounding the heart, in the situation of the auriculo-ventricular sulcus . . . . xxxi, 94
,, intra-cardiac aneurysm at the root of the aorta, opening into the right auricle . . . . . xxxi, 95
,, intra-pericardial aneurysm of the aorta, opening into the left auricle . . . . . xxxi, 96
,, complete occlusion of right division of pulmonary artery, atheroma . . . . xxxi, 99
,, hernia of abdominal viscera into left pleura xxxi, 146

EWART (WILLIAM) (*continued*)—
,, cystic degeneration of left kidney and ureter, during intra-uterine life . . . . . xxxi, 187
,, congenital malposition and cystic degeneration of left kidney . xxxi, 187
,, two complete ureters on either side of the body . . xxxi, 188
,, mucous membrane of the bladder showing miliary tubercles . xxxi, 190
,, fibrous and calcareous changes in both supra-renal capsules, perhaps of syphilitic origin . . . . xxxi, 352
EXCAVATION, see *Lung*.
EXCISION of the elbow-joint, articular extremities of bones from a case of (W. Adams) . . . . . xxvi, 154
,, of the hip-joint, articular extremities of bones from three cases of (W. Adams) . . . . . xxvi, 154
,, of knee-joint; bone twelve years afterwards (H. A. Lediard) . xxxi, 247
,, of third of the tongue for epithelioma, followed by gangrene of the lung (H. Royes Bell) . . . . xxxii, 26
EXCORIATION, neurotic, case of (Jas. Startin) . . xxxiii, 385
EXCURVATION, extreme dorsal, produced by a stooping occupation in a growing youth (W. A. Lane) . . . xxxvi, 378
EXOPHTHALMOS in a child two days old; removal of eye (G. Lawson) . . . . . xxxv, 379
EXOSTOSES, multiple (F. Churchill) xxxiv, 210; (S. Jones) xxxv, 319.
,, of the femur and loose cartilage in the knee-joint; removal (S. Jones) . . . . . xxxv, 320
,, symmetrical, of the inferior maxilla (F. S. Eve) . . xxxii, 170
EYE, removal of, for congenital tumour of the orbit—complete exophthalmos in a child two days old (G. Lawson) . . xxxv, 379
,, excision of both, in case of large secondary glioma (G. Lawson) . . . . . xxxvi, 418
,, sarcomatous tumour from the cornea and sclerotic of (G. Lawson) . . . . . xxvi, 179
,, spontaneous intra-ocular hæmorrhage in an infant (E. Nettleship) . . . . . xxxi, 253
,, see *Anophthalmos, Choroid.*
EYEBALL, degenerated, and containing much cholesterin, from a child (J. Hutchinson) . . . . . xxxi, 253
,, melanotic sarcoma of (W. Spencer Watson) . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
,, — the sight of which had been long lost (G. Lawson) . xxvi, 178
,, — secondary growths in liver, &c. (J. W. Legg) . . xxix, 225
,, excision of, for sarcoma of sclerotic, recurrent tumour four years after, see vol. xxvii, p. 227 (E. Nettleship) . . xxix, 234
EYELID, horny growth from the lower, of an old woman (W. J. Walsham) . . . . . xxxi, 306

FACE, anthrax of (J. N. Davies-Colley) . . . xxxiv, 291
,, cancerous ulcer of (E. Bellamy and A. Sangster) . . xxx, 371
additional note to ditto . . . xxxiii (S. R.), 46
,, plexiform sarcoma of (J. McCarthy) . . . xxxi, 256
additional note to ditto . . . xxxiii (S. R.), 52
,, circumscribed scleroderma affecting (W. M. Baker) . . xxxii, 261
,, and head, unilateral hypertrophy of, involving bones and soft parts (R. Barwell) . . . . . xxxii, 282
,, and scalp, circumscribed scleroderma of the left side of (W. M. Baker) . . . . . xxviii, 245

FAGGE (C. HILTON), case of diffused suppurative inflammation of the stomach . . . . . xxvi, 81
,, — *report* on, by Committee on Morbid Growths (J. S. Bristowe and W. Cayley) . . . . . xxvi, 83
,, case of myoma of the œsophagus . . . . xxvi, 94
,, case of gout, with extreme congestion of the synovial membrane lining each knee-joint . . . . xxvi, 164
,, case of enteric fever, with extreme ulceration of larynx and but little affection of ileum . . . . xxvii, 40
,, two cases of obsolete pyæmic abscesses in the lungs . . xxvii, 53
,, case of embolism of the pulmonary artery in the fourth week of enteric fever . . . . . xxvii, 70
,, case of acute thrombosis of the superior mesenteric and portal veins, attended with rapidly fatal collapse . . xxvii, 124
,, dissecting varix of the left femoral vein . . . xxvii, 137
,, two specimens of distension-diverticula of the small intestine . xxvii, 146
,, case of chronic obstruction of small intestine, due to old adhesions connected with caseous disease of the mesenteric glands . xxvii, 157
,, case of carcinoma lipomatosum of the kidney . . xxvii, 204
,, specimens of lardaceous organs with unusual characters, and observations on lardaceous change in general . . xxvii, 324
,, remarks in the discussion on the pathology of syphilis . xxvii, 381
,, aneurysm of a branch of pulmonary artery in a cavity in the lung of a child . . . . . xxviii, 35
,, three cases of primary contracting scirrhus of the liver simulating cirrhosis . . . . . xxviii, 137
,, epithelioma of the posterior wall of the bladder, secondary to a perineal fistula of thirty years' standing, and probably due to irritation from catheterism . . . . xxviii, 167
,, two cases of melanuria associated with melanotic new growths . xxviii, 172
,, case of simple synostosis of the ribs to the vertebræ and of the arches and articular processes of the vertebræ and of hip-joint xxviii, 201
,, opening remarks and reply in the discussion on rickets xxxii, 313, 391
,, *report* on Mr. Bryant's case of stricture of colon associated with cancer . . . . . xxvi, 100
,, — on Mr. C. Lucas's specimen of diseased kidney . . xxvi, 130
,, — on Dr. Goodhart's case of tubercular disease of liver in phthisis . . . . . xxvii, 198
,, — on Mr. Walsham's specimen of tumour of the clavicle . xxvii, 224
,, — on Mr. Davies-Colley's specimen of disseminated clavus of the hands . . . . . xxx, 453
,, — on Mr. Dent's case of displacement of the tibiæ . . xxxiii, 256
,, — on Dr. Goodhart's specimen of hyperostosis . . xxxiv, 201
FALLOPIAN TUBES, absence of (R. E. Carrington) . . xxxv, 237
,, dilatation of (A. Doran) . . . . xxxi, 192
,, broad ligament cyst above the (A. Doran) . . . xxxvii, 348
,, papilloma of, with ascites and pleuritic effusion (A. Doran) . xxxi, 174
additional note on ditto . . . xxxiii (S. R.), 49
,, abscess of liver secondary to suppuration of (H. Handford) . xxxvii, 267
,, tuberculosis of (P. Kidd) . . . . xxxvii, 357
,, tubercular matter in, in a young child (A. Q. Silcock) . xxxvi, 303
FARCY, case of, with sections of pustule on the skin and mucous membranes (Stanley Boyd) . . . . xxxiii, 420
,, acute, in man, microscopic specimens from (H. Bendall) . xxxiii, 417
FARQUHARSON (ROBERT), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 425
FASCIA, contraction of digital and palmar (C. B. Lockwood) . xxxvii, 556

FAT, from a case of chyluria (W. M. Ord) . . . xxix, 402
FATTY CHANGES, acute, in an enlarged liver (C. H. Ralfe) . xxxi, 144
„ degeneration of heart after hæmorrhage in typhoid fever (J. F. Goodhart) . . . . . xxxi, 71
„ — of heart, acute, after rheumatic fever (S. West) . . xxxiii, 74
„ — of muscles of both legs (W. H. Cripps) . . . xxvi, 234
FATTY METAMORPHOSIS of the muscles of the leg (F. S. Eve) . xxxi, 381
FATTY TUMOURS, see *Tumours*.
FAUCES, epithelioma of, following syphilitic gumma (W. M. Baker) xxxv, 189
„ — scald of, croupous inflammation following (J. N. Davies-Colley) . . . . . xxxiii, 34
FAVUS, growth of the fungi in, compared with ringworm (G. Hoggan) . . . . . xxx, 444
FAYRER (Sir JOSEPH), chronic dysentery and abscess of the liver, opened first by aspiration and then by direct incision, antiseptical precautions, death sixth day . . . xxxii, 119
„ post-mortem examination of the preceding case by Wm. Adams . . . . . xxxii, 121
„ acute dysentery and liver abscess; the liver and large intestines of a case of multiple abscess . . . xxxii, 123
„ microscopic examination of the abscesses of the liver in the preceding case, by Alban Doran . . . . xxxii, 126
„ and D'ARCY POWER, elephantiasis arabum . . . xxx, 488
„ — *report* upon ditto, by Henry Power and D'Arcy Power . xxx, 499
„ — postscript to ditto; comparison of the normal with the pathological appearances . . . . xxx, 502
„ *report* on Sydney Jones's case of lymphangeioma . . xxvi, 233
FEET, see *Foot*.
FEMUR, congenital absence of both (W. R. Williams) . . xxxv, 317
„ curvature of the, two cases, due to osteitis deformans and to an injury followed by chronic inflammation (A. A. Bowlby) . xxxiv, 192
„ secondary ossific deposit in (A. Q. Silcock) . . . xxxv, 244
„ double displacement of head of, in a child (J. H. Morgan) . xxxvii, 383
„ exostosis of the (S. Jones) . . . . xxxv, 320
„ longitudinal fracture of (H. Morris) . . . xxxiii, 258
„ fracture of external condyle of (A. E. Barker) . . xxxiii, 283
„ intercondyloid fracture of (H. A. Lediard) . . . xxxvii, 368
„ impacted fracture of the neck of, complicated by bony outgrowths of the great trochanter (H. Morris) . . xxxi, 214
„ impacted fracture of the shaft of (T. Bryant) . . xxix, 190
„ of a puma, old injury to the upper extremity of (J. B. Sutton) . xxxiii, 431
„ intraosseous or central necrosis of (D'Arcy Power) . . xxxvii, 372
„ ostitis of the (W. M. Baker) . . . . xxxii, 165
„ sarcoma of the lower extremity of, extending into knee-joint (F. S. Eve) . . . . . xxxii, 169
„ central sarcoma of shaft of (D'Arcy Power) . . xxxvii, 377
„ subperiosteal sarcoma of (John H. Morgan) . . xxx, 403
additional note to ditto . . . xxxiii (S. R.), 46
„ ossifying chondro-sarcoma of both, with secondary deposits in lungs and bronchial and lymphatic glands (R. W. Parker) . xxxi, 223
„ osteo-sarcoma of lower end of (H. M. Jones) . . xxxii, 242
„ enormous osteo-sarcoma of left, in a boy (A. E. Durham) . xxxiv, 265
„ tumour of (J. Hutchinson) . . . . xxvii, 265
„ both, pulsating tumours of, with hypertrophy of the heart (H. Morris) . . . . . xxxi, 259
„ right, lower extremity of, from a case of locomotor ataxy (W. B. Hadden) . . . . . xxxi, 245

FENWICK (BEDFORD), two cases of extreme stenosis of the tricuspid orifice (with table of forty-six recorded cases) . . xxxii, 42–48
,, case of secondary tricuspid incompetency . . . xxxiii, 64
,, tabulated summary of cases of urinary tricuspid incompetency . xxxiii, 69
,, case of intra-thoracic tumour . . . . xxxiii, 296
,, *report* of the Morbid Growths Committee on ditto (S. Coupland and J. F. Payne) . . . . . xxxiii, 299
,, case of Addison's disease, without bronzing . . xxxiii, 347
,, tabulated summary of cases of supra-renal capsular disease in the 'Path. Trans.,' from vol. xvii to vol. xxxi . . xxxiii, 354
Table I. (thirty) cases of Addison's di-ease . . xxxiii, 354
,, II. (ten) cases of other diseases of supra-renal bodies . . . . xxxiii, 358
,, III. duration of illness . . . xxxiii, 360
,, case of tricuspid stenosis . . . . xxxiv, 35
,, carcinoma of omentum . . . . xxxiv, 269

FENWICK (E. HURRY) intestinal calculus . . . xxxvii, 261
,, atresia of vesical orifice of left ureter (congenital?) . . xxxvii, 300
,, contraction of the bladder after extreme dilatation . . xxxvii, 301
,, a bladder showing a post-trigonal pouch which had contained a latent calculus . . . . . xxxvii, 302
,, a case of idiopathic extraperitoneal rupture of the bladder . xxxvii, 303
,, extensive ulceration and perforation of the bladder after fracture of the spine . . . . . xxxvii, 308
,, miliary tubercle of bladder . . . . xxxvii, 309
,, tubercular ulceration of bladder . . . . xxxvii, 309
,, a case of tubercular exfoliating cystitis . . . xxxvii, 310
,, papillomata of bladder . . . . . xxxvii, 311
,, villous growth of bladder . . . . xxxvii, 312
,, fibro-sarcoma polypi of bladder . . . xxxvii, 313, 314
,, large bilocular hydatid cyst springing from neck and back of urinary bladder . . . . . xxxvii, 317
,, stone impacted in the prostatic urethra; tuberculosis of urinary tract . . . . . xxxvii, 320
,, see *Savage and Fenwick*, bladder from case of general paralysis of insane.

FERMENTATION, lactic, special communication on (Sir J. Lister) xxix, 425–467

FEVER, see *Cerebro-spinal, Enteric, Rheumatic, Splenic, Typhoid.*

FEVERS, specific contagious, relation of bacteria to, see *Germ Theory.*

FIBRE, see *Muscular Fibre.*

FIBRIN, loose balls of, in left auricle with mitral stenosis (J. W. Legg) . . . . . xxix, 49

FIBRINOUS CLOT in the heart of a child, probably from sewer-gas poisoning (W. Munro) . . . . xxviii, 47

FIBROID DISEASE of the septum ventriculorum (J. F. Goodhart) xxvi, 30
,, of walls of left ventricle of the heart (W. S. Greenfield) . xxvi, 58
,, of the heart (S. O. Habershon) . . . . xxvii, 79

FIBROID PATCH of interventricular septum of heart (H. T. Butlin) . . . . . xxxi, 76

FIBROID THICKENING of tissues in anterior mediastinum (S. O. Habershon) . . . . . xxvii, 79
,, — of right pleura (of syphilitic origin?) (A. Q. Silcock) . xxxvii, 140

FIBROID TUMOUR, see *Tumours* (fibroid).

FIBROMA, small, of cæcum (P. Kidd) . . . xxxvi, 210
,, growing in sella turcica (H. Lediard) . . . xxxvii, 11
,, growing from ischium (A. P. Gould) . . . xxviii, 225
,, post-nasal (F. Churchill) . . . . xxxvii, 458
,, of the ovary (W. J. Walsham) . . . . xxvii, 216
,, pedunculated, on the outer wall of an ovarian cyst (A. Doran) . xxxvi, 306
,, lobulated lamellar, on the pleura (F. C. Turner) . . xxxiv, 19
,, infiltrating (? sarcoma), of the thyroid gland (A. A. Bowlby) . xxxvi, 420
,, lardaceous, of a splenculus (C. H. Fagge) . . . xxvii, 332
,, see *Myxo-fibroma.*

FIBRO-MYOMA of the stomach (P. Kidd) . . . xxxv, 196
,, of uterus, becoming sarcomatous, with secondary growths (D. W. Finlay) . . . . . xxxiv, 177
,, uterine, colloid cancer of (W. Roger Williams) . . xxxvii, 354

FIBRO-SARCOMA polypi of bladder (E. H. Fenwick) . xxxvii, 313, 314
,, of the dura mater (D'Arcy Power) . . . xxxvii, 12

FIBRO-SARCOMATOUS tumour of back, congenital (N. Davies-Colley) . . . . . xxxv, 382

FIBROSIS, arterio-capillary, changes in the spinal cord and its vessels in (Sir W. Gull and H. G. Sutton) . . xxviii, 361
,, — on the sphygmographic evidence of (F. A. Mahomed) . xxviii, 394

FIBROUS REPAIR following fracture of coracoid process (S. G. Shattock) . . . . . xxxii, 155

FIBROUS TUMOURS, see *Tumours* (fibrous).

FIBULA, congenital absence of, and of two toes, and talipes equino-valgus (A. P. Gould) . . . . . xxxii, 152
,, peculiar bony outgrowth from (W. Hale White) . . xxxiv, 227
,, hypertrophied callus of (B. Pollard) . . . xxxvi, 388
,, fracture of, with partial displacement of the foot forwards (W. A. Lane) . . . . . xxxvi, 333
,, — backwards (W. A. Lane) . . . . xxxvi, 335
,, separation of the lower epiphysis of the (J. B. Sutton) . xxxv, 272

FILARIA *in situ*, in a lymph scrotum (P. Manson) . . xxxii, 285
,, endemic character of, in South China . . . xxxii, 294

FILARIA IMMITIS in a dog's heart (S. G. Shattock) . . xxxiii, 434

FILARIA SANGUINIS HOMINIS, described by Lewis (Sir J. Fayrer and D'Arcy Power) . . . . xxx, 493
,, — history of its relations with the mosquito (P. Manson) xxxii, 291–293
,, case of, condition of lymphatics in, by James Anderson (Steph. Mackenzie) . . . . . xxxiii, 407

FILARIOUS DISEASE, cases of (J. Bancroft) . . . xxix, 407
,, table of cases collected in Queensland (J. Bancroft) . . xxix, 418
,, on examination of the blood, medical treatment and preventive measures in cases of (J. Bancroft) . . . xxix, 416

FINGERS, dermal cyst of (A. E. Barker) . . . xxxvii, 478
,, sebaceous cyst of (J. Poland and A. A. Bowlby) . . xxxv, 399
,, spontaneous gangrene of, (?) syphilitic arteritis (A. E. Barker) . xxxvi, 174
,, right index, from a case of gout (N. Moore) . . xxxiii, 271
,, melanosis of (R. J. Godlee) . . . . xxxi, 336
additional note on ditto . . . xxxiii (S. R.), 54
,, — of the little (T. W. Nunn) . . . . xxxi, 299
,, tumour of (E. H. Jacob) . . . . xxxvii, 466
,, cartilage tumours in the bones of (Jon. Hutchinson) . xxxii, 241
,, congenital tumour at the extremity of, in an infant (Jon. Hutchinson) . . . . . xxxii, 241

FINLAY (DAVID W.), malformation of the heart, stenosis of the pulmonary valve, with dilatation of the pulmonary artery and hypertrophy of the right ventricle; patency of foramen ovale, &c. . . . . xxx, 262
,, epithelioma of stomach, with diffusion of secondary deposits in other viscera and the integuments . . . xxxiv, 102
,, fibro-myoma of the uterus becoming sarcomatous, with secondary growths in pleura, heart, and kidney . . . xxxiv, 177
,, remarks in discussion on diabetes [fatal case and analysis of twenty cases at the Middlesex Hospital] . . . xxxiv, 333

FISHER (THOMAS), per *T. B. Peacock*, case of rupture of right ventricle of the heart . . . . . xxxi, 72

FISTULA, perineal, epithelioma of bladder secondary to, and probably due to irritation from catheterism (C. H. Fagge) . xxviii, 167
,, recto-vesical, septicæmia, terminating fatally (A. Morison) . xxx, 326
,, recto-vaginal and anal, in a case of stricture of rectum (T. Bryant) . . . . . xxvi, 101

FISTULOUS COMMUNICATION, healed, between the bladder and the sigmoid flexure (A. A. Bowlby) . . . xxxvi, 216

FISTULOUS OPENING in the loin, renal calculus discharged through (G. F. Whately) . . . . xxvi, 128

FLOYER (F. A.), per *H. H. Clutton*, pedunculated dermoid tumour from the sigmoid flexure . . . . xxxvii, 252

FŒTAL STRUCTURES in a congenital tumour removed from the sacrum of a child (C. Macnamara) . . . xxxii, 199

FŒTATION, right tubal, corpus luteum in left ovary (S. West) . xxxiii, 218

FŒTUS attached to a congenital coccygeal tumour (F. Treves) . xxxiii, 285
,, case of disease of the bones in, presumably syphilitic (F. S. Eve) xxxi, 233
,, seven months', proliferating cysts in the ovary of a (A. Doran) . xxxii, 147

FOOD, decomposing, in upper lobes of right lung from perforation of cancer of œsophagus (F. S. Eve) . . . xxxiv, 80

FOOT, disseminated clavus of the hands and feet (N. Davies-Colley) . . . . . xxx, 451
,, deformity of, from perforating ulcers (C. T. Dent) . . xxxv, 448
,, congenital deformity of [nine toes] (F. Mason) . . xxx, 583
,, partial dislocation of, by rotation round its antero-posterior axis, in a fracture of the inner malleolus (H. Morris) . xxxii, 158
,, subastragaloid dislocation of, outwards and backwards (H. Morris) . . . . . xxxii, 156
,, partial displacement of, forwards (W. A. Lane) . . xxxvi, 333
,, — backwards (W. A. Lane) . . . . xxxvi, 335
,, elephantiasis of (Dr. London) . . . . xxix, 406
,, fracture of sesamoid bones in both fore feet of a horse (A. Doran) . . . . . xxviii, 452
,, pseudo-granuloma fungoides of (F. S. Eve) . . xxxvii, 536
,, congenital hypertrophy of, especially the skin of the sole (F. S. Eve) . . . . . xxxiv, 298
,, malformation of (M. Balding) . . . . xxxii, 190
,, malformed (Sydney Jones) . . . . xxxvii, 555
,, symmetrical shortening of (Sydney Jones) . . . xxviii, 208
,, synostosis of, following gunshot wound thirty-five years previously (J. Poland) . . . . . xxxvi, 347
,, congenital fatty tumours of sole of (C. B. Lockwood) . xxxvii, 450
,, multiple tumours in the, apparently connected with the sweat-glands (J. W. Hulke) . . . . . xxxv, 335

FOOT (*continued*)—
,, perforating ulcer of the, in a patient affected with remarkable degenerative changes in the spinal cord and nerves (A. J. Pepper and A. Q. Silcock) . . . . xxxvi, 63
,, — three cases (F. S. Eve) . . . . xxxiii, 283
,, — [in animals] (J. B. Sutton) . . . . xxxvii, 588
,, see *Metatarsal; Toes.*

FORAMEN OVALE, closed, in malformation of the heart (S. Mackenzie) . . . . . xxxi, 63
,, closed and large aperture in septum of the auricles (T. B. Peacock) . . . . . xxix, 43
,, and ductus arteriosus, closed, in malformation of heart; cyanosis (T. B. Peacock) . . . . . xxvii, 131
,, defects in the fold of, in malformed heart (T. B. Peacock) . xxxii, 35
,, PATENT, in disease of pulmonary valves, &c. (S. Coupland) . xxvi, 22
,, — in a case of cyanosis (R. C. Lucas) . . . xxvi, 26
,, — with cribriform opening in the septum of the auricles (D. W. Finlay) . . . . . xxx, 262
,, — incomplete septum (H. R. Crocker) . . . xxxi, 92
,, — and ductus arteriosus patent, in a case of malformation of the heart (S. Mackenzie) . . . . xxxi, 66

FOREARM, see *Arm.*

FOREIGN BODY impacted in lung (N. Moore) . . . xxxiv, 23
,, in œsophagus (S. J. Sharkey) . . . . xxxvi, 190
,, in trachea and left bronchus (W. B. Hadden) . . xxxvi, 107
,, see *Corn; Grass.*

FOWL, common, torticollis in (E. Crisp) . . . xxvi, 252
,, — two examples of tumours in (E. Crisp) . . . xxvi, 251

FOWLER (J. KINGSTON), membranous band in the left auricle . xxxiii, 77
,, aneurysm of the descending aorta rupturing into the left lung, dissecting aneurysm and third aneurysm of the thoracic aorta . . . . . xxxiii, 90
,, intestinal obstruction caused by constricting cords of omentum xxxiii, 146
,, primary scirrhous cancer of the liver . . . xxxiii, 192
,, vessels from a case of gangrene of the right leg, caused by thrombosis of left common iliac artery, and detachment of a portion of the clot . . . . . xxxiv, 77
,, atrophy and calcification of the supra-renal bodies . . xxxvi, 453
,, *report* on Dr. Goodhart's case of melasma suprarenale . xxxiii, 345

FOX (T. COLCOTT), a case of primary sarcoma of the left supra-renal capsule, with extensive thrombosis of the vena cava inferior, in a child . . . . . xxxvi, 460
,, see *Fox* (*Tilbury*).

FOX (TILBURY) and H. R. CROCKER, the minute anatomy of dysidrosis . . . . . xxix, 264
,, and T. COLCOTT FOX, rodent ulcer . . . xxx, 360
additional note on ditto . . . xxxiii (S. R.), 45
,, — the histology of molluscum contagiosum [Bateman] . xxx, 460
,, — on a case of lymphangiectodes, with an account of the histology of the growth . . . . . xxx, 470
additional note on ditto . . . xxxiii (S. R), 49

FRACTURE of the ACROMION (united) (W. A. Lane) . . xxxv, 269
,, — (ununited) on the left side (W. A. Lane) . . xxxv, 269
,, — with rheumatoid arthritis of shoulder-joint, with other cases of ununited fracture, and remarks (W. A. Lane) . . xxxv, 267

FRACTURE (*continued*)—
,, of the ASTRAGALUS, comminuted (H. Morris) . . xxxii, 156
,, — and dislocation, backwards and inwards (Sir W. Mac Cormac) . . . . . xxvi, 174
,, of calvaria from pistol-shot (F. C. Turner) . . . xxxv, 10
,, of seventh and eighth costal cartilages with displacement of fragments (W. A. Lane) . . . . xxxv, 266
,, of clavicle and dislocation of acromial end of ditto (F. S. Eve) . xxxi, 245
,, (Colles's) dissected specimen of (C. B. Lockwood) . . xxxv, 272
,, of FEMUR, intercondyloid (H. A. Lediard) . . . xxxvii, 368
,, — longitudinal (H. Morris) . . . . xxxiii, 258
,, — of external condyle (A. E. Barker) . . . xxxiii, 283
,, — impacted, of the shaft of the (T. Bryant) . . xxix, 190
,, — — of the neck of the, complicated by bony outgrowth of the great trochanter (H. Morris) . . . . xxxi, 214
,, of HUMERUS of a gorilla (E. Crisp) . . . xxvii, 340
,, — ununited, of internal condyle of right (J. Poland) . xxxvi, 332
,, — united, of condyle and trochlea (W. A. Lane) . . xxxv, 271
,, of HYOID BONE (W. A. Lane) . . . . xxxv, 75
,, — (simple); suppuration in the neck communicating with it (F. C. Turner) . . . . . xxxvi, 94
,, — and larynx (W. A. Lane) . . . . xxxvi, 82
,, — of the greater cornu of the (W. A. Lane) . . xxxv, 261
,, of leg in a case of febrile delirium tremens (W. S. Greenfield) . xxix, 1
,, ununited, of the manubrium sterni (W. A. Lane) . . xxxvi, 325
,, of head of radius (M. A. Sheild) . . . . xxxvi, 333
,, of first RIB alone, mode of (W. A. Lane) . . . xxxvi, 327
,, — ununited, of a rib; incomplete fracture of a rib; enumeration of, and remarks on, cases described (W. A. Lane) . xxxv, 264
,, — ununited (W. A. Lane) . . . xxxv, 262, 266
,, — spontaneous, in rickety deformity of the thorax (R. W. Parker) . . . . . xxxiii, 257
,, of the sesamoid bones in both fore feet of a horse (A. Doran) . xxviii, 452
,, of SKULL, simple, in infants, followed by the development of a pulsating subcutaneous tumour (R. J. Godlee) . . xxxvi, 313
,, — chronic hydrocephalus in an adult, apparently the result of (P. H. Pye-Smith) . . . . . xxvii, 27
,, — contusion of brain, and hæmorrhage into arachnoid cavity (W. S. Greenfield) . . . . . xxix, 4
,, — compound, septicæmia after (F. C. Turner) . . xxxvii, 262
,, of the cervical spine, two cases (R. E. Carrington) . . xxxiii, 260
,, of the lumbar spine; paraplegia; death (J. R. Lunn) . xxxv, 252
,, of upper lumbar region, spinal column of a man who lived twenty-six years after (T. Carr Jackson) . . . xxviii, 206
,, of the STERNUM alone (W. A. Lane) . . . xxxvi, 324
,, — one mode of (W. A. Lane) . . . . xxxv, 253
,, — with costo-chondral dislocation (W. A. Lane) . . xxxiv, 223
,, of the THYROID CARTILAGE (C. A. Ballance) . . xxxvii, 114
,, — of the superior cornua of the (S. G. Shattock) . . xxxvi, 95
,, of TIBIA, comminuted, with impaction of anterior tibial vessels and nerve, followed by gangrene (F. S. Edwards) . . xxxiv, 222
,, — and fibula, accompanied by partial displacement of the foot forwards (W. A. Lane) . . . . xxxvi, 333
,, — — — — backwards (W. A. Lane) . . . xxxvi, 335
,, of right ulna from a case of locomotor ataxy (W. B. Hadden) . xxxi, 245
,, ununited, of transverse and spinous processes of dorsal vertebræ and of ribs (W. A. Lane) . . . . xxxv, 262
,, spontaneous, of calculi, see *Calculi.*

FRIEDREICH'S ATAXIA, microscopical specimens of the spinal cord from a case of (W. Everett Smith) . . . xxxvii, 99

FUNGUS of tinea imbricata (G. Thin) . . . xxxi, 339

GAIRDNER (WILLIAM TENNANT), and JOS. COATS, case of multiple (lymphoid ?) tumours, some of which disappeared under observation . . . . . xxx, 387

„ *report* of the Committee of Morbid Growths on ditto (Jas. F. Goodhart and H. T. Butlin) . . . . xxx, 394

GALL-BLADDER, cancer of (R. E. Carrington) . . xxxv, 231

„ — primary (epithelioma) of (S. Coupland) . . . xxxi, 136

„ — — (N. Moore) . . . . . xxxi, 138

„ ulcerative escape of biliary calculi from, into the duodenum (A. E. Barker) . . . . . xxix, 142

„ containing gall-stones, which had a fistulous communication with the duodenum and set up inflammatory thickening of pylorus (W. Hale White) . . . . xxxvii, 280

„ hydatids of, evacuated by the bowel (G. F. Whately) . xxvi, 127

„ suppuration in and round, due to calculi (S. West) . . xxxvii, 281

GALL-STONES, see *Calculi* (biliary).

GALLS, sections of (H. Cripps) . . . . xxxv, 489

GANGRENE of the corpora cavernosa and spongiosum penis, from thrombosis of iliac vein (?) consequent upon rheumatic phlebitis (J. Gay) . . . . . xxx, 323

„ of the bowel, in a case of cancer of sigmoid flexure (J. F. Goodhart) . . . . . xxxi, 113

„ commencing symmetrical (senile), in the upper limbs of a female associated with mammary and thoracic tumours (B. O'Connor) . . . . . xxxv, 150

„ of lower extremities, in a case of mitral stenosis (W. Cayley) xxix, 60

„ dry, of both lower extremities (T. Duka) . . . xxvi, 245

„ of the leg in a case of thrombosis of superior mesenteric artery, &c. (H. G. Howse) . . . . . xxix, 101

of right leg, caused by thrombosis of left common iliac artery, and detachment of clot (J. K. Fowler) . . . xxxiv, 77

„ in a case of comminuted fracture of the tibia (F. S. Edwards) . xxxiv, 222

„ spontaneous, of fingers of left hand (?) syphilitic arteritis (A. E. Barker) . . . . . xxxvi, 174

„ of portion of jejunum (H. T. Butlin) . . . xxxi, 76

„ of LUNG, following embolism of pulmonary artery (A. Q. Silcock) . . . . . xxxvii, 131

„ — from thrombosis in pulmonary artery (B. G. Morison) . xxxii, 23

„ — following excision of tongue for epithelioma (H. Royes Bell) xxxii, 26

„ and secondary suppuration in lower lobe of the lung (S. Coupland) . . . . . xxx, 224

„ of the cutaneous nerves, degeneration and regeneration of the axis-cylinder with reference to (Geo. Hoggan) . . xxxi, 12

„ case of symmetrical (R. Southey) . . . xxxiv, 286

GARGET or ropy milk, or cold in udder (A. H. Smee) . . xxx, 551

GARLICK (GEORGE), true diaphragmatic hernia . . xxix, 125

„ case of rapidly fatal lymphadenoma . . . xxix, 358

GASTRITIS, phlegmonous, stomach exhibiting the condition known as (A. Q. Silcock) . . . . . xxxiv, 90

GASTRO-ENTERITIS in a Malayan bear (J. Hutchinson, jun.) . xxxv, 484

GASTRORRHŒA, acute, stomach from a case of (H. Morris) . xxxiv, 82
GASTROSTOMY, matted mass of hair removed from the stomach by (J. K. Thornton) . . . . . xxxv, 199
,, in case of cancer of œsophagus (H. Lediard) . . xxxvii, 229
Gay (John), case of strangulated oblique inguinal hernia, operation, fatal through portal hæmorrhage into intestine . xxvi, 96
,, gangrene of the entire corpora cavernosa and spongiosum penis, probably from thrombosis of the iliac veins consequent upon rheumatic phlebitis . . . . xxx, 323
,, blood cyst removed from the neck (with summary of its distinctive peculiarities) . . . . . xxx, 435
additional note on ditto . . . xxxiii (S. R.), 48
,, recurrent mammary tumour; spindle-celled sarcoma, the sixth removal . . . . . xxxi, 272
additional note on ditto . . . xxxiii (S. R.), 53
,, *report* of the Committee on Morbid Growths on ditto (H. G. Howse and F. Taylor) . . . . . xxxi, 389
,, spindle-celled sarcoma . . . . . xxxiii, 321
,, per *James F. Goodhart*, myxo-fibroma of epididymis and cord . xxxi, 310
additional note on ditto . . . xxxiii (S. R.), 53
Gee (Samuel Jones), remarks in the discussion on rickets . xxxii, 349
GENERATION, organs of, diseases, &c., of, xxvi, 138–152; xxvii, 209–217; xxviii, 177–200; xxix, 163–171; xxx, 310–331; xxxi, 148–192; xxxii, 139–151; xxxiii, 195–221; xxxiv, 138–184; xxxv, 235–251; xxxvi, 262–312; xxxvii, 284–359.
,, — — in animals (J. B. Sutton) . . . . xxxvi, 499
,, — persistent communication of rectum with track of, in new-born male child (S. G. Shattock) . . . xxxi, 191
GENU VALGUM (H. Morris) . . . . xxxii, 160
,, bones from a case of (A. P. Gould) . . . xxxiii, 267
GERM THEORY of disease, discussion on the . . xxvi, 255–345
,, opening and concluding remarks by H. Charlton Bastian xxvi, 255–284, 334
,, remarks by J. Burdon Sanderson . . xxvi, 284–289, 304
,, — T. J. Maclagan . . . . . xxvi, 290–296
,, — John Dougall . . . . xxvi, 296–303
,, — Edwards Crisp . . . . . xxvi, 303–305
,, — Jonathan Hutchinson . . . . xxvi, 305–310
,, — Knowsley Thornton . . . . xxvi, 311–314
,, — Charles Murchison . . . . . xxvi, 314–320
,, — W. W. Wagstaffe . . . . . xxvi, 320–324
,, — J. F. Goodhart . . . . . xxvi, 325–329
,, — J. F. Payne . . . . . xxvi, 329–334
,, — Jabez Hogg . . . . . xxvi, 334
,, applicability of, to virulent inflammations and their sequelæ . xxvi, 262
,, to artificial tuberculosis, syphilis, typhoid, cholera, &c. . xxvi, 276
Gibbes (Heneage), cirrhosis of the liver in a child of seven months from congenital absence of the common duct . xxxiv, 129
,, secondary localised emphysema from minute emboli (in an antelope) . . . . . xxxv, 482
,, *report* on tuberculosis in birds . . . . xxxv, 479
,, nematode worms in the lungs of a Beatrix antelope . . xxxv, 483
Gibbon (Septimus), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 436
GLANDS, calcareous, fatal hæmoptysis from bronchial ulceration due to (P. Kidd) . . . . . xxxvi, 102

GLANDS (*continued*)—
,, caseous, sudden death from impaction in the trachea; caseous mediastinal glands (P. Kidd) . . . . xxxvi, 104
,, DUCTLESS, diseases of, xxvi, 199–208; xxvii, 285–294; xxviii, 231–235; xxx, 478–510; xxxi, 350–352; xxxiii, 339–366; xxxiv, 270–271; xxxv, 385–396; xxxvi, 420–465; xxxvii, 507–515.
,, — — in animals (J. B. Sutton) . . . . xxxv, 485
,, see also, *Axillary, Bronchial, Cervical, Hodgkin's Disease of, Lymphatic, Retro-peritoneal, Salivary, Skin.*

GLIOMA of left cerebral hemisphere (W. R. Gowers) . . xxvii, 13
,, of optic thalamus (G. Ogilvie) . . . . xxxvii, 53
,, secondary, which occupied the left orbit, and covered one side of the face; excision of both eyes; death; *post-mortem* (G. Lawson) . . . . . xxxvi, 418
,, of the spinal cord (T. T. Whipham) . . . xxxii, 8

GLIOMATOUS tumour of the brain, two cases (F. C. Turner) . xxxvii, 29

GLIO-SARCOMA of the brain (T. S. Dowse) . . . xxvii, 8

GODLEE (RICKMAN J.), rupture of the trachea . . xxvi, 13
,, alveolar sarcoma of subcutaneous tissue . . . xxvi, 183
additional note on ditto . . . xxxiii (S. R.), 38
,, round-celled sarcoma of part of upper thigh . . xxvi, 183
additional note on ditto . . . xxxiii (S. R), 38
,, blood-cyst developed in a sarcoma . . . xxvi, 193
,, epithelioma in chest and toe following successful removal of an epithelioma of the tongue, without involvement of the glands in the neck . . . . . xxvii, 253
,, anomalous form of blood-cyst . . . . xxvii, 270
,, the organism characteristic of vaccinia [experiments to determine whether organisms characteristic of diseases could be obtained from the blood or juices of patients suffering from those diseases] . . . . . xxviii, 397
,, granulation tissue from white swelling of knee . . xxviii, 449
,, on the introduction of the penicillium glaucum into tube glasses by acari . . . . . xxix, 427
,, colloid cancer of the breast . . . . xxx, 416
additional note on ditto . . . xxxiii (S. R.), 48
,, dislocation of the external semilunar fibro-cartilage of the knee-joint . . . . . xxxi, 240
,, melanosis of finger . . . . . xxxi, 336
additional note on ditto . . . xxxiii (S. R.), 54
,, two cases in which epithelioma recurred in the lung . . xxxii, 27
,, fibro-cellular tumour removed from the interior of the knee-joint xxxii, 207
,, arteries of the lower limbs from a patient in whom both femoral arteries had been ligatured with catgut for popliteal aneurysm xxxiii, 94
,, one-sided anophthalmos in an infant (living specimen) . xxxiv, 230
,, cases of tubercular ulceration of the tongue . . xxxv, 184
,, two cases of simple fracture of the skull in infants, followed by the development of a pulsating subcutaneous tumour . xxxvi, 313
,, case of acute necrosis, with extensive necrotic patches in the heart . . . . . xxxvi, 349
,, *report* on Mr. Balding's specimen of tumour of the sciatic nerve xxvii, 24
,, — on Mr. L. Browne and Dr. G. Smith's case of ulceration of the larynx . . . . . xxvii, 52
,, — on Mr. Balding's case of recurrent tumours . . xxviii, 31
,, — on Mr. Ch. Heath's case of removal of the scapula . xxx, 406

GODLEE (RICKMAN J.) (*continued*)—
,, *report* on Dr. John Abercrombie's case of tumours of the vault of the skull . . . . . xxxi, 221
,, — on Mr. H. Morris's specimen of pulsating tumour of cranium xxxi, 270
,, — on Mr. Nunn's case of recurrent tumour of the breast . xxxi, 276
,, — on Mr. Hutchinson's case of tumour of the leg . . xxxii, 231
,, — on Mr. R. W. Parker's case of adeno-fibroma and carcinoma . . . . . xxxii, 235
,, — on Dr. Tyson's case of stricture of the pylorus . . xxxiii, 143
,, — on Mr. Eve's and Dr. D. Williams's cases of myo-sarcoma of the kidney . . . . . xxxiii, 319
,, — on Mr. Clutton's case of alveolar-sarcoma of the skull . xxxiv, 215
,, — on Mr. Treves's case of supposed actinomycosis . . xxxv, 362
,, — on Mr. Lawson's case of congenital tumour of the orbit . xxxv, 381

GOITRE, exophthalmic, case of (H. G. Howse) . . xxviii, 115

GOLDING-BIRD (C. H.), micrococci (streptococci) from abscess in a case of acute infective osteomyelitis . . . xxxv, 273
,, aneurysm of profunda artery; ligature of external iliac . xxxvii, 186

GONORRHŒAL PYÆMIA (B. Pollard) . . . xxxvi, 477

GOODHART (J. F.), nummular aortitis leading to aneurysm of the thoracic aorta, fibroid disease of septum ventriculorum, &c. . xxvi, 30
,, co-arctation of the aorta below left subclavian . . xxvi, 68
,, co-arctation of the aorta, hypertrophy and dilatation of the heart xxvi, 71
,, spontaneous cure of abdominal aneurysm, with embolism of the abdominal aorta . . . . . xxvi, 74
,, acute enteritis and sloughing uvula . . . xxvi, 84
,, remarks in the discussion on the germ theory of disease . xxvi, 325
,, insular sclerosis of the brain and spinal cord . . xxvii, 17
,, cured hydatid cyst in the wall of the heart . . xxvii, 72
,, embolism (?) of the muscular tissue of the heart in a case of stenosis of mitral valve with *ante-mortem* coagula in auricular appendix, &c. . . . . xxvii, 100
,, empyema, suppuration in region of the tonsil, pericarditis, &c. xxvii, 102
,, obturator hernia in a female, causing chronic intestinal obstruction, death from suppurative peritonitis . . . xxvii, 161
,, tubercular phthisis, ulceration of larynx, tubercular disease of liver, large soft spleen, tubercle in kidneys . . xxvii, 196
,, — *report* on, by the Committee on Morbid Growths (C. H. Fagge and J. F. Goodhart) . . . . xxvii, 198
,, bladder and prostate from a boy cut for stone eleven years previously . . . . . xxvii, 202
,, cases of moveable kidney, &c. . . . xxvii, 470–482
,, two cases of acute mediastinal inflammation . . xxviii, 37
,, cases of aneurysm from embolism . . . xxviii, 106
,, three cases of labial tumour . . . . xxviii, 213
,, phthisis of fibroid form; history of syphilis . . xxviii, 313
,, — abstract of nineteen cases . . . . xxviii, 322
,, disease of the epiphysial end of the diaphysis of each humerus, and interstitial pneumonia, in congenital syphilis . . xxviii, 359
,, *post-mortem examination* in Mr. Bryant's case of aneurysm of common femoral artery . . . . xxviii, 101
,, exophthalmic goitre, see *Howse*.
,, old spinal disease, with amyloid viscera, distortion of the aorta from spinal curvature, with dilatation of the heart, and *ante-mortem* coagula in the left ventricle . . . xxix, 78
,, two cases of hyperostosis and tumour of the bones . . xxix, 175

GOODHART (J. F.) (*continued*)—
,, cases illustrating diseases of the lymphatic system, and particularly lymphadenoma or leukæmia lymphatica and leukæmia splenica . . . . . xxix, 322
,, nodular fibroid phthisis (syphilitic ?) . . . xxx, 232
,, two cases of tubercle of the lung, spreading from yellow elastic nodules in the lung (gummata ?) . . . xxx, 233
,, case of rapid enlargement of the heart . . . xxx, 279
,, two cases of early disease of the supra-renal capsules (Addison's disease) . . . . . xxx, 486
,, remarks in the discussion on lardaceous disease . . xxx, 532
,, for *Branford Edwards*, osseous tumour of superior maxilla . xxx, 358
,, case of suppurative myocarditis with scarlatinal nephritis . xxxi, 70
,, case of fatty degeneration of the heart after hæmorrhage in typhoid fever . . . . . xxxi, 71
,, cancer of the sigmoid flexure, gangrene of the bowel, peritonitis . . . . . xxxi, 113
,, remarks on the microscopical structure of Mr. H. Morris's pulsating tumour of cranium . . . . xxxi, 265
,, perforating ulcer of the stomach, leading to fatal hæmatemesis, thirty hours after birth . . . . xxxii, 79
,, cicatrices in the liver, the result of suppurative pylephlebitis . xxxii, 137
,, remarks in the discussion on rickets . . . xxxii, 382
,, series of cases of ulcerative endocarditis . . . xxxiii, 52
,, acute yellow atrophy of liver in a child aged 2 years . xxxiii, 170
,, simple atrophy of supra-renal capsules, with melasma suprarenale and other symptoms of Addison's disease . . xxxiii, 340
,, *report* of Committee on ditto (S. Coupland, C. Creighton, and J. K. Fowler) . . . . . xxxiii, 345
,, notes of cases of dilated stomach not due to pyloric obstruction, observed in *post-mortem* room of Guy's Hospital, 1875–82 . . . . . xxxiv, 88
,, extensive hyperostosis of skeleton with bone-softening and rickety changes, probably of syphilitic origin . . xxxiv, 197
,, *report* on ditto (Hilton Fagge, W. Haward, T. Barlow, and J. F. Goodhart) . . . . . xxxiv, 201
,, dissection of the abdominal sympathetic, from a case of Addison's disease . . . . . xxxiv, 270
,, cancer of pituitary body in the anubis baboon . . xxxvi, 36
,, acute entero-colitis with Bright's disease . . . xxxvi, 203
,, acute ulcerative colitis, from a case of colloid cancer of the stomach . . . . . xxxvi, 204
,, acute ulcerative enteritis above a hernia . . . xxxvi, 204
,, ulceration of the intestine from without . . . xxxvi, 205
,, cirrhosis of the liver simulating cancer . . . xxxvi, 234
,, liver, kidneys, and heart from a case of phosphorus poisoning . xxxvi, 479
,, cases of cerebral tumour . . . . xxxvii, 14
,, the calvaria of an infant with membranous opercula in the bone xxxvii, 364
,, see *Marshall* (*L. W.*) (case of calculus vesicæ in a female child two years old).
,, see *Targett* (*J. H.*) (hæmorrhage into liver-substance).
,, see *Ilott* (*H.*) (a case of cerebral tumour).
,, see *Lewis* (calcified angeioma of brain).
,, see *Pye-Smith* (*P. H.*) (ulceration of tracheal mucous membrane).
,, see *Jones* (*C. H.*) (morbid changes in cerebral arterioles).
,, see *Greene* (*A. W.*) (case of Addison's disease).
,, see *Easles* (*George*), *Gay* (*J.*), *Marshall* (*Lewis*).

GOODHART (J. F.) (*continued*)—
„ *report* on Mr. Bryant's stricture of colon associated with cancer xxvi, 100
„ — on Mr. C. Lucas's specimen of diseased kidney . . xxvi, 130
„ — on Mr. Walsham's specimen of tumour of the clavicle . xxvii, 274
„ — on Dr. Walters' specimen of scirrhus of the diaphragm . xxviii, 219
„ — on Mr. Lennox Browne's case of primary cancer of the tonsil xxix, 247
„ — on Mr. Lennox Browne's case of epithelioma of tongue invading the tonsil . . . . . xxix, 250
„ — on Mr. Bellamy and Dr. Sangster's case of cancerous ulcer of the face . . . . . xxx, 373
„ — on Dr. J. Gairdner's specimen of multiple tumour . xxx, 394
„ — on Dr. Geo. Hoggan's microscopic specimens of the skin in leprosy . . . . . xxx, 510
„ — on Dr. S. Coupland's primary sarcoma of the liver . xxxi, 135
„ — on Mr. Moullin's specimen of cystic degeneration of the breast . . . . . xxxii, 217
„ — on Dr. Broadbent's specimen of thickening of the pericardium . . . . . xxxiii, 81
„ — on Mr. Stanley Boyd's case of rupture of the œsophagus . xxxiii, 129
„ — on Mr. Bryant's case of oil cyst from parotid region . xxxiii, 305
„ — on Mr. Roger Williams's tumour in a diverticulum of the urinary bladder . . . . . xxxiv, 156
„ — on Dr. W. B. Hadden's specimen of disseminated sarcoma . xxxiv, 239
„ — on Mr. George Lawson's case of recurrent cartilaginous tumour of lower jaw . . . . . xxxiv, 264
„ — on Dr. Payne and Dr. Semon's case of rhinoscleroma . xxxvi, 81
GORILLA, fractured humerus of a (E. Crisp) . . . xxvii, 340
GOULD (A. PEARCE), case of syphilitic heart . . . xxvii, 69
„ disease of tricuspid, mitral, and aortic valves . . xxviii, 50
„ large spindle-cell sarcoma of thigh . . . xxviii, 223
„ fibroma growing from ischium . . . . xxviii, 225
„ case of recovery from pyopericardium . . . xxviii, 57
„ congenital absence of fibula and two toes, and talipes equinovalgus (*living specimen*) . . . . xxxii, 152
„ congenital mucous polypus of umbilicus . . . xxxii, 204
„ congenital absence of right hemisphere of cerebellum . xxxiii, 6
„ specimens of asymmetry . . . . xxxiii, 222
„ specimen of abscess in head of tibia . . . xxxiii, 266
„ bones from a case of genu valgum . . . xxxiii, 267
GOUT, case of, with extreme congestion of the synovial membrane lining each knee-joint (Hilton Fagge) . . . xxvi, 164
„ specimens from a case of, viz. knee-joint, patella, index finger, larynx, pons Varolii, pia mater, and kidneys (N. Moore) . xxxiii, 271
„ *table* of the chief morbid appearances in nine cases of (N. Moore) . . . . . xxxiii, 279
„ joints showing changes characteristic of, and of rheumatic arthritis (J. Hutchinson) . . . . xxxii, 193
„ hæmorrhage into joints in a case of (P. H. Pye-Smith) . xxvi, 162
GOWERS (W. R.), glioma of left cerebral hemisphere . . xxvii, 13
„ myo-lipoma of spinal cord . . . . xxvii, 19
„ posterior sclerosis and posterior median sclerosis of spinal cord . xxvii, 30
„ cerebral aneurysms associated with endocarditis . . xxvii, 33
„ the pathological anatomy of hydrophobia (with four cases) . xxviii, 10
„ hypertrophy of heart, with primary renal disease . . xxviii, 44
„ mitral disease, compensatory enlargement of anterior flap, high arterial tension . . . . . xxviii, 51
„ cerebral syphiloma, mode of growth . . . xxviii, 280

GOWERS (W. R.) (*continued*)—
„ syphilomata of brain and spinal cord, syphilitic thickening of membranes around nerves, &c. . . . . xxviii, 281
„ syphilitic disease of cerebral artery . . . xxviii, 286
„ syphilitic disease of the lungs . . . . xxviii, 330
„ observations on specimens illustrating lymphatic diseases . xxix, 304
„ *report* on Dr. Harbinson's specimens of sclerotic changes in brain . . . . . xxxiii, 33
„ — on the specimens exhibited in the discussion on diabetes . xxxiv, 397
GRANULATION-GROWTH following bite on upper lip (J. H. Morgan) . . . . . xxxvii, 462
GRANULATION TISSUE from white swelling of knee (R. J. Godlee) . . . . . xxviii, 449
GRANULOMA FUNGOIDES, specimens from a case of (J. F. Payne) xxxvii, 522
„ — (pseudo) of foot (F. S. Eve) . . . . xxxvii, 536
GRASS, an ear of, probably swallowed, discharged through the back (S. Wilks) . . . . . xxxiii, 423
GREEN (T. HENRY), syphilitic disease of the lungs . . xxviii, 331
„ *report* on Dr. Southey's case of aneurysm of the heart . xxvi, 47
„ — on Dr. Pye-Smith's specimen of caseous disease of the mesenteric glands . . . . . xxvi, 206
„ see *Griffiths, Stocks (A. W.)*.
GREENE (A. W.) *report* of Mr. Bryant's case of ulcerative endocarditis upon old heart disease . . . . xxviii, 103
„ per *Jas. F. Goodhart*, Addison's disease without melasma causing death by syncope, apparently from sea-sickness . xxxiv, 270
GREENFIELD (W. S.), stenosis of the orifices of the coronary arteries due to endarteritis of aorta . . . xxvi, 55
„ fibroid disease of wall of the left ventricle of the heart, coagulation of blood in ventricle and embolism of branches of renal artery . . . . . xxvi, 58
„ atheroma of renal artery, leading to occlusion of the vessel and degenerative changes in the kidney (two cases) . . xxvi, 135
„ aneurysm of the anterior communicating artery of the brain; rupture, subarachnoid hæmorrhage . . . xxvii, 2
„ tumour (? syphilitic) of left anterior cerebral artery producing thrombosis and hemiplegia . . . . xxvii, 5
„ syphilitic (?) pneumonia . . . . xxvii, 43
„ congenital malformation of the aortic valves, consisting in the existence of two segments only . . . . xxvii, 110
„ stenosis of the tricuspid and mitral valves . . . xxvii, 113
„ persistence of left vena cava superior, with absence of right . xxvii, 120
„ double mitral valve . . . . . xxvii, 128
„ multiple ulcers of the stomach . . . . xxvii, 168
„ lymphadenoma, with infiltration of the lungs and skin . xxvii, 275
„ syphilitic gummata in liver, spleen, and kidneys . . xxvii, 311
„ *microscopic examination* of larynx and trachea in Dr. Squire's case of croup . . . . . xxvii, 57
„ *post-mortem examination* of Dr. Peacock's case of supra-renal capsular disease . . . . . xxvii, 288
„ *remarks* in the discussion on the pathology of syphilis . xxvii, 426
„ diphtheritic false membrane . . . . xxviii, 41
„ single kidney . . . . . xxviii, 161
„ specimens illustrative of visceral syphilis . . . xxviii, 249
„ *table* of cases of visceral syphilis observed in *post-mortem* room of St. Thomas's Hospital during 1875–6 . . . xxviii, 250
„ pachymeningitis hæmorrhagica in delirium tremens . . xxix, 1

GREENFIELD (W. S.) (*continued*)—
,, on a case of syphilitic tumour of anterior cerebral artery . xxix, 10
,, diphtheria, associated with enteric fever . . . xxix, 29
,, cases of aneurysm of the cerebral and brachial arteries . xxix, 91
,, specimens illustrative of the pathology of lymphadenoma and leucocythæmia . . . . . xxix, 272
,, remarks in the discussion on lardaceous disease . . xxx, 525
,, granular contracted kidney . . . . xxxi, 157
,, see *Pyæmia* (Report of Committee on).
,, *report* on Dr. Dowse's specimen of invaginated intestine . xxvi, 110
,, — on Dr. G. C. P. Murray's specimen of ovarian tumour . xxvi, 144
,, — on Dr. A. Morison's specimen of disease of the pulmonary and tricuspid valves . . . . . xxvii, 97
,, — on Dr. Mahomed's cases of adenoma of the liver . . xxviii, 155
,, — on Mr. W. Adams's case of spontaneous rupture of œsophagus xxix, 114
,, *microscopic report* on Mr. Croft's cases of tuberculosis of synovial membrane, and of joints . . . xxxii, 177

GREENHOW (E. H.), Addison's disease in an early stage, with hæmorrhage into supra-renal capsules, interstitial pneumonia, and varicose condition of lymphatics of the pleura . . xxviii, 231
,, incompetency of the aortic valves from a strain, endocarditis and formation of polypoid body in left ventricle, ulceration and erosion . . . . . xxxi, 73

GRIFFITHS (T. D.), per *T. Henry Green*, cirrhosis of liver in a child aged 10 years . . . . . xxvii, 186
,, anteversion of a small cirrhotic liver simulating enlargement . xxviii, 142
,, two dermoid ovarian tumours . . . . xxviii, 196

GROIN, pedunculated adeno-fibro-sarcoma of the (F. S. Eve) . xxxv, 338
,, hydatid tumour of the (W. W. Wagstaffe) . . . xxvi, 215

GROSS (CHARLES), œsophagus from fatal case of sword-swallowing xxxvi, 188

GROSS (S. W.), *report* of a case of multiple central medullary round-celled sarcoma of the osseous centre system . . xxxi, 268

GROWTH, arrested, of the right upper limb (S. G. Shattock) . xxxii, 276
,, giant, of limbs, see *Hypertrophy* (congenital).

GROWTHS, morbid, see *Morbid Growths.*
,, secondary, in bones and viscera, in case of bronchocele (W. Haward) . . . . . xxxiii, 291
,, multiple, in the bladder (J. H. Morgan) . . . xxxiv, 157

GULL (Sir WILLIAM), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 413
,, observations on Dr. Dickinson's case of idiopathic anæmia . xxix, 382
,, and H. G. SUTTON, on changes in the spinal cord and its vessels in arterio-capillary fibrosis . . . . xxviii, 361
,, — reply, see *Johnson* (*G*).

GULLIVER (G.), syphilitic ulceration, with constriction of trachea . xxxvi, 101
,, cysticerci of brain . . . . . xxxvii, 60
,, stricture of ileum due to inflammatory thickening and contraction of peritoneum . . . . . xxxvii, 248
,, malignant disease of thyroid from a case of myxœdema . xxxvii, 511

GUMMA SYPHILITICUM of posterior cerebral sinuses, &c. (T. S. Dowse) . . . . . xxvii, 11
,, sequel to case, in vol. xx of the 'Trans.,' p. 309 (W. Adams) . xxxi, 374
,, of the heart (G. C. Henderson) . . . . xxxiv, 53
,, of the spinal dura mater (F. Taylor) . . . xxxv, 36
,, see also *Syphilis.*

GUMMATA, in and beneath upper part of ascending parietal convolution and parietal lobe, on right side, with adhesion of thickened dura mater (W. M. Ord) . . . xxxvii, 42
,, of kidney in case of Addison's disease (T. Barlow) . . xxxvi, 433
,, of liver in a boy aged 9 (N. Moore) . . . xxxvii, 271
,, in the lungs, with secondary grey tubercle round them (J. F. Goodhart) . . . . . xxx, 233
,, in the lungs and testes, tubercle, &c. (J. F. Goodhart) . xxx, 234
,, in the lung and testis (J. Hutchinson) . . . xxxi, 384
,, in spleen (S. J. Sharkey) . . . . xxxiii, 339
,, of testis from a boy the subject of inherited syphilis (J. Hutchinson) . . . . . xxxi, 192
,, of tongue, in hereditary syphilis (T. Barlow) . . xxxi, 101
,, obstruction of ureter by (W. B. Hadden) . . . xxxvii, 301
GUMMATOUS disease of brain, cranial bones, and vertebræ (F. Jordan) . . . . . xxxii, 15
GUMS, tubercular lupus of (Fairlie Clarke) . . . xxvii, 148
GUN-SHOT WOUND of brain (W. Rose) . . . xxxvi, 39
,, of foot; synostosis thirty-five years afterwards (J. Poland) . xxxvi, 347

HABERSHON (S. O), fibroid thickening of the tissues in anterior mediastinum, obliteration of superior cava, fibroid disease of heart, &c. . . . . xxvii, 79
,, ulceration of the duodenum, extension into the portal vein, hæmorrhage . . . . . xxvii, 155
HADDEN (W. B.), united fracture of right ulna from a case of locomotor ataxy . . . . . xxxi, 245
,, lower extremity of a right femur from a case of locomotor ataxy . . . . . xxxi, 245
,, symmetrical degeneration in the spinal cord and medulla oblongata . . . . . xxxiii, 21
,, case of congenital cardiac disease . . . xxxiii, 50
,, dilated œsophageal veins, giving rise to fatal hæmorrhage in cirrhosis of the liver . . . . . xxxiii, 190
,, dilated œsophageal veins and enlarged follicles in cirrhosis of liver . . . . . xxxiii, 190
,, tubercular disease of the tongue . . . . xxxiv, 135
,, case of disseminated sarcoma . . . . xxxiv, 236
,, *report* on ditto by the Morbid Growths Committee (H. T. Butlin and Jas. F. Goodhart) . . . . xxxiv, 239
,, pathology of canine chorea . . . . xxxiv, 308
,, symmetrical aneurysms of the middle cerebral arteries . xxxv, 73
,, two cases of ruptured heart . . . . xxxv, 121
,, scirrhus of bladder . . . . . xxxv, 242
,, a case of chronic cerebro-spinal meningitis . . . xxxvi, 13
,, two fatal cases of alcoholic paralysis . . . xxxvi, 49
,, foreign body in trachea and left bronchus . . . xxxvi, 107
,, ulceration of intestine in leucocythæmia . . . xxxvi, 206
,, detachment of peritoneal, subperitoneal, and muscular coats of small intestine from injury (2) . . . xxxvi, 212
,, misplaced kidney, with short ureter . . . xxxvi, 283
,, broad ligament cyst, with albuminous contents . . xxxvi, 306
,, atrophy of the suprarenals, with Addison's disease . . xxxvi, 436
,, two cases of joint affection in locomotor ataxy . . xxxvii, 101
,, right-sided ulcerative endocarditis . . xxxvii, 165, 166
,, mucous cyst of tongue . . . . . xxxvii, 225
,, lympho-sarcoma of stomach . . . . xxxvii, 234

HADDEN (W. B.) (*continued*)—
,, intestine in lymphadenoma . . . . . xxxvii, 261
,, simple cyst of liver . . . . . xxxvii, 266
,, obstruction of ureter by a gumma . . . xxxvii, 301
,, yellow tubercle in suprarenal body . . . xxxvii, 514
,, carcinoma of both suprarenals . . . . xxxvii, 515
,, lipæmic blood in diabetes . . . . xxxvii, 566
,, *report* on Dr. Handford's case of abscess of liver . . xxxvii, 271
,, see *Committee* on intracranial tumours.
HÆMATEMESIS, death from, in case of aneurysm of the splenic artery (S. West) . . . . . xxxvi, 193
HÆMATO-CHYLURIA, filarial, case of (Stephen Mackenzie) . xxxiii, 394
HÆMATOMA of the dura mater (F. C. Turner) . . xxxvi, 16
HÆMATURIA, epithelioma of the bladder, from a case of (W. A. Berridge) . . . . . xxxiv, 161
HÆMOPHILIA, changes in the thymus gland in a case of (T. D. Acland) . . . . . xxxvi, 491
,, case of, with the results of the examination of the tissues (J. Wickham Legg) . . . . . xxxiii, 412
,, second case of, with examination of the tissues and joints (J. Wickham Legg) . . . . . xxxvi, 488
HÆMOPTYSIS, fatal, from bronchial ulceration (P. Kidd) . xxxvi, 102
,, — associated with tuberculosis (Fred. Robinson) . . xxviii, 33
,, eighteen months before death, in a case of pleuro-pneumonia (E. Crisp) . . . . . xxvi, 14
,, from hydatid of the lung; old hydatid of the liver pressing upon the bile-ducts (P. Kidd) . . . . xxxvi, 122
,, recurrent, in cases of pulmonary aneurysm (S. West) . xxxv, 93
HÆMORRHAGE, CEREBRAL, arteries of the brain from two cases of (F. C. Turner) . . . . . xxxv, 65
,, — arteries of brain from cases of (F. C. Turner) . . xxxiii, 96
,, — from a tumour (J. A. Ormerod) . . . xxxiii, 11
,, — death from, in a case of calculus in ureter of a woman aged 45 (N. Moore) . . . . . xxxiii, 206
,, — diffuse punctiform, in cerebral hemispheres in extreme congestion of brain from obstructed pulmonary circulation (S. Coupland) . . . . . xxx, 189
,, — into pons Varolii and fourth ventricle (T. S. Dowse) . xxvii, 7
,, — into arachnoid cavity in a case of fracture of skull (W. S. Greenfield) . . . . . xxix, 4
,, subarachnoid (W. S. Greenfield) . . . . xxvii, 2
,, — of spinal cord (T. S. Dowse) . . . . xxvii, 1
,, into the cerebellum; rupturing into the fourth ventricle (W. A. Sturge) . . . . . xxx, 194
,, in medulla oblongata, causing sudden death from implication of vagal nucleus (W. Hale White) . . . xxxiii, 15
,, into the long bones in a case of purpura hæmorrhagica (W. Hale White) . . . . . xxxvii, 368
,, spontaneous intra-ocular, in an infant (E. Nettleship) . xxxi, 253
,, intestinal and peritoneal, following obstruction of mesenteric artery and vein, fatal (F. Taylor) . . . xxxii, 61
,, into the joints in a case of gout (P. H. Pye-Smith) . . xxvi, 162
,, into liver-substance; ? internal rupture (contusion) (J. H. Targett) . . . . . xxxvii, 266
,, into pericardium from rupture of aneurysm of arch of aorta (T. S. Dowse) . . . . . xxvi, 40

HÆMORRHAGE (*continued*)—
„ portal, into the intestine, operation for strangulated inguinal hernia fatal through (J. Gay) . . . . xxvi, 96
„ death from, in a case of aneurysm of a branch of the pulmonary artery (S. West) . . . . . xxix, 41
„ meningeal, aneurysm from the base of the brain from cases of (F. C. Turner) . . . . . xxxv, 71
„ — due to rupture of an aneurysm on the left middle cerebral artery (S. J. Sharkey) . . . . xxxvii, 3
„ into the grey matter of the spinal cord (W. C. Chaffey) . xxxvii, 90
„ sudden, into trachea, death from, in epithelioma of œsophagus (T. Whipham) . . . . . xxvi, 91
„ in typhoid fever, followed by fatty degeneration of the heart (J. F. Goodhart) . . . . . xxxi, 71

HÆMORRHAGIC PACHYMENIGITIS in delirium tremens (W. S. Greenfield) . . . . . xxix, 1

HÆMORRHOIDS, internal, contribution to the pathology of (W. J. Roeckel) . . . . . xxxv, 153

HAIG (A.), two aneurysms of the left ventricle of the heart . xxxvii, 147
„ intrapericardial aneurysm of aorta . . . xxxvii, 183

HAIR, matted mass of, removed from the stomach by gastrostomy (J. K. Thornton) . . . . . xxxv, 199
„ specimen of the affection of, described as piedra, trichoclasia, trichorrhexis nodosa (P. H. Pye-Smith) . . . xxx, 439
„ piedra, a new disease of the (M. Morris) . . . xxx, 441
„ symmetrical loss of, with absorption of pigment in the invaded patches (T. Robinson) . . . . xxxiii, 391
„ showing a remarkable nodose condition, or "beaded hairs" (J. F. Payne) . . . . . xxxvii, 540

HAMILTON (Dr.), specimen of lipæmic blood in diabetes (discussion on diabetes) . . . . . xxxiv, 347

HAND, disseminated clavus of, and of the feet (N. Davies-Colley) xxx, 451
„ elephantiasis of (Dr. London) . . . . xxix, 406
„ from an old case of anæsthetic leprosy, showing spontaneous amputation and arrest of the disease (B. N. Rake) . . xxxvii, 543
„ from case of mixed tubercular and anæsthetic leprosy (B. N. Rake) . . . . . xxxvii, 544
„ fatty tumour from palm of (C. B. Lockwood) . . xxxvii, 450
„ defective, in cases of congenital absence of radius (R. W. Parker) xxxiii, 236
„ malformation of (M. Balding) . . . . xxxii, 190
„ and forearm, congenital hypertrophy of (F. S. Eve) . . xxxiv, 300
„ fœtal, voluntarily mobile, at the ends of truncated arms, two cases (R. Barwell) . . . . . xxxii, 280

HANDFORD (H.), thrombosis of the left posterior cerebral artery; partial closure of left carotid by endarteritis . . xxxvii, 5
„ tricuspid septic endocarditis; ? consequent upon previous pneumonia . . . . . xxxvii, 166
„ aneurysm of first part of arch of aorta, communicating with the pulmonary artery . . . . . xxxvii, 183
„ a case of extensive destruction of the walls of the stomach; death on the ninth day from the commencement of symptoms xxxvii, 230
„ acute intestinal obstruction due to a band . . . xxxvii, 249
„ abscess of liver, probably of pyæmic origin, secondary to suppuration of Fallopian tubes, consequent ? upon gonorrhœa . xxxvii, 267
„ *report* on above (W. B. Hadden and T. D. Acland) . . xxxvii, 271

HANDFORD (H.) (*continued*)—
,, supernumerary nipple in a man . . . . xxxvii, 569
,, Hodgkin's disease . . . . . xxxvii, 570
,, see *Powell* (*E.*), atrophy of right kidney.

HANOT, "on hypertrophic cirrhosis," referred to (R. Saundby) . xxx, 302

HARBINSON (A.), sections of brain showing diffuse changes, possibly sclerotic . . . . . xxxiii, 31
,, — *report* of Committee on (W. R. Gowers and G. H. Savage) . . . . . xxxiii, 33

HARE (C. J.), see *Kidneys* (*report* on moveable).

HARLEY (George), *report* on Mr. Whately's specimen of renal calculus . . . . . xxvi, 128
,, on Mr. Sydney Jones's case of lymphangeioma . . xxvi, 233

HARRIS (VINCENT D.), histological report of a case of area celsi (porrigo decalvans) . . . . . xxxiii, 386
,, and ALBAN DORAN, spinal cord from a case of tetanus following ovariotomy . . . . . xxxi, 7
,, see *Duckworth* (iodide of potassium eruption).

HARRISON (REGINALD), cystine calculus, 1050 grains . . xxxi, 384
additional note on ditto . . . xxxiii (S. R.), 55

HAWARD (WARRINGTON), examination of the body in Dr. Dickinson's case of aneurysm of abdominal aorta compressing the ureter and descending colon . . . . xxvi, 79
,, the left testicle affected with cystic disease . . . xxviii, 177
,, epiphysial disease from a case of inherited syphilis . . xxviii, 356
,, remarks in the discussion on rickets . . . xxxii, 334
,, case of bronchocele, with secondary growths in bones and viscera . . . . . xxxiii, 291
,, — *microscopical examination* of tumour, by F. C. Compton . xxxiii, 294
,, *report* on Mr. Dent's case of displacement of tibiæ . . xxxiii, 256
,, — on Dr. Goodhart's specimen of hyperostosis . . xxxiv, 201

HEAD, epithelioma of the side of the, perforating the skull (J. W. Hulke) . . . . . xxvi, 187
,, multiple sarcomata projecting upon surface of (W. H. Dickinson) . . . . . xxxvii, 463
,, and face, unilateral hypertrophy of, involving bones and soft parts (R. Barwell) . . . . . xxxii, 282
,, and neck, recurrent cartilaginous tumour of (Geo. Lawson) . xxxiv, 261

HEART, miliary abscesses of, in a case of hip-joint disease (N. Moore) . . . . . xxxiv, 52
,, aneurysm of, see *Aneurysm*.
,, with atheromatous aorta (F. C. Turner) . . . xxxv, 108
,, with calcareous plates (R. W. Burnet) . . . xxxii, 53
,, cases of carcinoma of the (N. Moore) . . . xxxvii, 172
,, fibrous clot in, of a child, probably from sewer-gas poisoning (W. Munro) . . . . . xxviii, 47
,, firm clot found enveloping the, in aneurysm of ascending aorta (J. P. Irvine) . . . . . xxviii, 73
,, cribriform opening in the septum of the auricles of, and patency of foramen ovale (D. W. Finlay) . . . xxx, 262
,, from a case of cyanosis (R. C. Lucas) . . . xxvi, 26
,, dilatation of right side of (S. O. Habershon) . . xxvii, 79
,, — and ante-mortem coagula in the left ventricle (J. F. Goodhart) . . . . . xxix, 78

HEART (*continued*)—
,, dimensions of, in a case of disease of aortic valves (T. B. Peacock) . . . . . xxvii, 61
,, — in a case of malformation (T. B. Peacock) . . xxvii, 134
,, DISEASE of the pulmonary and tricuspid valves of (A. Morison) xxvii, 83
,, — and subcutaneous fibrous nodules following rheumatism (J. Cavafy) . . . . . xxxiv, 41
,, — analogy between, and the rheumatic nodules of children (F. D. Drewitt) . . . . . xxxiv, 50
,, — adherent pericardium, rheumatic nodules (A. Money) . xxxiv, 45
,, — congenital (T. Barlow) xxvii, 140; (W. B. Hadden) xxxiii, 50; (N. Moore) xxxvi, 176.
,, — —; pulmonary stenosis, with dilated pulmonary artery above the stenosis (T. Barlow) . . . . xxx, 272
,, — — in a case of atelectasis of lungs (T. Barlow) . . xxxi, 48
,, see also MALFORMATION, *infra*.
,, drawn to right side in case of extreme contraction of right lung and hypertrophy of left lung (R. W. Burnet) . . xxxvi, 107
,, embolism of muscular tissue of, in a case of stenosis of mitral valve (J. F. Goodhart) . . . . xxvii, 100
,, case of rapid enlargement of the (J. F. Goodhart) . . xxx, 279
,, fatty degeneration of, after hæmorrhage in typhoid fever (J. F. Goodhart) . . . . . xxxi, 71
,, — — acute, after rheumatic fever, &c. (S. West) . . xxxiii, 74
,, fibro-cretaceous ring surrounding the heart in the situation of the auriculo-ventricular sulcus (W. Ewart) . . xxxi, 94
,, FIBROID DISEASE of, and fibroid thickening of tissues in anterior mediastinum (S. O. Habershon) . . . xxvii, 79
,, — causing sudden death (W. H. White) . . . xxxv, 114
,, — extensive fibrotic disease of (S. West) . . . xxxv, 119
,, — fibroid patch of interventricular septum of, blood-clots in brachial and other arteries, gangrene of jejunum (H. T. Butlin) xxxi, 76
,, — two fibrous nodes in tertiary syphilis (P. H. Pye-Smith) . xxviii, 334
,, of a dog, Filaria immitis in (S. G. Shattock) . . xxxiii, 434
,, cured hydatid cyst in the wall of (J. F. Goodhart) . . xxvii, 72
,, secondary growths in, in fibro-myoma of uterus (D. W. Finlay) xxxiv, 177
,, HYPERTROPHY of, in a case of pulsating tumours of cranium (H. Morris) . . . . . xxxi, 259
,, — with primary renal disease (W. R. Gowers) . . xxviii, 44
,, — with *ante-mortem* clot in both ventricles (G. N. Pitt) . xxxvi, 265
,, — simple (S. West) . . . . . xxxiii, 72
,, — enormous, of rheumatic heart (W. Hale White) . . xxxvi, 126
,, — and dilatation of, in a case of co-arctation of aorta (J. F. Goodhart) . . . . . xxvi, 71
,, — of the right ventricle, and dilatation of pulmonary artery (D. W. Finlay) . . . . . xxx, 262
,, MALFORMATION of the (N. Moore) xxxii, 39; (N. Tirard) xxxii, 41; (E. Clarke) xxxvi, 178.
,, — eight cases in which the patients survived to twenty years of age and upwards . . . . . xxxii, 38
,, — consisting of two cavities (F. C. Turner) . . xxxiv, 32
,, — adeno-sarcoma of testis, &c., in a case of (V. Horsley) . xxxiv, 161
,, — stenosis of pulmonary valve, with dilatation of pulmonary artery and hypertrophy of right ventricle, &c. (D. W. Finlay) . . . . . xxx, 262
,, — absence of pulmonary artery (T. B. Peacock and W. C. Reed) xxxi, 91
,, — stenosis of pulmonary artery &c. (T. B. Peacock and T. Barlow) . . . . . xxxi, 91

HEART, MALFORMATION of (*continued*)—
,, — stenosis of orifice of pulmonary artery, aorta from both ventricles, &c. (T. B. Peacock) . . . . xxxii, 35
,, — with transposition of the aorta and pulmonary artery (D. B. Lees) . . . . . xxxi, 58
,, — ventricular septum of, defect in, probably congenital; unusual site of aperture (S. Coupland) . . . xxx, 266
,, — account of two cases described by Rokitansky (S. Coupland) xxx, 269
,, — fibrous ring in left ventricle attached to ventricular septum and mitral valve (N. Moore) . . . . xxxiv, 29
,, — stenosis of conus arteriosus of right ventricle and of pulmonary artery, aperture in septum, &c. (T. B. Peacock) . xxvii, 131
,, — aperture in septum of the auricles, foramen ovale closed (T. B. Peacock) . . . . . xxix, 43
,, — variety in the structure of (N. Moore) . . . xxxiv, 31
,, — with persistent left duct of Cuvier (W. C. Chaffey) . xxxvi, 175
,, — in a child at full term (S. G. Shattock) . . . xxxv, 124
,, — membranous band in the left auricle of (J. K. Fowler) . xxxiii, 77
,, — see *Ductus arteriosus.*
,, — congenital, three cases (H. R. Crocker) . . xxx, 273, 275, 276
,, — — (L. Mackenzie) . . . . . xxxi, 62
,, — — in a girl, aged 13 (H. R. Crocker) . . . xxxi, 93
,, necrotic patches, in case of acute necrosis (R. J. Godlee) . xxxvi, 349
,, from a case of phosphorus poisoning (J. F. Goodhart) . xxxvi, 479
,, (ruptured), two cases of (W. B. Hadden) . . . xxxv, 121
,, rupture of right ventricle (T. Fisher) . . . xxxi, 72
,, syphilitic disease of (W. Cayley) . . . . xxvi, 32
,, — case of (A. P. Gould) . . . . xxvii, 69
,, — gumma of the (G. C. Henderson) . . . xxxiv, 53
,, mucous tumour of, syphilitic gumma? (S. G. Shattock) . xxxii, 77
,, in congenital syphilis (T. Barlow) . . . xxviii, 353
,, sequel and *post-mortem* of ditto . . . . xxxi, 46
,, tubercle in the wall of (R. G. Hebb) . . . xxxv, 123
,, death from, in ulcerative endocarditis (T. Bryant) . . xxviii, 103
,, showing vegetations on mitral valve in a case of rheumatic subcutaneous nodules (F. G. D. Drewitt) . . . xxxvii, 168
,, penetrating wound of, involving the transfixion of both ventricles, but not causing death for several minutes (J. P. H. Boileau) . . . . . xxx, 278
,, see *Auricles, Endocarditis, Valves, Ventricle.*

HEATH (CHRISTOPHER), calculi removed from female bladder by vaginal lithotomy . . . . . xxvi, 134
,, epithelioma of tongue, involving the lower jaw, removed . xxvii, 144
additional note on ditto . . . xxxiii (S. R.), 39
,, cancer of rectum for which colotomy was performed two years and nine months before death . . . . xxvii, 145
, recurrent epithelioma of chin and submental tissues removed by operation . . . . . xxvii, 258
additional note on ditto . . . xxxiii (S. R.), 40
,, cystic-oxide calculi (cystine) removed by lithotomy . . xxvii, 306
,, *report* on ditto, by Fred. J. Hicks . . . xxvii, 308
,, artificial teeth removed from the larynx and passed by the bowels . . . . . xxvii, 322
,, conclusion of a case of cystine calculi . . . xxix, 154
,, recurrent fibroid tumour of the scapula; removal . . xxx, 405
,, — *report* of the Committee on Morbid Growths on ditto (M. Beck and R. J. Godlee) . . . . xxx, 406

HEATH (CHRISTOPHER) (*continued*)—
,, living specimen of hypertrophy of the left ramus of the lower jaw . . . . . xxxiv, 185
,, recurrent myxo-fibroma of left parotid . . . xxxv, 342
HEBB (R. G.), condition of spinal cord and muscular nerves in paralysis after diphtheria . . . . xxxv, 50
,, tubercle in the wall of the heart . . . . xxxv, 123
,, aneurysm of aorta opening into pulmonary artery . . xxxv, 134
,, sponge-like liver, &c. . . . . xxxv, 221
,, aortic valvulitis (embolism of left coronary and both middle cerebral arteries) . . . . . xxxvi, 140
,, tricuspid and mitral stenosis . . . . xxxvi, 145
,, two cases of aortitis . . . . . xxxvi, 151
,, single misplaced kidney . . . . xxxvi, 281
,, urethral calculus, aneurysm of the aorta . . . xxxvi, 290
,, cancer of uterus associated with intramural myomata, &c. . xxxvi, 307
,, melanotic sarcoma . . . . . xxxvi, 413

HEMIATROPHIA FACIALIS, case of (J. F. Payne) . . xxxii, 306

HEMIPLEGIA and thrombosis from syphilitic (?) tumour of cerebral artery (W. S. Greenfield) . . . . xxvii, 5
,, and death in a case of thrombosis of internal carotid arteries (T. S. Dowse) . . . . . xxvii, 67
,, partial right, in a case of disease of pulmonary valves, &c. (S. Coupland) . . . . . xxvi, 22
,, double, of infants, with idiotcy and transitory dermatitis, second report (Jon. Hutchinson) . . . xxxiii, 27

HEMIPLEGIC rigidity, old, bones of the right upper extremity, from a case of (W. H. White) . . . . xxxv, 316

HEN, fatty tumour from the pectoral muscle of a (E. Crisp) . xxvii, 339

HENDERSON (GEORGE C.), syphilitic gumma of the heart . xxxiv, 53

HEPATIC CELLS in the blood of the hepatic and portal venules (F. C. Turner) . . . . . xxxvii, 262

HEPATIC DUCTS, medullary carcinoma of duodenum occluding (S. Coupland) . . . . . xxxi, 145
,, deposit of lime salts in mucous membrane of, in an ox (B. G. Morison) . . . . . xxxiv, 137

HEPATIC REGION, peculiar pulsation in (S. West) . . xxxiii, 184

HEPATITIS, syphilitic, in an infant (C. J. Symonds) . . xxxvii, 124

HERNIA reduced "en masse" (H. A. Lediard) . . xxxvii, 239
,, of abdominal viscera into left pleura (W. Ewart) . . xxxi, 146
,, true diaphragmatic (G. Garlick) . . . . xxix, 125
,, encysted, three specimens (D'Arcy Power) . . . xxxvi, 216
,, into the fossa duodeno-jejunalis (S. G. Shattock) . . xxxvi, 215
,, of ileum, through a rent in the great omentum (S. Coupland) . xxxi, 146
,, inguinal, strangulated oblique, operation, fatal through portal hæmorrhage into intestine (J. Gay) . . . xxvi, 96
,, — congenital, in a case of testicle in the perinæum (W. R. Williams) . . . . . xxxiv, 168
,, fatty tumour removed from inguinal canal during the operation for (H. T. Butlin) . . . . . xxvi, 186
,, obturator, in a female, causing chronic intestinal obstruction, death from suppurative peritonitis (J. F. Goodhart) . xxvii, 161
,, — double, case of (A. A. Bowlby) . . . xxxiv, 109
,, pericardial diaphragmatic, of the omentum (W. M. Baker) . xxviii, 58

HERNIA (*continued*)—
,, strangulated, operation for, following Wood's operation, with total obliteration of hernial sac (J. N. C. Davies-Colley) . xxxiii, 164
,, — perforating ulcers of small intestine from a case of (W. M. Baker) . . . . . xxvii, 165
,, — inguinal, reduction "en masse," from separation of the neck of the sac (J. McCarthy) . . . . xxxii, 80
,, testis from a child eighteen months old (W. M. Baker) . xxvi, 140
additional note to preceding . . xxxiii (S. R.), 37
,, into the vaginal process of peritoneum and undescended testicle (F. S. Eve) . . . . . xxxi, 147
,, traumatic, through diaphragm (J. H. Targett) . . xxxvii, 239
HERNIAL REGIONS, lipomata in (J. Hutchinson, jun.) . . xxxvii, 451
HERNIAL SAC, total obliteration of, in a case of Wood's operation for radical cure, followed later by operation for strangulated hernia (J. N. C. Davies-Colley) . . . . xxxiii, 164
HEWITT (GRAILY), ovarian cyst with muscular envelope . . xxvi, 142
,, — examination of ditto by John Williams . . . xxvi, 142
HICKS (FRED. J.), *report* on Mr. C. Heath's specimen of cystine calculi xxvii, 308
HILL (M. BERKELEY), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 383
HILLIS (J. D.), *of Demerara*, per *Dr. George Thin*, the bacilli of leprosy . . . . . xxxiv, 289
HIP-JOINT of an infant, suppurative arthritis of (J. Poland) . xxxv, 329
,, Charcot's disease affecting both (W. H. White) . . xxxv, 312
,, DISEASE of right, in an infant (J. Abercrombie) . . xxxii, 192
,, — miliary abscesses of heart in a case of (N. Moore) . . xxxiv, 52
,, — acute (J. H. Morgan) . . . . xxx, 354
,, — — death from, subsequent to colotomy for stricture of rectum (T. Bryant) . . . . . xxvi, 101
,, DISLOCATION of, from disease (H. A. Lediard) . xxxi, 247–248
,, — old, in a cow (F. S. Eve) . . . . xxxvii, 587
,, — direct backward, without fracture of the acetabulum (S. Paget) . . . . . xxxvi, 336
,, — dorsal, simulated by outgrowth of great trochanter (H. Morris) . . . . . xxxi, 214
,, — congenital, of both (Sydney Jones) . . . xxvi, 158
,, — — supposed (A. E. Barker) . . . . xxxiii, 247
,, excision of, articular extremities of bones removed in cases of (W. Adams) . . . . . xxvi, 154
,, incipient synovitis in (A. E. Barker) . . . xxx, 353
HOBSON (J. M.), congenital obliteration of bile-ducts . . xxxiii, 183
,, case of malignant lymphoma in a child aged 4 years . . xxxiii, 300
,, cylinder epithelioma of cæcum, with extension to crest of ilium and metastatic deposits . . . . xxxv, 212
,, secondary nodules in the peritoneum in a case of ovarian tumour xxxv, 351
,, congenital obstruction of intestine . . . xxxvi, 217
,, see *Lanchester* and *Hobson*, case of caseous pneumonia.
HODGKIN'S DISEASE (H. Handford) . . . xxxvii, 570
,, two cases of: leucocythæmia, lymphadenosis (J. H. Porter) . xxix, 335
,, diffused carcinoma with the distribution of (J. F. Goodhart) . xxix, 325
,, drawings of organs with microscopical sections from cases of (H. G. Sutton and F. C. Turner) . . . xxix, 342
,, — case 1, anæmia lymphatica, enlargement of glands, &c. . xxix, 343
,, — case 2, fatty degeneration of the heart, thrombosis of iliac veins, &c. . . . . xxix, 344

HODGKIN'S DISEASE (*continued*)—
,, — case 3, lymphadenoma, enlargement of lymphatic glands and of spleen, &c. . . . . xxix, 345
,, — case 4, masses of growth in spleen, liver, kidneys, lungs, &c. . . . . xxix, 346
,, — case 5, general enlargement of lymphatic glands and spleen . . . . . xxix, 346
,, — case 6, enlargement of spleen, with disseminated nodules . xxix, 347
,, — case 7, general glandular and splenic enlargement, &c. . xxix, 349
,, — case 8, great enlargement of the spleen and lymphatic glands, &c. . . . . xxix, 351
,, — case 9, great enlargement of the spleen, liver, kidneys, &c. . xxix, 353
,, with extensive affection of the stomach and intestines (R. E. Carrington) . . . . . xxxv, 386
,, see *Lymphadenoma.*

HOGG (JABEZ), remarks in the discussion on the germ theory of disease . . . . . xxvi, 334

HOGGAN (GEORGE), cancer in its relations to the lymphatic system xxix, 384
,, on the changes in the sweat-glands in cancer and leprosy, as illustrating the extremes of atrophic and hypertrophic pathology . . . . . xxx, 421
,, the growth of the fungi in ringworm and favus comparatively studied . . . . . xxx, 444
,, on the condition of the lymphatics in Eastern leprosy . xxx, 504
,, *report* on ditto, by the Committee on Morbid Growths (J. F. Goodhart and H. T. Butlin) . . . . xxx, 510
,, on degeneration and regeneration of the axis-cylinder in non-traumatic nerve lesions, with reference to gangrene of the cutaneous nerves . . . . . xxxi, 12

HOLES in the brain, on the causes of (G. H. Savage and W. Hale White) . . . . . xxxiv, 1

HOLMES (T.), see *Cockle* (John).

HOOFS, overgrowth of the, of the fore limbs of a horse (F. S. Eve) . . . . . xxxiii, 433

HOOPING-COUGH, croup secondary to (W. Squire) . . xxvii, 53

HOPKINS (J.), bones from two cases of tabes dorsalis . . xxxvi, 352

HORNY GROWTH from the lower eyelid of an old woman (W. J. Walsham) . . . . . xxxi, 306
,, from the neck (A. Doran) . . . . xxxiii, 337

HORROCKS (P.), tricuspid and mitral stenosis . . . xxxii, 76
,, bromide rash simulating erythema nodosum . . xxxiv, 272
,, unusual bromide rash; living specimen . . . xxxiv, 273

HORSE, fracture of the sesamoid bones in both fore feet of a (A. Doran) . . . . . xxviii, 452
,, overgrowth of the hoofs of the fore limbs of a (F. S. Eve) . xxxiii, 433
,, sarcoma of the lower jaw of (H. A. Lediard) . . xxxv, 468
,, skin diseases in the (G. Thin) . . . . xxx, 586
,, chronic synovitis of the radio-carpal joint of a (F. S. Eve) . xxxiii, 433

HORSLEY (VICTOR), adeno-sarcoma of testis with secondary growths in viscera, occurring in a case of cardiac malformation . xxxiv, 161
,, description of Mr. Heath's specimen of hypertrophy of left ramus of lower jaw . . . . . xxxiv, 186
,, case of severe syphilitic disease of facial bones and viscera; death from pyæmia . . . . . xxxiv, 208
,, micrococci in pyæmia . . . . xxxiv, 298

HOSPITALS (London), decennial returns of deaths from pyæmia and septicæmia in . . . . . xxx, 3

HOUR-GLASS CONTRACTION, see *Stomach.*

Howes (F. C. P.), per *D. R. Pearson*, cancerous breast and liver . xxvi, 185

Howse (H. G.), ruptured axillary artery, with formation of true bone callus at the site of rupture . . . xxviii, 90
,, for *J. F. Goodhart*, case of exophthalmic goitre . . xxviii, 115
,, thrombosis of the superior mesenteric artery, with plugging of the left femoral, external and common iliac arteries, gangrene of leg, and severe ulceration of the intestines . . xxix, 101
,, hyperostosis of the tibia, with curvature of the shaft, osteitis deformans, and development of a spindle-celled sarcoma in the upper epiphysis . . . . . xxix, 182
,, general hyperostosis, with osteo-arthritis in a living subject . xxix, 184
,, eczema squamosum of leg, associated with elephantiasis, from long-continued congestion, due to backward dislocation of the knee-joint . . . . . xxx, 454
,, *report* on Mr. Davies-Colley's specimens of disseminated clavus of the hands . . . . . xxx, 453
,, — on Mr. John Gay's specimen of recurrent mammary tumour xxxi, 389

Hudson (Leopold), a new and simple ether microtome . . xxxvi, 498
,, see *Crookshank* (*E.*), photographs of micro-organisms.

Hulke (J. W.), popliteal aneurysm, five months after cure by compression, and ruptured dilated aorta . . . xxvi, 39
,, epithelioma of the side of the head perforating the skull . xxvi, 187
,, cases of "rodent ulcer," reference to (G. Thin) . . xxx, 386
,, series of fifteen drawings of cancer exhibited by him xxxi, 311–314
,, remarks in opening discussion on diabetes . . . xxxiv, 328
,, address as President, delivered January 4th, 1884 . . xxxv, 1
,, multiple tumours in the foot, apparently connected with the sweat-glands . . . . . xxxv, 335
,, précis of case of pseudo-granuloma fungoides of foot . xxxvii, 537
,, *report* on Dr. Mahomed's case of intestinal obstruction by an abnormal band . . . . . xxvi, 119

HUMERUS, cylindrical cancer of (J. Hutchinson, jun.) . . xxxvii, 379
,, arrest of development of upper end, following a dislocation with suppuration about the epiphysis in infancy (A. E. Barker) . xxxvii, 369
,, disease of the epiphysial end of the diaphysis of each, in congenital syphilis (J. F. Goodhart) . . . xxviii, 359
,, see *Epiphysial disease.*
,, fracture, ununited of; united fractures of condyle and trochlea (W. A. Lane) . . . . . xxxv, 271
,, — — of internal condyle of right (J. Poland) . . xxxvi, 332
,, — in a gorilla (E. Crisp) . . . . xxvii, 340
,, necrosis of the osseous centre of the right epiphysis of the right (J. Poland) . . . . . xxxv, 327
,, abnormal process of bone, projecting from the upper part of shaft (W. A. Lane) . . . . . xxxvi, 356
,, small round-celled sarcoma of upper part of (Sydney Jones) . xxxiii, 337
,, tumour of (M. Sheild) . . . . . xxxvi, 395

Humphreys (Henry), case of infantile paralysis . . xxx, 211

Humphry (G. Murray), remarks on Dr. W. A. Brailey's case of chronic hydrocephalus . . . . xxxii, 3

Humphry (Lawrence), see *West* (*Sam.*).

HUTCHINSON (JONATHAN), cancer of the tongue occurring simultaneously on the two sides of the organ . . . xxvi, 98
,, unusual scar-leaving eruption in a young infant, followed by general arrest of development, attributed to exposure to cold after birth . . . . . xxvi, 221
,, imperfect teeth and lamellar cataract . . . xxvi, 235
,, — opinions of Arlt, Davidsen, and Horner, on its connection with fits, rickets, &c. . . . . xxvi, 237–239
,, — cases in which lamellar cataract occurred in more than one of a family . . . . . xxvi, 241
,, — additional case by Dr. Dyce Davidson, without deformities of teeth . . . . . xxvi, 243
,, intussusception of the ileum and cæcum in a dog . . xxvi, 249
,, remarks in the discussion on the germ theory of disease xxvi, 305-310
,, tumour of the femur . . . . . xxvii, 265
,, — *microscopic examination* of ditto by E. Nettleship . xxvii, 267
,, — *report* on, by the Committee on Morbid Growths (H. Arnott and M. Beck) . . . . . xxvii, 268
,, cases of molluscum contagiosum occurring as a general eruption over the body and limbs of adults . . . xxvii, 295
,, opening remarks in the discussion on the pathology of syphilis . xxvii, 341
,, concluding remarks in reply on ditto . . . xxvii, 444
,, on syphiloma of brain, with general remarks on syphilis of the nervous system . . . . . xxviii, 305
,, remarks in the discussion on lardaceous disease . . xxx, 528
,, case of supposed rupture of most of the roots of the brachial plexus . . . . . xxxi, 27
additional note on ditto . . . xxxiii (S. R.), 49
,, an alternating calculus, consisting of layers of lithates and lithic acid, encrusted by oxalate of lime . . . xxxi, 192
,, gumma of testis from a boy the subject of inherited syphilis . xxxi, 192
,, osteitis of the ulna in connection with inherited syphilis . xxxi, 248
,, dwarfing of the tibia following detachment of its lower epiphysis . . . . . xxxi, 249
,, chronic osteitis in connection with inherited syphilis . xxxi, 250
,, per *E. Nettleship*, eyeball degenerated and containing much cholesterin from a child . . . . xxxi, 253
,, on a peculiar papulo-vesicular eruption: lupus lymphaticus [vesicular wart-like growth on chin] . . . xxxi, 342
additional note on ditto . . . xxxiii (S. R.), 54
,, — *report* of microscopical appearances of ditto, by A. Sangster xxxi, 346
,, pigmented mole with elephantoid hypertrophy of the mons and labium, growth after excision, second operation . . xxxi, 348
additional note on ditto . . . xxxiii (S. R.), 54
,, case of molluscum fibrosum, one tumour very large and pendulous . . . . . xxxi, 349
,, a peculiar form of mole, the "cock's-comb mole" . . xxxi, 349
,, the crown of a milk tooth exfoliated in the case of a syphilitic infant . . . . . xxxi, 382
,, chronic enlargement of a bursa patellæ . . . xxxi, 383
,, gummata in the lung and testis . . . . xxxi, 384
,, parts of joints, showing changes characteristic of gout and rheumatic arthritis from the same patient . . xxxii, 193
,, an epithelial ulcer in the leg, with unusual history . . xxxii, 230
,, — *report* of the Committee on Morbid Growths (M. Beck and R. J. Godlee) . . . . . xxxii, 231
,, congenital fibro-cystic, nævoid? tumour of the cheek . xxxii, 240
,, congenital tumour at the extremity of the finger of an infant . xxxii, 240

HUTCHINSON (JONATHAN) (*continued*)—
„ congenital tumour on end of toe of an infant . . xxxii, 241
„ cartilage tumours in the bones of fingers and metacarpus . xxxii, 241
„ the kidneys of a boar pig, dilatation and atrophy of, from diseases of the vesiculæ seminales . . . . xxxii, 312
„ remarks in the discussion on rickets . . . xxxii, 349
„ second report on a case of double hemiplegia of infants, with idiotcy and a transitory dermatitis . . . xxxiii, 27
„ pyæmia in a lamb . . . . . xxxiii, 434
„ softening of kidneys in a lamb . . , . xxxiii, 435
„ *postscript* on Mr. M. Morris's case of xanthoma in connection with diabetes . . . . . xxxiv, 285
„ two cases of adenoma of the palate, with exceptional clinical features . . . . . xxxvii, 490
„ *report* on Dr. Cavafy's case of abnormal pigmentation of the skin . . . . . xxxii, 260
„ — on Mr. M. Baker's case of circumscribed scleroderma . xxxii, 262
„ — on Mr. Startin and Dr. Steph. Mackenzie's cases of xanthelasma . . . . . xxxiii, 376
„ see *Crombie* (on Ainhum), *Elder* (*G.*), *Jones* (*H. Macnaughton*), *Jordan* (*F.*), *Keeling* (*J. H.*), *Roddick*.
HUTCHINSON (JONATHAN, jun.), psammoma of the spinal cord . xxxiii, 23
„ ankylosis of second and third cervical vertebræ . . xxxv, 298
„ gastro-enteritis in a Malayan bear, with catarrhal inflammation of the bladder and uterus . . . . xxxv, 484
„ encysted hydrocele of the cord . . . . xxxvi, 296
„ lupus lymphaticus . . . . . xxxvi, 467
„ case of epithelioma of the nail . . . . xxxvi, 468
„ cylindrical cancer of the humerus . . . xxxvii, 379
„ lipomata in hernial regions . . . . xxxvii, 451
„ neuroma of the parotid . . . . xxxvii, 459
„ *report* of Morbid Growths Committee on above (S. J. Sharkey, F. S. Eve) . . . . . xxxvii, 462
HYALINE, see *Degeneration* (hyaline).
HYDATID CYST or **TUMOUR**.
„ bilocular, springing from neck and back of urinary bladder (E. H. Fenwick) . . . . . xxxvii, 317
„ of gall-bladder evacuated by the bowel (G. F. Whately) . xxvi, 127
„ of the groin (W. W. Wagstaffe) . . . . xxvi, 215
„ cured, in the wall of the heart (J. F. Goodhart) . . xxvii, 72
„ from the calf of the leg (F. S. Eve) . . . xxxv, 448
„ of the liver which burst into the lung (W. Cayley) . . xxvii, 171
„ of left lobe of liver in process of cure, opening into duodenum; large suppurating cavity in right lobe (W. Hale White) . xxxvi, 252
„ old, of liver, embedded in a syphilitic growth (G. N. Pitt) . xxxvii, 276
„ in lung, empyema (J. Curnow) . . . . xxxiv, 24
„ of the lung, fatal hæmoptysis from; old hydatid of the liver pressing upon the bile-ducts (P. Kidd) . . . xxxvi, 122
„ tumour, see *Myxo-sarcoma*.
HYDROCELE, acute, in a case of testicle in a perinæum (W. R. Williams) . . . . . xxxiv, 168
„ congenital, in a case of cirrhosis of the liver in a child (S. Osborn) . . . . . xxxii, 133
„ — of the neck, dissection of (F. Treves) . . . xxxii, 194
„ — of left spermatic cord (J. Poland) . . . xxxvi, 294
„ encysted, of the cord (J. Hutchinson, jun.) . . xxxvi, 296
HYDROCELE FLUID (?), unusual condition of (S. G. Shattock) . xxxv, 250

HYDROCEPHALUS in case of symmetrical cysts in the cerebrum (B. G. Morison and F. C. Turner) . . . xxxv, 17
,, chronic, in an adult, apparently the result of fracture of the skull (P. H. Pye-Smith) . . . . xxvii, 27
,, — remarkable case of, with cyst beneath tentorium (W. A. Brailey) . . . . . xxxii, 1
,, — — remarks on preceding case by Professor Humphry . xxxii, 3
,, — with meningocele (E. B. Baxter) . . . xxxiii, 1
,, — skull of (N. Moore) . . . . . xxxvii, 366
,, calvaria showing perforations from a case of (C. A. Ballance) . xxxvii, 366
,, external (W. Edmunds) . . . . xxxii, 4

HYDRONEPHROSIS due to papilloma and calculus (J. K. Thornton) xxxvi, 269
,, of right kidney, removed by abdominal nephrectomy (J. K. Thornton) . . . . . xxxvi, 271
,, with atrophy of right kidney (E. Powell) . . . xxxvii, 285

HYDROPHOBIA, pathological anatomy of (W. R. Gowers) . xxviii, 10
,, pathological histology of (W. Hale White) . . . xxxvii, 1
,, and tetanus, on the pathology of (James Ross) . . xxx, 215

HYDRORACHIS in case of symmetrical cysts in the cerebrum (B. G. Morison and F. C. Turner) . . . xxxv, 17

HYDROSALPINX, double (N. Moore) . . . xxxiv, 182

HYOID BONE, FRACTURES of (W. A. Lane) . . . xxxv, 75
,, — ununited, of the greater cornu of the (W. A. Lane) . xxxv, 261
,, — and dislocations of (W. A. Lane) . . . xxxvi, 82
,, — simple, suppuration in the neck communicating with it (F. C. Turner) . . . . . xxxvi, 94

HYPERÆMIA and hæmorrhages in the medulla oblongata, causing sudden death from implication of vagal nucleus (W. Hale White) . . . . . xxxiii, 15

HYPEROSTOSIS, general, with osteo-arthritis in a living subject (H. G. Howse) . . . . . xxix, 184
,, and tumour of the bones, two cases (J. F. Goodhart) . . xxix, 175
,, of the lower jaw, right parietal bone, left clavicle and tibiæ, cancer of lung (W. Cayley) . . . . xxix, 172
,, of the tibia (T. W. Nunn) . . . . xxix, 181
,, — with curvature of the shaft, osteitis deformans, &c. (H. G. Howse) . . . . . xxix, 182
,, extensive, of skeleton, with bone softening and rickety changes, probably syphilitic (Jas. F. Goodhart) . . . xxxiv, 197

HYPERPLASIA of axillary glands, with leukæmia (T. Ridge Jones) xxix, 368
,, circumscribed, of both adrenals (F. C. Turner) . . xxxvi, 459

HYPERTROPHY, unilateral, of the head and face, involving bones and soft parts (R. Barwell) . . . . xxxii, 282
,, of the HEART in a case of co-arctation of the aorta (J. F. Goodhart) . . . . . xxvi, 71
,, — simple (S. West) . . . . . xxxiii, 72
,, — with dilatation of right ventricle (S. Coupland) . . xxvi, 22
,, — in a case of pulsating tumour of cranium (H. Morris) . xxxi, 259
,, — with primary renal disease (W. R. Gowers) . . xxviii, 44
,, of condyle of lower jaw (F. S. Eve) . . . xxxiv, 187
,, of left ramus of lower jaw, living specimen (Ch. Heath) . xxxiv, 185
,, congenital, or giant growth of limbs. Case I of foot and leg, and specially skin and subcutaneous tissue of the sole (F. S. Eve) . . . . . xxxiv, 298
,, ditto, case II of hand and forearm (F. S. Eve) . . xxxiv, 300

HYPERTROPHY (*continued*)—
,, in length of lower limb in association with chronic disease of the knee-joint (H. Marsh) . . . . xxvi, 161
,, of the mons and labium in a case of pigmented mole (J. Hutchinson) . . . . . xxxi, 348
,, of right tibia in a boy aged 11 years (W. Edmunds) . . xxxvi, 387
,, of the tongue (F. Clarke) . . . . xxvi, 115
,, congenital, of first and second toes of left foot (J. N. C. Davies-Colley) . . . . . xxxiii, 235
,, and atrophy, changes in sweat-glands, illustrating the pathology of (G. Hoggan) . . . . . xxx, 421
HYPOSPADIAS, a case of (F. Willcocks) . . . xxxvi, 309

ICHTHYOSIS, congenital, case of (James Startin) . . xxxii, 268
,, see *Tongue.*
ICTERUS GRAVIS, see *Jaundice.*
IDIOTCY in a case of double hemiplegia of infants; second report (Jon. Hutchinson) . . . . . xxxiii, 27
ILEO-CÆCAL VALVE, stricture of intestine at (N. Moore) . xxxiv, 112
ILEUM, adhesion of, to mesentery, causing intestinal obstruction (F. Taylor) . . . . . xxxiv, 137
,, slight affection of, in a case of enteric fever (C. H. Fagge) . xxvii, 40
,, diverticulum of, invaginated in the inguinal canal (T. S. Dowse) xxvi, 109
,, — attached to umbilicus, causing intestinal obstruction (Sydney Jones) . . . . . xxxiii, 145
,, hernia of, through a rent in the great omentum (S. Coupland) . xxxi, 146
,, intussusception of, in a dog (J. Hutchinson) . . xxvi, 249
,, — enterotomy, removal of the tumour during life (H. Morris) . xxviii, 131
,, stricture of, due to inflammatory thickening and contraction of peritoneum (G. Gulliver) . . . . xxxvii, 248
,, ulceration of, from a case of typhoid fever (F. C. Turner) . xxxv, 208
,, perforating ulcers of, from obstruction after ovariotomy (A. Doran) . . . . . xxx, 298
,, volvulus of the (W. H. Cripps) . . . . xxxi, 111
ILIUM, pedunculated fatty tumour from the anterior superior spine of the (W. J. Walsham) . . . . xxxi, 310
ILOTT (HERBERT), per *J. F. Goodhart*, a case of cerebral tumour . xxxv, 29
ILOTT (J. W.), per *Howard Marsh*, two cases of congenital malformation of the pharynx and œsophagus . . . xxvii, 149
INCISION, treatment of purulent pericarditis by (S. West) . xxxv, 104
INCOMPETENCY of tricuspid valves, secondary (B. Fenwick) . xxxiii, 65
,, — primary, *table* of cases (B. Fenwick) . . . xxxiii, 69
INDIGO, see *Calculus* (Indigo).
INDURATION of the sterno-mastoid muscle (F. Taylor) . xxvi, 224
INFANTILE PALSY, see *Palsy.*
INFARCTS in kidneys and spleen (R. E. Carrington) . . xxxvi, 135
,, in the liver and spleen (R. E. Carrington) . . . xxxv, 108
INFECTION, purulent, see *Pyæmia* (Report of Committee).
INFILTRATING GROWTH in liver and suprarenal capsule (N. Dalton) . . . . . xxxvi, 247
INFILTRATION, fatty, of suprarenal bodies (F. C. Turner) . xxxv, 395
INFLAMMATION, catarrhal, of bladder and uterus in a Malayan bear (J. Hutchinson, jun.) . . . . xxxv, 484

INFLAMMATION (*continued*)—
„ chronic, curvature of the femur due to injury, followed by (A. A. Bowlby) . . . . . xxxiv, 192
„ croupous, following scald of fauces, larynx, and œsophagus (J. N. C. Davies-Colley) . . . . . xxxiii, 34
„ diffused suppurative, of the stomach (C. H. Fagge) . . xxvi, 81
„ mediastinal, two cases of acute (J. F. Goodhart) . . xxviii, 37
„ — *table* of cases at Guy's Hospital, 1873–5 . . xxviii, 41
„ membranous, of the larynx, trachea, and bronchial tubes in an adult (P. H. Pye-Smith) . . . . xxxi, 30
„ virulent, relation of bacteria to, see *Germ Theory*.

INGUINAL CANAL, fatty tumour removed from, during the operation for hernia (H. T. Butlin) . . . . xxvi, 186

INSANE, general paralysis of, see *Paralysis*.

INSPIRATION, obstructed, larynx from an infant the subject of (D. B. Lees) . . . . . xxxiv, 19

INTERMUSCULAR SYNOVIAL CYSTS, see *Cysts*.

INTESTINE, diseases of the, see *Digestion, organs of*.
„ large, in a case of multiple abscess of liver (Sir J. Fayrer) . xxxii, 123
„ anthrax of (J. Poland) . . . . . xxxvii, 550
„ ova of *Bilharzia hæmatobia* in tissue of large (Geo. Zancarol) . xxxiii, 410
„ calculus (E. H. Fenwick) . . . . xxxvii, 261
„ cyst removed from the wall of small (W. H. Battle) . . xxxvi, 213
„ detachment of peritoneal, subperitoneal, and muscular coats of small, from injury (W. B. Hadden) (2) . . . xxxvi, 212
„ from a case of acute diarrhœa (S. Paget) . . . xxxvi, 208
„ distension-diverticula of small, two specimens (C. H. Fagge) . xxvii, 146
„ multiple diverticula of small (N. Moore) . . . xxxv, 202
„ portion of, from a fatal case of enteric fever (J. J. Pringle) . xxxvi, 196
„ extensive affection of, in Hodgkin's disease (R. E. Carrington) xxxv, 386
„ in leucocythæmia (W. B. Hadden) . . . xxxvi, 206
„ in lymphadenoma (S. Coupland) xxix, 363; (W. B. Hadden) xxxvii, 261
„ lymphoma of small (F. Taylor) . . . . xxviii, 135
„ OBSTRUCTION, two cases of (F. C. Turner) . . . xxxii, 82
„ — acute, due to a band (H. Handford) . . . xxxvii, 249
„ — from scirrhous disease of rectum with rupture of cæcum (J. Way) . . . . . xxvi, 104
„ — produced by the abnormal remains of a fœtal vessel [band connecting mesentery with umbilicus] (F. A. Mahomed) . xxvi, 117
„ — chronic, in a female, caused by obturator hernia, death from suppurative peritonitis (J. F. Goodhart) . . . xxvii, 161
„ — — of small, due to old adhesions from caseous disease of mesenteric glands (C. H. Fagge) . . . xxvii, 157
„ — after ovariotomy, perforating ulcers of ileum from (A. Doran) xxx, 298
„ — from adhesion of the ileum to the mesentery (F. Taylor) . xxxiv, 137
„ — caused by a diverticulum of ileum, attached to the umbilicus (Sydney Jones) . . . . . xxxiii, 145
„ — caused by constricting cords of omentum (J. K. Fowler) . xxxiii, 146
„ — caused by gall-stones (W. D. Wilkes) . . . xxxvi, 218
„ — congenital (J. M. Hobson) . . . . xxxvi, 217
„ — congenital occlusion of small (N. Davies-Colley) . . xxix, 115
„ — acute; perforation of a diverticulum (A. Doran) . . xxix, 122
„ from a case of poisoning by carbolic acid (S. J. Sharkey) . xxxv, 191
„ diffused polypoid growths of large (A. A. Bowlby) . . xxxiv, 108
„ polypus of, see *Polypus*.
„ rupture of small, from the kick of a horse (W. H. Battle) . xxxvi, 211

INTESTINE (*continued*)—
„ sacculi of small (S. G. Shattock) . . . . xxxiii, 192
„ — of large (W. Hale White) . . . . xxxvi, 215
„ strangulation caused by grain of corn (W. Hale White) . xxxvi, 210
„ STRICTURE of, at the ileo-cæcal valve (N. Moore) . . xxxiv, 112
„ — double, two cases arising in the walls of the bowel (R. E. Carrington) . . . . . xxxvii, 244
„ — annular (Steph. Mackenzie) . . . . xxxiii, 144
„ anatomical changes in, in pig typhoid (E. Klein) . . xxviii, 442
„ ULCERATION of, from without (J. F. Goodhart) . . xxxvi, 205
„ — of small, producing multiple strictures (S. J. Sharkey) . xxxv, 204
„ — of large, in enteric fever (Steph. Mackenzie) . . xxxiii, 161
„ — of large and small, in enteric fever (J. Curnow) . . xxxiv, 116
„ — of large, with perforation, in typhoid fever (S. West) . xxxiv, 114
„ — in paraplegia (T. D. Acland) . . . . xxxvi, 56
„ — as a consequence of renal disease (W. H. Dickinson) . xxix, 117
„ — severe, in a case of thrombosis (H. G. Howse) . . xxix, 101
„ — perforating ulcers of small, from a case of strangulated hernia (W. M. Baker) . . . . . xxvii, 165
„ — tubercular of large (A. Q. Silcock) . . . xxxv, 211
„ — — in enteric fever (S. Coupland) . . . xxxv, 208
„ — — perforating (W. Hale White) . . . xxxvi, 198
„ volvulus of small, due to a complete Meckel's diverticulum (S. Coupland) . . . . . xxxi, 144
„ see *Enteritis, Jejunum, Intussusception.*

INTRACRANIAL TUMOURS, see *Tumours.*

INTUSSUSCEPTION of diverticulum of ileum in the inguinal canal (T. S. Dowse) . . . . . xxvi, 109
„ of ileum and cæcum in a dog (J. Hutchinson) . . xxvi, 249
„ of the ileum, enterotomy, removal of the tumour during life (H. Morris) . . . . . xxviii, 131
„ caused by intestinal polypus; cured after sloughing of strangulated bowel (A. A. Bowlby) . . . . xxxiv, 106
„ of the small intestine (F. C. Turner) . . . xxxv, 212
„ multiple (D'Arcy Power) . . . . xxxvii, 240

INVERTEBRAL SUBSTANCE, disease of an, with double psoas abscess (J. M'Carthy) . . . . . xxvii, 225

IODIDE, see *Potassium.*

IRIDESCENCE in calculi (S. G. Shattock) . . . xxxvii, 325

IRIS, commencing sarcoma (E. Nettleship) . . . xxvii, 227

IRVINE (J. PEARSON), double aneurysm of thoracic aorta, compression of left bronchus, and consequent extensive lung changes; interstitial pneumonia . . . . . xxviii, 63
„ ulceration of aorta from friction of growths on segments of the aortic valve, minute aneurysm of aorta, and rupture into pericardium, &c. . . . . xxviii, 68
„ aneurysm of ascending aorta; rupture into pericardium; firm clot enveloping the heart . . . . xxviii, 73
„ multiple tumours of the brain, tuberculosis of lungs and kidneys, caseous degeneration of bronchial glands; obstruction of the pulmonary artery . . . . . xxix, 11
„ destructive pneumonia due to compression of bronchus by aneurysm of aorta . . . . . xxix, 36
„ defective muscular development of the cardiac ventricular septum, consequent septal aneurysm, displacement of an aortic valve by this aneurysm . . . . xxix, 47

IRVINE (J. PEARSON) (*continued*)—
,, aneurysm of abdominal aorta, rupture and formation of a traumatic aneurysm, albuminuria . . . . xxix, 79
,, aneurysm of the cœliac axis, caused by diffused suppuration in the retro-peritoneal tissues, consequent on concretions in the kidney; pyæmic changes . . . . xxix, 85
,, aneurysm of hepatic artery in the cavity of an abscess of the liver, perforation of the stomach and rupture of aneurysm into it . xxix, 128
,, dermoid cyst of the brain . . . . xxx, 195
,, case illustrating the lung changes caused by compression of the large bronchial tubes . . xxx, 239
,, aortic, mitral, and tricuspid stenosis, firm clot in left auricle, leaving only narrow channel for the blood . . xxxi, 79
,, see *Silver* and Irvine, case of diabetes.

ISCHIUM, fibroma growing from (A. P. Gould) . . xxviii, 225

JACKSON (T. CARR), the spinal column of a man who lived twenty-six years after fracture of the upper lumbar region . . xxviii, 206
"**JACKSONIAN EPILEPSY**" (Ernest Clarke) . . xxxvii, 61
JACOB (E. H.), per *J. F. Payne*, tumour of finger . . xxxvii, 466
,, *report* of Morbid Growths Committee on above case (A. A. Bowlby and Charters J. Symonds) . . . xxxvii, 467
"**JACOB'S ULCER**," rodent cancer so known . . . xxx, 360, 382
JAUNDICE, case of, with xanthelasma, lasting seven years (W. F. Smith) . . . . . xxviii, 236
,, abnormal pigmentation of the skin following (John Cavafy) . xxxii, 258
JAW, large recurrent enchondroma of upper (J. H. Keeling) . xxxi, 250
additional note on ditto . . . xxxiii (S. R.), 51
,, EPITHELIOMA, squamous, of (H. T. Butlin), xxxii, 212; xxxiii, 327.
,, round-celled acinous, of upper (R. Parker) . . xxxii, 239
,, — columnar, of antrum of (R. Parker) . . . xxxii, 239
,, — tubular, of (A. E. Barker), xxxvi, 400; (B. Pollard) xxxvi, 406.
,, diseased, from case of cancrum oris (W. H. Cripps) . . xxxi, 242
,, carcinoma of lower (F. B. Jessett) . . . xxxvi, 408
,, secondary epithelioma of (B. Pollard) . . . xxxvii, 492
,, epithelioma of tongue involving; removed (C. Heath) . xxvii, 144
additional note to ditto . . . xxxiii (S. R.), 39
,, symmetrical exostoses of (F. S. Eve) . . . xxxii, 170
,, hyperostosis of, with cancer of lung (W. Cayley) . . xxix, 172
,, hypertrophy of condyle of (F. S. Eve) . . . xxxiv, 187
,, — of left ramus of; living specimen (Ch. Heath) . . xxxiv, 185
,, — description of specimen from preceding case after excision of portion of jaw (V. Horsley) . . . . xxxiv, 186
,, necrosis of, after typhoid fever (A. Money) . . xxxv, 275
,, removal of nearly the whole of the, for necrosis, additional note ten years after (W. Tay) . . . . xxxv, 281
,, osteoma of (W. Newman) . . . . xxvi, 153
additional note to ditto . . . xxxiii (S. R.), 37
,, sarcoma of, in horse (H. A. Lediard) . . . xxxv, 468
,, — myeloid sarcomata of, mollities ossium (H. T. Butlin) . xxxi, 277
,, — small round-celled (W. J. Walsham) . . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
,, — ossifying, of upper, in a boy twelve years old (H. Marsh) xxvii, 218
,, recurrent cartilaginous tumours of (Geo. Lawson) . . xxxiv, 261

JEJUNUM, gangrene of portion of (H. T. Butlin) . . xxxi, 76
,, multiple hæmorrhagic nodules in wall of; septicæmia (F. C. Turner) . . . . . xxxvii, 242

JENNER (Sir WILLIAM), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 401
,, remarks in the discussion on rickets . . . xxxii, 347

JESSETT (F. BOWREMAN), a case of tubercular ulceration of the tongue in a man aged 54, with remarks . . . xxxv, 162
,, case of medullary sarcoma of the skull in a child . . xxxv, 363
,, carcinoma of lower jaw . . . . xxxvi, 408

JOHNSON (GEORGE), on the changes in the blood-vessels and in the kidney in connection with the small red granular kidney . xxviii, 381
,, see *Gull* and *Sutton.*

JOINTS, changes in, characteristic of gout and rheumatic arthritis, from the same patient (J. Hutchinson) . . . xxxii, 193
,, osteo-arthritic, loose bodies in (W. Edmunds) . . xxxvii, 447
,, examination of, in a case of hæmophilia (J. Wickham Legg) . xxxvi, 488
,, hæmorrhage into, in a case of gout (P. H. Pye-Smith) . xxvi, 162
,, affection of, in locomotor ataxy, two cases (W. B. Hadden) . xxxvii, 101
,, purulent effusion into several of the, in a syphilitic infant (W. A. Lane) . . . . . xxxvi, 343
,, lesions of, in tabes dorsalis (Thos. Buzzard) . . xxxi, 193
,, observations on injuries and diseases of, in animals (J. B. Sutton) . . . . . xxxvii, 580
,, tubercular disease of (J. Croft) . . . . xxxii, 174
,, see *Elbow, Hip, Knee, Sacro-iliac joint, Shoulder, Wrist.*

JONES (C. HANDFIELD), per *Samuel Wilks,* observations on morbid conditions of the cerebral arteries (obstruction by atheroma) . xxxiv, 55
,, *report* on ditto (S. Coupland and J. F. Payne) . . xxxiv, 60
,, per *J. F. Payne,* on pale and red clots in cerebral arterioles . xxxv, 134
,, per *J. F. Goodhart,* observations on morbid changes in the cerebral arterioles in inflammatory and other states . . xxxvi, 158
,, per *A. Quarry Silcock,* observations on the changes in meningitis in the small vessels . . . . . xxxvii, 203

JONES (H. MACNAUGHTON), per *J. Hutchinson,* sequestrum of clavicle . . . . . xxxii, 192
,, — sarcoma of clavicle . . . . . xxxii, 242
,, — osteo-sarcoma of lower end of femur . . . xxxii, 242
,, — cancer of the mamma following eczema of the nipple . xxxii, 242
,, — cheiro-pompholyx . . . . . xxxii, 272

JONES (SYDNEY), congenital dislocation of both hips . . xxvi, 158
,, elongation of limb in connection with disease of the knee . xxvi, 159
,, lymphangeioma, with enlargement of the limb and elephantiasis of the toes . . . . . xxvi, 227
,, — *analyses* of the chylous fluid by A. J. Bernays . . xxvi, 231
,, — *report* on the microscopical appearances by Charles Stewart xxvi, 232
,, — — on the case by the Committee (J. B. Sanderson, G. Harley, and Jos. Fayrer) . . . . xxvi, 233
,, symmetrical shortening of the foot . . . xxviii, 208
,, multiple melanotic tumours . . . . xxviii, 219
additional note on ditto . . . xxxiii (S. R.), 41
,, — microscopical appearance by C. Stewart . . xxviii, 221
,, cured subclavian aneurysm . . . . xxx, 292
,, fatty tumour from beneath scalp . . . . xxxii, 243
,, fatty tumour removed from right arytæno-epiglottidean fold . xxxii, 243

JONES (SYDNEY) (*continued*)—
,, uterus, with ovaries attached, removed for large fibroid, by section through cervix; recovery . . . xxxiii, 221
,, half a small round-celled sarcoma occupying the upper part of humerus extending to articular cartilage, removed by amputation xxxiii, 337
,, per *Bernard Pitts*, case of intestinal obstruction caused by a diverticulum of ileum attached to umbilicus . . xxxiii, 145
,, the stomach and pylorus, from a case of excision of the pylorus xxxv, 198
,, multiple exostoses . . . . . xxxv, 319
,, exostoses of the femur and loose cartilage in the knee-joint; removal . . . . . xxxv, 320
,, case of spontaneously fracturing calculi . . . xxxvii, 321
,, peculiarly-shaped calculi . . . . xxxvii, 340
,, living specimen of malformed foot . . . xxxvii, 555
JONES (T. RIDGE), hyperplasia of axillary glands with leukæmia . xxix, 368
JORDAN (FURNEAUX), per *J. Hutchinson*, gummatous disease of brain, cranial bones, and vertebræ . . . xxxii, 15

KANGAROO, two hundred abscesses in the liver of (J. B. Sutton) . xxxiv, 325
KEELING (J. H.), per *Jon. Hutchinson*, large recurrent enchondroma of the upper jaw . . . . xxxi, 250
additional note on ditto . . . xxxiii (S. R.), 51
KEETLEY (C. B.), case of moveable kidney . . . xxvii, 469
KELOID, following lupus scraping, and developing in other operation wounds (H. H. Clutton) . . . . xxxiv, 273
,, tumour on the front of the leg (true keloid of Alibert) (H. Morris) xxxv, 338
,, see *Acne-keloid*.
KESTEVEN (W. H.), case of ulceration of the stomach . . xxxiii, 141
,, sarcomatous blood cyst of spine, causing paraplegia . . xxxiv, 216
,, *report* on ditto by the Morbid Growths Committee (Marcus Beck and R. J. Godlee) . . . . xxxiv, 220
,, a case of multiple cerebral tumour . . . xxxv, 24
KIDD (PERCY), primary cancer of pancreas . . . xxxiv, 136
,, case of disseminated cancer . . . . xxxiv, 240
,, unusual cases of pulmonary aneurysm . . . xxxv, 98
,, small polypoid tumour of the left ventricle . . . xxxv, 123
,, tubercular ulceration of pharynx; small tumour of larynx (? tubercular) . . . . . xxxv, 189
,, fibromyoma of the stomach . . . . xxxv, 196
,, fatal hæmoptysis from bronchial ulceration perforating the pulmonary artery, and due to the pressure of a calcareous gland . xxxvi, 102
,, sudden death from impaction of a caseous gland in the trachea; caseous mediastinal glands; perforation of the trachea; miliary tuberculosis of the lung . . . . xxxvi, 104
,, destructive disease of the lung from obstruction of the main bronchus . . . . . xxxvi, 109
,, fatal hæmoptysis from hydatid of the lung; old hydatid of the liver pressing upon the bile-ducts . . . xxxvi, 122
,, four cases of cardiac aneurysm . . . . xxxvi, 127
,, tubercular ulceration of tongue . . . . xxxvi, 184
,, small fibroma of cæcum . . . . xxxvi, 210
,, diffuse symmetrical pulmonary cirrhosis . . . xxxvii, 126
,, obstruction of the coronary arteries . . . xxxvii, 197
,, tuberculosis of uterus and Fallopian tube . . . xxxvii, 357
,, aspergillus mycosis (P. Kidd) . . . . xxxvii, 549
,, see *Taylor*, tubercular ulceration of tongue.

KIDNEYS, diseases of the, see *Urinary Organs*.
,, DISEASE of, on the arterio-capillary system in connection with; special communications . . . xxviii, 361–397
,, — primary, in a case of hypertrophy of the heart (W. R. Gowers) . . . . . xxviii, 44
,, — followed by ulceration of the bowel (W. H. Dickinson) . xxix, 117
,, — congenital, of both (W. Hale White) . . . xxxvi, 262
,, from a case of gout (N. Moore) . . . . xxxiii, 271
,, from a case of osteomalacia in a girl aged 13 (N. Davies-Colley) xxxv, 285
,, from a case of phosphorus poisoning (J. F. Goodhart) . xxxvi, 479
,, from a case of phthisis, showing mortification of the apices of the pyramids (F. C. Turner) . . . . xxxvi, 268
,, anatomical changes of, in scarlatina (E. Klein) . . xxviii, 431
,, abnormal vascular supply to (F. C. Turner) . . xxxvii, 117
,, sarcoma of femur extending into, and simulating destructive disease of (F. S. Eve) . . . . . xxxii, 169
,, abscesses in, caused by impaction of large calculus in each ureter, the kidney on the right side forming a large abdominal tumour (C. J. Cullingworth) . . . . xxxvi, 278
,, atrophy of left and hypertrophy of right, in a case of obliteration of left ureter by omentum (S. West) . . . xxxiii, 203
,, congenital (?), atrophy of right, with hydronephrosis (E. Powell) . . . . . xxxvii, 285
,, CALCULUS, almost pure triple phosphate (W. Hale White) . xxxvi, 276
,, — and abscess, ruptured into left pleural cavity (J. R. Lunn) . xxxiv, 138
,, primary CANCER of, with calculus (N. Moore) . . xxxiii, 197
,, — medullary, associated with calculi (S. Coupland) . . xxxiii, 219
,, — cancer-cells growing from the epithelium of the Malpighian tufts and tubules of (S. J. Sharkey) . . . xxxiii, 195
,, cystic of, and liver (T. S. Dowse) . . . . xxvi, 132
,, CARCINOMA of, associated with calculi (B. Pollard) . . xxxvi, 272
,, — primary (S. J. Sharkey) . . . . xxxv, 235
,, — of left, nephrectomy; recovery (J. McCarthy) . . xxxvii, 295
,, — carcinoma lipomatosum of (C. H. Fagge) . . xxvii, 204
,, concretions in the, causing diffuse suppuration in retro-peritoneal tissues, followed by aneurysm of cœliac axis (J. P. Irvine) . . . . . xxix, 85
,, conjoined, the left transposed (F. C. Turner) . . xxxvii, 284
,, the two, united by a fibrous band (H. A. Lediard) . . xxxi, 189
,, contracted, in a case of aneurysm of the septum of the heart, &c. (J. W. Legg) . . . . . xxvii, 104
,, CYSTIC disease of both, and of liver (P. H. Pye-Smith) . xxxii, 112
,, — cysts in the (P. H. Pye-Smith) . . . xxxvi, 17
,, — removed from a child (W. H. Day and J. K. Thornton) . xxxi, 167
,, — case of cystic degeneration of (F. S. Eve) . . xxxi, 164
,, — — of left, and congenital malposition of (W. Ewart) . xxxi, 187
— — of left, and ureter, during intra-uterine life (W. Ewart) . . . . . xxxi, 187
,, — bilateral, in the new-born (S. G. Shattock) . . xxxvii, 287
,, degenerative changes in, from atheroma of renal artery (W. S. Greenfield) . . . . . xxvi, 135
,, dilatation of pelves, and structural changes in a case of prolapse of uterus (A. E. Barker) . . . . xxxiv, 181
,, of a boar pig, dilatation and atrophy of, from disease of the vesiculæ seminales (Jon. Hutchinson) . . . xxxii, 312
,, destruction of right, in caries of lumbar spine (J. N. C. Davies-Colley) . . . . . xxxvii, 561

KIDNEYS (*continued*)—
,, DISPLACED, right (J. W. Legg) . . . . xxvii, 206
,, — (displaced, moveable, and floating), *report* of the Committee on (C. J. Hare, J. S. Bristowe, S. Wilks, J. Williams, and J. W. Legg) . . . . . xxvii, 467–475
,, — — cases, with *post-mortem examinations*, added to the *report* on . . . . . xxvii, 469–475
,, — of the left (R. E. Carrington) . . . xxxv, 237
,, — single (R. G. Hebb) . . . . xxxvi, 281
,, — with short ureter (W. B. Hadden) . . . xxxvi, 283
,, embolism of (S. J. Sharkey) . . . . xxxvi, 139
,, embolic masses in, in a case of stenosis of mitral valve (J. F. Goodhart) . . . . . xxvii, 100
,, embolic patches in (T. Bryant) . . . . xxviii, 98
,, epithelial growths in, secondary to epithelioma of tongue (J. Poland) . . . . . xxxvi, 411
,, GRANULAR, in a case of fibroid phthisis, syphilitic? (J. F. Goodhart) . . . . . xxx, 232
,, — the histology of [changes in epithelium, Malpighian bodies, blood-vessels, and connective tissue] (R. Saundby) . . xxxi, 148
,, — bibliography of . . . . . xxxi, 156
,, — contracted (W. S. Greenfield) . . . xxxi, 157
,, — changes in, in connection with the small red granular kidney (G. Johnson) . . . . . xxviii, 381
,, extra-renal growth (J. Abercrombie) . . . xxxii, 205
,, gumma of, in case of Addison's disease (T. Barlow) . . xxxvi, 433
,, horseshoe (N. Moore) xxxi, 188; (F. C. Turner) xxxvi, 464.
,, infarcts in (R. E. Carrington) xxxvi, 135 ; (F. Taylor) xxxiv, 38.
,, inflammation of, see *Nephritis*.
,, malignant growth in right, invading inferior vena cava (F. C. Turner) . . . . . xxxvi, 275
,, moveable (C. R. B. Keetley) . . . . xxvii, 469
,, — see also DISPLACED, *supra*.
,, necrosis, with softening in pyramids of; recent endo-pericarditis (F. C. Turner) . . . . . xxxvii, 290
,, removed by lumbar nephrectomy five months after renal lithotomy (R. C. Lucas) . . . . . xxxv, 235
,, SARCOMA of the (J. Croft) . . . . xxxvi, 274
,, — right, confined to the capsule (W. H. Day) . . xxxii, 142
,, — congenital adeno-sarcoma of (F. T. Paul) . . xxxvii, 292
,, — alveolar, of the capsule of right (J. K. Thornton) . xxxiv, 141
,, — myo-sarcoma of, probably congenital (F. S. Eve), xxxiii, 312; (D. Williams) xxxiii, 317.
,, — sarcomatous growth invading both, from without (J. Abercrombie) . . . . . xxxi, 168
,, scarred, which have become granular (G. N. Pitt) . . xxxvi, 265
,, scrofulous, removed by abdominal nephrectomy (J. K. Thornton) xxxvi, 266
,, — disease of right (R. C. Lucas) . . . xxvi, 129
,, secondary disease of (R. E. Carrington) . . . xxxv, 231
,, — growths in, in fibro-myoma of uterus (D. W. Finlay) . xxxiv, 177
,, single (W. S. Greenfield) xxviii, 161; (S. Coupland) xxviii, 159.
,, — congenital (W. C. Chaffey) . . . . xxxvi, 282
,, congenital smallness of left; nephritis; sudden death from œdema of lungs (B. Rake) . . . . xxxvii, 286
,, softening of, in a lamb (Jon. Hutchinson) . . . xxxiii, 435
,, tubercle in, in tubercular phthisis, &c. (J. F. Goodhart) . xxvii, 196
,, tubercular, disease of vesiculæ seminales, prostate and testis (A. Q. Silcock) . . . . . xxxvi, 267

KIDNEYS (*continued*)—
,, tumour, chiefly consisting of cholesterin (N. Moore) . . xxxvi, 272
,, — of striped muscle and sarcoma tissue connected with (F. S. Eve) xxxiii, 312
,, vacuolation of, in a case of cancer (F. A. Mahomed) . . xxxiv, 182
,, see *Coma (Renal), Lymphadenoma, Calculus, Tuberculosis, Hydronephrosis.*

KING (ROBERT), aneurysm of aorta which burst into the left auricle and caused death by asphyxia . . . . xxvi, 37

KLEIN (E.), per *C. Murchison*, the anatomical changes of the kidney, liver, spleen, and lymphatic glands in scarlatina of man xxviii, 430
,, experimental and anatomical inquiry into the so-called pig typhoid . . . . . xxviii, 440

KNEE, amputation at stump of (J. Poland) . . . xxxvii, 567
,, white swelling of, granulation tissue from (R. J. Godlee) . xxviii, 449

KNEE-JOINT, dry caries of (H. A. Lediard) . . . xxxiv, 229
,, loose cartilage in the (S. Jones) . . . . xxxv, 320
,, extreme congestion of synovial membrane of each, in a case of gout (Hilton Fagge) . . . . . xxvi, 164
,, DISEASE of, elongation of limb in connection with (Sydney Jones) xxvi, 159
,, — with osteitis of upper part of tibia (W. Rivington) . xxxvi, 346
,, — chronic, hypertrophy in length of lower limb in connection with (H. Marsh) . . . . . xxvi, 161
,, DISLOCATION of the external semilunar fibro-cartilage (R. J. Godlee) . . . . . xxxi, 240
,, — backward, with long-continued congestion, causing eczema squamosum of leg (H. G. Howse) . . . xxx, 454
,, — outwards (J. Poland) . . . . xxxvii, 385
,, excision of: bone twelve years afterwards (H. A. Lediard) . xxxi, 247
,, right, from a case of gout (N. Moore) . . . xxxiii, 271
,, myeloid sarcoma of the (R. Barwell) . , . xxxv, 323
,, fibro-cellular tumour from the interior of (R. J. Godlee) . xxxii, 207

KRAUS (J.), per *W. M. Ord*, cases of spontaneous disruption of vesical calculi, with report and chemical examination by W. M. Ord . xxx, 314

LABIA MINORA, marked pigmentation of, in case of Addison's disease (S. Taylor) . . . . . xxxvi, 449

LABIAL TUMOUR, see *Lip.*

LABIUM, hypertrophy of, in a case of pigmented mole (J. Hutchinson) . . . . . xxxi, 348
additional note to ditto . . . xxxiii (S. R.), 55

LACHRYMAL GLAND, chondroma of (H. T. Butlin) . . xxvi, 184
additional note to ditto . . . xxxiii (S. R), 38

LACTIC FERMENTATION, special communication on (Sir J. Lister) xxix, 425–467
,, and its bearings on pathology (Sir J. Lister) . . xxix, 425–467

LAMB, pyæmia in a (Jon. Hutchinson) . . . xxxiii, 434
,, softening of kidneys in a (Jon. Hutchinson) . . xxxiii, 435

LANCASTER (H.), list of cases of lardaceous changes in viscera from Guy's Hospital *post-mortem* records . . . xxvii, 334
,, *report* of Mr. Bryant's case of aneurysm of common femoral artery . . . . . xxviii, 98

LANCHESTER (H. T.), and *J. M. Hobson*, a case of caseous pneumonia of the entire lung simulating empyema, with general tuberculosis. . . . . xxxvi, 115
,, *report* on above case (J. F. Payne and S. Coupland) . . xxxvi, 117

LANE (W. ARBUTHNOT), fracture of sternum, with costo-chondral dislocation . . . . . xxxiv, 223
,, diphtheria of the larynx, spreading upwards to the pharynx and uvula . . . . . xxxv, 75
,, fractures of hyoid bone, with deformity of thyroid and cricoid cartilages . . . . . xxxv, 75
,, one mode of fracture of the sternum . . . xxxv, 253
,, ununited fracture of the greater cornu of the hyoid bone . xxxv, 261
,, ununited fractures of transverse and spinous processes of dorsal vertebræ and of ribs . . . . . xxxv, 262
,, ununited fracture of a rib; incomplete fracture of a rib; enumeration of, and remarks on cases described . . xxxv, 264
,, ununited fractures of ribs . . . . xxxv, 266
,, fracture of seventh and eighth costal cartilages with displacement of fragments . . . . . xxxv, 266
,, ununited fracture of acromion with rheumatoid arthritis of shoulder-joint, with other cases of ununited fracture, and remarks . . . . . xxxv, 267
,, ununited fracture of acromion on the left side; two cases of united fracture of the acromion . . . xxxv, 269
,, ununited fracture of humerus, united fracture of condyle and trochlea . . . . . xxxv, 271
,, cases of mollities ossium, rheumatic arthritis, and Charcot's disease . . . . . xxxv, 299
,, partial mollities; Charcot's disease; spondylolisthesis . xxxv, 308
,, spinal column from a case of contracted sterno-mastoid . xxxv, 315
,, on fractures of the hyoid bone and larynx; dislocation of the hyoid bone; primary chondritis of larynx . . xxxvi, 82
,, *report* of Special Sub-Committee (W. A. Lane, S. G. Shattock, F. Semon, and H. T. Butlin) on Mr. Lane's specimens . xxxvi, 93
,, compound diverticulum in connection with the prostatic urethra xxxvi, 288
,, fracture of the sternum alone . . . . xxxvi, 324
,, ununited fracture of the manubrium sterni . . xxxvi, 325
,, mode of fracture of first rib alone . . . xxxvi, 327
,, fracture of the tibia and fibula, accompanied by partial displacement of the foot forwards . . . . xxxvi, 333
,, — ditto, backwards . . . . . xxxvi, 335
,, purulent effusion into several of the joints of a syphilitic infant xxxvi, 343
,, abnormal process of bone projecting from the upper part of the shaft of the humerus . . . . . xxxvi, 356
,, some of the changes which are produced by pressure in the lower part of the spinal column, spondylolisthesis, displacement backwards of the fifth lumbar vertebra, torticollis, &c. . . xxxvi, 364
,, extreme dorsal excurvation produced by a stooping occupation in a growing youth . . . . . xxxvi, 378
,, multiple sarcoma of bone . . . . xxxvii, 373
,, the causation and pathology of the so-called disease rheumatoid arthritis, and of senile changes . . . . xxxvii, 387

LARDACEOUS CHANGES, observations on the causes of (C. H. Fagge) . . . . . xxvii, 333
,, in viscera, list of cases of, by Mr. Lancaster, from Guy's Hospital *post-mortem* records, in which chronic suppuration, but no evidence of syphilis, existed (C. H. Fagge) . . xxvii, 334
,, — ditto, in which evidence of syphilis existed . . xxvii, 336

LARDACEOUS DISEASE, discussion on its anatomical distribution and pathological relations, 1879 . . . . xxx, 511–546
,, opening address, by W. Howship Dickinson . . xxx, 511–517

LARDACEOUS DISEASE, discussion on (*continued*)—
,, — remarks [analysis of the *post-mortem* records of the London Hospital, 1875–79], by F. Charlewood Turner . . xxx, 517
,, — by W. S. Greenfield . . . . xxx, 525
,, — by Jonathan Hutchinson . . . . xxx, 528
,, — by P. H. Pye-Smith . . . . xxx, 530
,, — by J. F. Goodhart . . . . . xxx, 532
,, — by Stephen Mackenzie . . . . xxx, 535
,, — by Charles Ralfe . . . . . xxx, 536
,, — *reply* by W. Howship Dickinson . . . xxx, 537
,, of the liver, following the course of its capillaries (F. C. Turner) . . . . . xxxiv, 131
,, of the suprarenal body (F. C. Turner) . . . xxxv, 393
,, reaction in the dysmenorrhœal membrane (J. Williams) . xxvii, 322
,, fibroma of a splenculus (C. H. Fagge) . . . xxvii, 332
,, organs [liver, spleen, &c.] with unusual characters, specimens of (C. H. Fagge) . . . . . xxvii, 324

LARDER (HERBERT), aneurysm of abdominal aorta, opening into the right pleural cavity . . . . xxxvii, 185
,, cancer of œsophagus . . . . . xxxvii, 226

LARYNX from an infant the subject of a peculiar obstructed inspiration (D. B. Lees) . . . . . xxxiv, 19
,, from a case of gout (N. Moore) . . . . xxxiii, 271
,, disease of, occurring in typhoid fever, two cases (S. J. Sharkey) xxxvii, 114
,, partial atrophy of the muscles of, in a case of sacculated aneurysm of the arch of the aorta (R. D. Powell) . . xxxiii, 85
,, encephaloid cancer of (L. Browne) . . . xxix, 251
,, congenital cyst in (J. Abercrombie) . . . xxxii, 33
,, diphtheria of the, spreading upwards to pharynx and uvula (W. A. Lane) . . . . . xxxv, 75
,, epithelioma of, secondary deposits in lymphatic glands, &c. (F. Semon) . . . . . xxxi, 55
,, epithelioma of pharynx, invading the (L. Browne) . . xxix, 250
,, nutshell impacted in, tracheotomy, tracheitis and purulent bronchitis, collapse of lungs (R. E. Carrington) . . xxxii, 16
,, impaction of two vertebræ of a small fish in the; tracheotomy; double pneumonia (S. J. Sharkey) . . . xxxv, 77
,, fractures and primary chondritis of (W. A. Lane) . . xxxvi, 82
,, laryngitis in congenital syphilis (T. Barlow) . . xxxi, 46
,, — membranous, coming on during convalescence from scarlatina, with albuminuria, no infection from diphtheria (F. C. Turner) xxxiii, 36
,, — membranous, in an adult (P. H. Pye-Smith) . . xxxi, 30
,, tubercular leprosy of (2) (B. Rake) . . . xxxvi, 97
,, from case of mixed tubercular and anæsthetic leprosy (B. N. Rake) . . . . . xxxvii, 544
,, and trachea from a dog dying of measles (W. Squire) . xxvii, 340
,, necrosis of the cartilages of, in smallpox and enteric fever (Fred. S. Eve) . . . . . xxxi, 33
,, laryngeal phthisis, case of (B. G. Morison) . . xxxiv, 21
,, scald of, croupous inflammation following (J. N. Davies-Colley) . . . . . xxxiii, 34
,, congenital syphilis of, two cases (F. Semon) . . xxxi, 41
,, old syphilitic scars in, stricture of bronchi, &c., leading to chronic disease in the lungs (W. Ewart) . . . . xxxi, 57
,, and trachea, three years and nine months after thyrotomy (Pugin Thornton) . . . . . xxvii, 293
,, small tumour of, (?) tubercular (P. Kidd) . . . xxxv, 189

LARYNX (*continued*)—
„ ULCERATION of the (L. Browne and G. Smith) . . xxvii, 49
„ — extreme, in a case of enteric fever (C. H. Fagge) . . xxvii, 40
„ — in tubercular phthisis, &c. (J. F. Goodhart) . . xxvii, 196
„ — from a case of measles, and from a case of scarlet fever (N. Moore) . . . . . xxxiv, 22
„ — due to congenital syphilis (W. A. Sturge) . . xxxi, 39
„ — extreme, with perforation, from a case of anæsthetic leprosy (B. N. Rake) . . . . . xxxvii, 543
DE LAUTOUR (HARRY A.), per *John Wood*, colon of a sheep, showing colotomy performed by a parrot . . . xxxi, 386
LAWSON (GEORGE), melanotic sarcoma of eye, the sight of which had been long lost . . . . . xxvi, 178
„ sarcomatous tumour springing from the cornea and sclerotic of the eye . . . . . xxvi, 179
„ large calculus with a nucleus formed of a mulberry calculus, removed from the bladder by lithotomy . . . xxxiv, 148
„ recurrent cartilaginous tumours of the head and neck [lower jaw] . . . . . xxxiv, 261
„ *report* on ditto by the Morbid Growths Committee (Jas. F. Goodhart and H. T. Butlin) . . . . xxxiv, 264
„ congenital tumour of the orbit—complete exophthalmos in a child two days old; removal of eye . . . xxxv, 379
„ *report* of Morbid Growths Committee on the above (M. Beck and R. J. Godlee) . . . . . xxxv, 381
„ case of large secondary glioma, which occupied the left orbit and covered one side of the face; excision of both eyes; death; *post-mortem* . . . . . xxxvi, 418
LEARED (ARTHUR), cysts in connection with the ovaries occurring in twin infants . . . . . xxix, 171
LEDIARD (HENRY A.), aneurysm of arch, with dilatation of aorta below . . . . . xxviii, 74
„ — with rupture into œsophagus . . . . xxviii, 75
„ unusually large aneurysm of the ascending portion of the arch of the aorta, which burst externally . . . xxx, 284
„ aneurysm of the abdominal aorta, associated with disease of the aortic valves, death from uræmia . . . xxx, 288
„ kidneys united by a fibrous band . . . . xxxi, 189
„ excision of knee-joint: bone twelve years afterwards . xxxi, 247
„ dislocation of the hip-joint from disease (two cases) . xxxi, 247–248
„ lymphoma of mediastinum pressing in the right bronchus and invading the lung . . . . . xxxi, 309
„ an epulis containing masses of hyaline cartilage (fibro-enchondroma) . . . . . xxxii, 244
„ tumour of dura mater pressing upon the cord in the cervical region . . . . . xxxiii, 25
„ old partial dislocation of the ankle backwards . . xxxiii, 281
„ residual abscess of posterior fossa of base of skull . . xxxiii, 282
„ dry caries of the knee-joint . . . . xxxiv, 229
„ melanotic spindle-celled alveolar sarcoma and gland . . xxxiv, 269
„ caries of cervical vertebræ (dachshund) . . . xxxv, 274
„ two cases of epithelioma of the foot from injury . . xxxv, 377
„ sarcoma of lower jaw of horse . . . . xxxv, 468
„ fibroma growing in sella turcica . . . . xxxvii, 11
„ black tongue . . . . . xxxvii, 222
„ cancer of the œsophagus, for which gastrostomy was performed xxxvii, 229
„ hernia reduced "en masse" . . . . xxxvii, 239

LEDIARD (HENRY A.) (*continued*)—
„ cancer of the rectum, for which excision was performed . xxxvii, 259
„ parovarian cyst with twisted pedicle and intracystic hæmorrhage . . . . . xxxvii, 353
„ intercondyloid fracture of the femur . . . xxxvii, 368
„ primary sarcoma of the femoral lymphatic glands . . xxxvii, 472

LEE (HENRY), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 358

LEECH (D. J.), Addison's disease with peculiar pigmentation . xxx, 478
„ — microscopic examination of capsule, &c., by Dr. Dreschfeld . xxx, 484
„ enormous dilatation of right auricle without increase in size of the rest of the cavities of the heart, mitral and tricuspid stenosis . . . . . xxxiii, 102

LEES (DAVID B.), peculiar eruption after the use of bromide of potassium . . . . . xxviii, 247
„ transposition of the viscera in a living subject . . xxviii, 448
„ malformation of the heart, with transposition of the aorta and pulmonary artery . . . . . xxxi, 58
„ remarks in the discussion on rickets . . . xxxii, 323
„ larynx from an infant the subject of peculiar obstructed inspiration . . . . . xxxiv, 19
„ bossy calvaria . . . . . xxxiv, 228
„ see *Barlow* and Lees, syphilitic lesions of cranial bones.

LEESON (O.), *report* of microscopical examination of Mr. J. F. West's fibro-cystic tumour of neck . . . xxvi, 182

LEG, atrophied, from infantile paralysis (A. Doran) . . xxxi, 381
„ hydatid cyst from the calf of the (F. S. Eve) . . xxxv, 448
„ elephantiasis of right (W. Newman) . . . xxvi, 211
„ gangrene of right, caused by thrombosis of left common iliac artery (J. K. Fowler) . . . . . xxxiv, 77
„ hypertrophic elongation of, in connection with disease of the knee (Sydney Jones) . . . . . xxvi, 159
„ — in association with chronic disease of knee-joint (H. Marsh) xxvi, 161
„ enlargement of, in lymphangeioma (S. Jones) . . xxvi, 227
„ dry gangrene of both (T. Duka) . . . . xxvi, 245
„ congenital hypertrophy of (F. S. Eve) . . . xxxiv, 298
„ keloid tumour on the front of the (H. Morris) . . xxxv, 338
„ recurrent fibroid tumour of front of (Spencer Watson) . xxvii, 257
„ ulcer of, epithelioma arising in an (C. J. Symonds) . . xxxii, 244

LEGG (J. WICKHAM), primary enchondroma of the lung . xxvi, 11
„ aneurysm of the mitral valve (two cases) . . . xxvi, 47
„ *post-mortem examination* and *report* on Dr. Southey's case of aneurysm of the heart . . . . . xxvi, 46, 47
„ aneurysm of the septum of the heart, phthisis, contracted kidneys, general atheroma, &c. . . . . xxvii, 104
„ aneurysm of the mitral valve . . . . xxvii, 108
„ congenital deficiency of the common bile-duct, the cystic and hepatic ducts ending in a blind sac; cirrhosis of liver . xxvii, 178
„ cancer of the pancreas and liver, cancerous polypi of the portal vein and pancreatic duct . . . . xxvii, 189
„ displaced right kidney . . . . . xxvii, 206
„ *report* of the Committee on displaced, moveable, and floating kidneys . . . . . xxvii, 467–475
„ *post-mortem examination* of two of Dr. Gowers' cases of hydrophobia . . . . . xxviii, 19, 21

LEGG (J. WICKHAM) (*continued*)—
,, two cases of loose balls of fibrin in the left auricle, with mitral stenosis . . . . . xxix, 49
,, aneurysm of the left ventricle of the heart . . . xxix, 54
,, aneurysm of the right auricle . . . . xxix, 57
,, obliteration of the aorta, dissecting aneurysm, two semilunar aortic valves . . . . . xxix, 65
,, aneurysm of the anterior communicating cerebral artery . xxix, 106
,, melanotic sarcoma of the eyeball; secondary growths in the organs of the chest and belly, particularly in the liver . xxix, 225
,, xanthelasma multiplex, disappearance of the patches . . xxxi, 329
additional note on ditto . . . xxxiii (S. R.), 54
,, enlargement of the temporal and masseter muscles on both sides xxxi, 361
additional note on ditto . . . xxxiii (S. R.), 55
,, case of hæmophilia, with the results of the examination of the tissues . . . . . xxxiii, 412
,, — a second case, with examination of the tissues and joints . xxxvi, 488
,, multiple melanotic sarcomata beginning in the choroid, followed by pigmentation of the skin of the face and hands . . xxxv, 367
,, purpura following syphilis . . . . xxxvi, 479
LEPRA LEPROSA, "leprous eruptions," note on the histology of (H. Vandyke Carter) . . . . . xxvii, 297
LEPRA VERA, see *Elephantiasis Græcorum.*
LEPROSY, Eastern, on the condition of the lymphatics in (G. Hoggan) . . . . . xxx, 504
,, bacilli of (J. D. Hillis) . . . . xxxiv, 289
,, anæsthetic; thickened median nerve (B. N. Rake) . . xxxvii, 111
,, — extreme ulceration of larynx, with perforation, from case of (B. N. Rake) . . . . . xxxvii, 543
,, — hand from old case of, showing spontaneous amputation and arrest of the disease (B. N. Rake) . . . xxxvii, 543
,, — mixed tubercular and, hand and larynx from case of (B. N. Rake) . . . . . xxxvii, 544
,, tuberculated, viscera from a case of, associated with syphilis (B. N. Rake) . . . . . xxxvii, 545
,, tubercular, of tongue and larynx (2) (B. N. Rake) . . xxxvi, 97
,, form of ulceration simulating (B. N. Rake) . . xxxvii, 544
,, and cancer, changes in the sweat-glands in, as illustrating the extremes of atrophic and hypertrophic pathology (Geo. Hoggan) xxx, 421
LEPROUS nerve disease, memorandum on (H. V. Carter) . xxviii, 1
LEUCOCYTHÆMIA, case of (J. H. Porter) . . . xxix, 335
,, specimens illustrative of the pathology of (W. S. Greenfield) . xxix, 272
,, with multiple hæmorrhages and infiltration of liver and kidneys (W. S. Greenfield) . . . . . xxix, 298
,, ulceration of intestine in (W. B. Hadden) . . . xxxvi, 206
LEUCODERMA, case of (James Startin) . . . xxxii, 268
LEUKÆMIA and lymphadenoma (S. Wilks) . . . xxix, 269
,, lymphatic, cases illustrating (J. F. Goodhart) . . xxix, 322
,, — hyperplasia of axillary glands (T. Ridge Jones) . . xxix, 368
,, splenic, cases illustrating (J. F. Goodhart) . . . xxix, 322
,, — with carcinoma (T. Whipham) . . . xxix, 313
,, enlarged liver and spleen from overgrowth of adenoid tissue without (P. H. Pye-Smith) . . . . xxvi, 199
LEWIS (T. R.), on hæmatozoa in the blood in chyluria, Filaria sanguinis, &c., reference to (Sir J. Fayrer and D'Arcy Power) . xxx, 489
LEWIS (W. BEVAN), per *J. F. Goodhart*, calcified angeioma of brain xxxv, 30

LICHEN RUBER, case of (W. Morrant Baker) . . . xxxi, 334

LIGAMENT, broad, and parovarium, incipient cystic disease of (A. Doran) . . . . . xxxiv, 169

LIGATURE of arteries, see *Aneurysm.*

LIMBS, congenital hypertrophy, or giant growth of, two cases, foot and leg, and hand and forearm (F. S. Eve) . . xxxiv, 298

,, see *Arm, Leg*, &c.

LIME, see *Carbonate* of, *Oxalate* of, *Phosphate* of, *Calculus.*

LIME SALTS, deposit, in mucous membrane of hepatic ducts in an ox (B. G. Morison) . . . . . xxxiv, 137

LINGARD (ALFRED), per *F. S. Eve*, specimens of actinomycosis of the jaws and tongue of oxen . . . . xxxvii, 590

LIP, epithelioma of, in a woman (G. Thin) . . . xxix, 236

,, malignant growth of, with melanosis (G. W. Steeves) . xxxvii, 475

,, granulation-growth following bite on upper (J. H. Morgan) . xxxvii, 462

,, tumour of, three cases (J. F. Goodhart) . . . xxviii, 213

LIPOMA of spermatic cord (C. Stonham) . . . xxxvii, 341

,, diffuse, of spermatic cord (C. Stonham) . . . xxxvii, 341

,, in hernial regions (J. Hutchinson, jun.) . . . xxxvii, 451

,, see *Myo-lypoma.*

LISTER (Sir JOSEPH), on the lactic fermentation and its bearings on pathology . . . . . xxix, 425

,, case of rodent ulcer, reference to (G. Thin) . . xxx, 376

,, description of his theories and methods in relation to antiseptic dressings (W. W. Cheyne) . . . . xxx, 557

LITHATES, see *Calculus.*

LITHIC ACID, see *Calculus.*

LITHOTOMY, large calculus, with mulberry calculus nucleus, removed by (G. Lawson) . . . . xxxiv, 148

,, prostate and bladder from a case of, eleven years previously (J. F. Goodhart) . . . . . xxvii, 208

,, prostatic tumours removed in the operation of; recovery (T. Bryant) . . . . . xxix, 164

,, SUPRA-PUBIC, for removal of a calculus (P. Swain) . . xxxi, 184

,, VAGINAL, calculi from female bladder removed by (C. Heath) . xxvi, 134

LITTRE'S operation for imperforate anus; bladder and rectum six months after (C. Mansell Moullin) . . . xxxvii, 260

LIVER, cases of ABSCESS of (N. Moore) xxx, 306; (F. Taylor) xxxv, 210.

,, — in a child (N. Moore) . . . . xxxii, 132

,, — consequent upon dysentery contracted in England (W. H. Dickinson) . . . . . xxxii, 127

,, — opened by aspiration and then by direct incision; death on sixth day (Sir J. Fayrer) . . . . xxxii, 119

,, — two hundred, in that of a kangaroo (J. B. Sutton) . xxxiv, 325

,, — aneurysm of hepatic artery in the cavity of (J. P. Irvine) . xxix, 128

,, — in each lobe of, secondary ulceration of the colon (F. C. Turner) . . . . . xxxiii, 177

,, — probably of pyæmic origin, secondary to suppuration of Fallopian tubes, consequent ? upon gonorrhœa (H. Handford) xxxvii, 267

,, — double "tropical abscess" of the, associated with multiple "pyæmic abscesses;" dysentery (R. E. Carrington) . xxxvi, 224

,, — dysenteric (F. C. Turner) . . . . xxxvi, 229

,, — multiple of, and acute dysentery (Sir J. Fayrer) . . xxxii, 123

LIVER (*continued*)—
,, ADENOMA of, two cases (F. A. Mahomed) . . . xxviii, 144
,, — and primary carcinoma of the (F. T. Paul) . . xxxvi, 238
,, (from a case of anæmia) with hæmorrhage into its substance (N. Moore) . . . . . xxxvi, 233
,, anatomical changes of, in scarlatina (E. Klein) . . xxviii, 439
,, — in pig typhoid (E. Klein) . . . . xxviii, 446
,, ATROPHY, acute, of (S. West) xxxi, 116; (J. Cavafy) xxxiv, 122.
,, — — and cirrhosis (W. Cayley) . . . xxxiv, 127
,, — — or acute cirrhosis of the (R. E. Carrington) . xxxvi, 221
,, — — yellow, in a child aged 2 years (James F. Goodhart) . . . . . xxxiii, 170
,, — — *remarks* by P. H. Pye-Smith . . . xxviii, 243
,, — chronic red, *remarks* by P. H. Pye-Smith . . xxviii, 243
,, — simple, in case of carcinoma of the body of the stomach (R. E. Carrington) . . . . . xxxvii, 236
,, CANCER (primary) of, exhibiting many features of interest (W. J. Tivy) . . . . . xxxv, 227
,, — with polypi of the portal vein and pancreatic duct (J. W. Legg) . . . . . xxvii, 189
,, — appearances observed in a case of (Geo. Thin) . . xxxi, 293
,, — cystic (T. S. Dowse) . . . . xxvi, 132
,, — cancerous (F. C. P. Howes) . . . . xxvi, 185
,, primary CARCINOMA of (P. H. Pye-Smith) . . . xxxi, 125
,, — primary melanotic, of (W. Hale White) . . xxxvii, 272
,, cicatrices in, the result of suppurative pylephlebitis (J. F. Goodhart) . . . . . xxxii, 137
,, CIRRHOSIS of (A. Money) . . . . xxxiv, 136
,, — in a child (W. Cayley) xxvii, 194; (T. D. Griffiths) xxvii, 186; (C. Murchison) xxvii, 199; (F. Taylor) xxxi, 119; (N. Moore) xxxii, 132.
,, — in a child with congenital hydrocele (S. Osborn) . . xxxii, 133
,, — in a boy with interstitial pneumonia and chronic peritonitis (P. H. Pye-Smith) . . . . . xxxiii, 172
,, — in a child of seven months from congenital absence of the common duct (H. Gibbes) . . . . xxxiv, 129
,, — simulating cancer (J. F. Goodhart) . . . xxxvi, 234
,, — in a case of congenital deficiency of the common bile-duct (J. W. Legg) . . . . . xxvii, 178
,, — fatal hæmorrhage in, from dilated œsophageal veins (W. B. Hadden) . . . . . xxxiii, 190
,, — dilated œsophageal veins and enlarged follicles in (W. B. Hadden) . . . . . xxxiii, 190
,, — with liver-cells and fragments of hepatic tissue in branches of the portal vein, from laceration (F. C. Turner) . . xxxv, 222
,, — stomach from case of (N. Moore) . . . xxxiii, 141
,, — consequent on a case of thrombosis of the vena portæ (S. West) . . . . . xxix, 107
,, — hypertrophic, morbid anatomy of (R. Saundby) . . xxx, 301
,, — — in a child (W. Hale White) . . . xxxvi, 234
,, — with masses of hepatic tissue simulating secondary growths (R. E. Carrington) . . . . . xxxvi, 454
,, — primary contracting scirrhus of liver simulating (C. H. Fagge) . . . . . xxviii, 137
,, — small cirrhotic, anteversion of, simulating enlargement (T. D. Griffiths) . . . . . xxviii, 142

LIVER, CIRRHOSIS OF (*continued*)—
,, — constricted by a band, one half being cirrhotic, the other half being fatty and, in a post-mortem, spongy condition (W. Hale White) . . . . . xxxvii, 263
,, — acute, or acute atrophy (R. E. Carrington) . . xxxvi, 221
,, — — and acute atrophy (W. Cayley) . . . xxxiv, 127
,, simple CYST of (W. B. Hadden) . . . . xxxvii, 266
,, — — in connection with (S. J. Sharkey) . . . xxxiii, 168
,, cystic disease of, and of both kidneys (P. H. Pye-Smith) . xxxii, 112
,, cystic degeneration of (G. H. Savage and W. H. White) . xxxv, 214
,, — true, in association with yellow fever, together with two cases of tubercular vomicæ in that organ (W. H. White) . xxxv, 217
,, diseases of, see *Digestion*, organs of.
,, primary encephaloid disease of the (W. Hale White) . xxxvi, 251
,, enlarged, acute fatty changes in (C. H. Ralfe) . . xxxi, 144
,, — and spleen, from overgrowth of adenoid tissue without leuchæmia (P. H. Pye-Smith) . . . . xxvi, 199
,, epithelial growths in, secondary to epithelioma of the tongue (J. Poland) . . . . . xxxvi, 411
,, gummata of, in a boy aged 9 (N. Moore) . . . xxxvii, 271
,, hæmorrhage into liver-substance; ? internal rupture (contusion) (J. H. Targett) . . . . . xxxvii, 266
,, HYDATID of left lobe, in process of cure, opening into duodenum, large suppurating cavity in right lobe (W. Hale White) . xxxvi, 252
,, — old, pressing upon the bile-ducts (P. Kidd) . . xxxvi, 122
,, — old, embedded in a syphilitic growth (G. N. Pitt) . . xxxvii, 276
,, — which burst into the lung (W. Cayley) . . . xxvii, 171
,, infarcts in the (R. E. Carrington) . . . xxxv, 108
,, infiltrating growth in (N. Dalton) . . . xxxvi, 247
,, see *Hepatitis*.
,, lardaceous, cases of (C. H. Fagge) . . xxvii, 324–328
,, — disease of, following the course of the capillaries of the organ (F. C. Turner) . . . . . xxxiv, 131
,, — mixed lardaceous and cirrhotic, simulating the appearance of syphilitic gummous nodules (C. H. Fagge) . . xxvii, 328
,, rare variety in the lobulation of (N. Moore) . . xxxiii, 192
,, affection of, in lymphadenoma (W. S. Greenfield) . . xxix, 278
,, primary diffuse malignant growth in, combining the characters of sarcoma and carcinoma (S. Coupland) . . . xxxi, 130
,, from a case of phosphorus poisoning (J. F. Goodhart) . xxxvi, 479
,, rupture of (C. J. Symonds) . . . . xxxiii, 193
,, SARCOMA, diffuse, of, probably congenital (R. W. Parker) . xxxi, 290
,, — primary melanotic (R. W. Burnet) . . . xxxvi, 252
,, — diffused lympho-sarcoma of (H. H. Tooth) . . xxxvi, 236
,, primary contracting scirrhus of, simulating cirrhosis (C. H. Fagge) . . . . . xxviii, 137
,, scirrhous cancer of (J. K. Fowler) . . . xxxiii, 192
,, secondary growths in, following melanotic sarcoma of the eyeball (J. W. Legg) . . . . . xxix, 225
,, — deposits in, in epithelioma of colon (Stanley Boyd) . xxxiii, 338
,, — disease of (R. E. Carrington) . . . . xxxv, 231
,, sponge-like (R. G. Hebb) . . . . xxxv, 221
,, and spleen, cicatrices of, in a case of congenital syphilis (T. Barlow) xxviii, 291
,, receding gummata of, in a case of congenital syphilis (T. Barlow) xxvii, 202
,, syphilitic inflammation of capsule of (S. J. Sharkey) . . xxxiv, 122
,, softening of syphiloma of (S. Wilks) . . . xxix, 135
,, tubercle of, in an adult (N. Moore) . . . xxxiv, 133

LIVER (*continued*)—
„ extreme tubercular disease of, in tubercular phthisis (J. F. Goodhart) . . . . . xxvii, 196
„ tubercles and cylindrical epithelioma in the same section (N. Dalton) . . . . . xxxvi, 235
„ vacuolation of, in a case of cancer (F. A. Mahomed) . . xxxiv, 182

LIZARD, "Indian monitor," bone disease in (J. B. Sutton) . xxxiv, 315

LOCKWOOD (C. B.), abnormality of bones and muscles near the shoulder-joint . . . . . xxxiv, 227
„ right aortic arch . . . . . xxxv, 132
„ dissected specimen of Colles's fracture . . . xxxv, 272
„ specimens exhibiting changes in the cartilages of the first rib, due to rheumatic arthritis . . . . xxxv, 298
„ a connective-tissue tumour of the scalp containing cartilage-like bodies . . . . . xxxv, 340
„ — *report* of Morbid Growths Committee on (F. Taylor and F. C. Turner) . . . . . xxxv, 341
„ rudimentary abdominal ribs . . . . xxxvi, 359
„ malignant tumour of forearm . . . . xxxvi, 408
„ revolver bullet-wound of cranium . . . xxxvii, 3
„ impervious band uniting the superior vena cava to the left auricle . . . . . xxxvii, 147
„ abnormality of colon . . . . . xxxvii, 250
„ congenital fatty tumours of sole of the foot, and fatty tumour from palm of hand . . . . . xxxvii, 450
„ contractions of the digital and palmar fascia . . xxxvii, 556
„ pathological dislocation of interphalangeal joint . . xxxvii, 560
„ see *Trevan* (chyluria and blood-parasite) . . . xxxv, 445

LOCOMOTOR ATAXY, two cases of joint affection in (W. B. Hadden) . . . . . xxxvii, 101
„ united fracture of right ulna, from a case of (W. B. Hadden) . xxxi, 245
„ lower extremity of a right femur, from a case of (W. B. Hadden) xxxi, 245

LONDON (Dr.), of Carlsbad, per *C. Murchison*, elephantiasis of the clitoris . . . . . xxix, 404

LONGHURST (A. E. T.), remarks in the discussion on rickets . xxxii, 378

LOOSE BODIES in osteo-arthritic joints (W. Edmunds) . . xxxvii, 447

LUCAS (R. CLEMENT), heart from a case of cyanosis . . xxvi, 26
„ scrofulous disease of the right kidney . . . xxvi, 129
„ — *report* on, by the Committee on Morbid Growths (C. H. Fagge and J. F. Goodhart) . . . . xxvi, 130
„ remarks in the discussion on rickets . . . xxxii, 356
„ kidney removed by lumbar nephrectomy five months after renal lithotomy; also calculus $1\frac{3}{8}$ inch in diameter . . xxxv, 235

LUMBAR REGION, fracture of the upper, spinal column of a man who lived twenty-six years after (T. Carr Jackson) . . xxviii, 206

LUNGS, obsolete pyæmic abscesses in, two cases (C. H. Fagge) . xxvii, 53
„ anthrax of (J. Poland) . . . . . xxxvii, 550
„ atelectasis of, with emphysematous cyst, congenital heart disease (T. Barlow) . . . . . xxxi, 48
„ CANCER of, and hyperostosis of the lower jaw (W. Cayley) . xxix, 172
„ — right, with embolism in middle cerebral artery (N. Moore) . xxxii, 32
„ — colloid (P. H. Pye-Smith) . . . . xxxiv, 100
„ diseases, &c., see *Respiration* (organs of).
„ disseminated caseous nodules in, in a case of fibroid phthisis (J. F. Goodhart) . . . . . xxx, 232

LUNGS (*continued*)—
„ CAVITY near apex of, filled with bony deposit, in pleuro-pneumonia (E. Crisp) . . . . . xxvi, 14
„ — contiguous with thrombosis of innominate vein (W. W. Smith) . . . . . xxxii, 70
„ — in a child aged 11 months (N. Moore) . . . xxxvi, 108
„ changes, "interstitial pneumonia," in double aneurysm of thoracic aorta (J. P. Irvine) . . . . xxviii, 63
„ changes in, caused by compression of the large bronchial tubes (J. P. Irvine) . . . . . xxx, 239
„ destructive changes in left, from compression of its bronchus by aneurysm of aorta (J. P. Irvine) . . . xxx, 241, 244
„ diffuse symmetrical cirrhosis (P. Kidd) . . . xxxvii, 126
„ extreme contraction of right, and hypertrophy of left (R. W. Burnet) . . . . . xxxvi, 107
„ peculiar degeneration of, of uncertain nature (S. West) . xxx, 220
„ morbid appearances in, in a case of diabetes (A. Silver and J. P. Irvine) . . . . . xxix, 25
„ destructive disease, from obstruction of the main bronchus (P. Kidd) . . . . . xxxvi, 109
„ ENCHONDROMA of (N. Dalton) . . . . xxxv, 82
„ — primary (J. W. Legg) . . . . xxvi, 11
„ EPITHELIOMA, recurrence of, in the, two cases (R. J. Godlee) . xxxii, 27
„ — glandular, in a dog (A. Q. Silcock) . . . xxxvii, 590
„ excavation of one, two cases, death in one from exhaustion, in the other from rupture of aneurysm of pulmonary artery (S. West) . . . . . xxxi, 50
„ — chronic, terminating in localised pneumothorax (S. West) . xxxii, 21
„ with impacted foreign body (N. Moore) . . . xxxiv, 23
GANGRENE of, following excision of tongue for epithelioma (H. Royes Bell) . . . . . xxxii, 26
„ — of the, from thrombosis in pulmonary artery (B. G. Morison) xxxii, 23
„ — and secondary suppuration in lower lobe, in a case of chronic lobar pneumonia (S. Coupland) . . . xxx, 224
„ — following embolism of pulmonary artery (A. Q. Silcock) . xxxvii, 131
„ gummata in the (Jon. Hutchinson) . . . xxxi, 384
„ HYDATID of, fatal hæmoptysis from (P. Kidd) . . xxxvi, 122
„ — empyema (J. Curnow) . . . . xxxiv, 24
„ — of liver which burst into (W. Cayley) . . . xxvii, 171
„ infiltration of, in a case of lymphadenoma (W. S. Greenfield) . xxvii, 275
„ invasion of right, by mediastinal tumour (R. D. Powell) . xxx, 249
„ perforation into right, of cancer of the œsophagus (F. S. Eve) . xxxiv, 80
„ of a child, aneurysm of a branch of pulmonary artery in a cavity in (C. H. Fagge) . . . . xxviii, 35
„ obstructed circulation of, extreme congestion of brain due to (S. Coupland) . . . . . xxx, 189
„ œdema of, sudden death from (B. Rake) . . . xxxvii, 286
„ extensive opening into, in a case of pneumothorax (S. West) . xxxii, 21
„ pyæmic changes in (J. P. Irvine) . . . xxix, 85
„ SARCOMA of, with secondary deposits in the brain (Sir Dyce Duckworth) . . . . . xxxvi, 120
„ — medullary (T. B. Peacock) . . . . xxviii, 32
„ SECONDARY GROWTHS in, following epithelioma of the tongue (R. J. Godlee) . . . . . xxxii, 27
„ — in left, following squamous epithelioma of the bladder (R. J. Godlee) . . . . . xxxii, 30
„ siliceous matter found in, in millstone-makers' disease (T. B. Peacock) . . . . . xxix, 31

LUNGS (*continued*)—
,, SYPHILITIC disease of (W. S. Greenfield) xxviii, 258; (W. R. Gowers) xxviii, 330; (T. H. Green) xxviii, 331.
,, — early fibroid, two cases (F. A. Mahomed) . . xxviii, 339
,, — tertiary syphilis affecting the (P. H. Pye-Smith) . . xxviii, 334
,, tubercle of the, two cases, spreading from yellow elastic nodules in the lung (gummata ?) (J. F. Goodhart) . . xxx, 233
,, miliary tuberculosis of (F. C. Turner) . . . xxxv, 101
,, — in case of impaction of a caseous gland in the trachea (P. Kidd) . . . . . xxxvi, 104
,, bacilli of tubercle found in cavities, but not in tissue (S. West) xxxiv, 26
,, tumour of, three cases (S. West) . . . . xxxv, 84
,, see *Tubercle; Tuberculosis; Pulmonary aneurysm; Veins, pulmonary.*
LUNN (JOHN R.), medullary carcinoma of the pyloric end of the stomach in a man . . . . . xxxiii, 138
,, case of ruptured stomach . . . . xxxiv, 81
,, renal calculus and abscess, traumatic? ruptured into left pleural cavity . . . . . xxxiv, 138
,, fracture of the lumbar spine; paraplegia; death . . xxxv, 252
LUPUS, case of extensive (Malcolm Morris) . . . xxxii, 270
,, hypertrophic, case of, with the histology of its various stages (A. Sangster) . . . . . xxix, 254
,, tubercular, of tongue, palate, and gums (Fairlie Clarke) . xxvii, 148
,, case of keloid following scraping, and developing in other operation wounds (H. H. Clutton) . . . xxxiv, 273
LUPUS LYMPHATICUS a papulo-vesicular eruption (J. Hutchinson) xxxi, 342
additional note on ditto . . . xxxiii (S. R.), 55
,, — microscopical *report* on ditto (A. Sangster) . . xxxi, 346
,, (J. Hutchinson, jun.) . . . . . xxxvi, 467
LYELL (ROBERT), myxo-sarcoma of the upper part of the left thigh xxviii, 225
,, colloid cancer of rectum, anus, and buttocks . . xxix, 220
,, progressive thrombosis of the veins of one lower extremity, with consecutive embolism of the pulmonary artery, from a case which had previously undergone an operation . . xxx, 294
LYMPH SCROTUM, showing filaria *in situ* (P. Manson) . . xxxii, 285
LYMPHADENOMA (C. Macnamara) . . . . xxix, 360
,, experiments illustrative of the pathology of (W. S. Greenfield) xxix, 272
,, cases illustrating (J. F. Goodhart) . . . xxix, 322
,, varieties of, and necessity for limiting the term to the nature of the growth . . . . . xxix, 296
,, rapidly fatal case of (Geo. Garlick) . . . xxix, 358
,, (?), with Addison's disease (J. A. P. Price) . . . xxxvi, 454
,, with affection of the cervical and mediastinal glands and typical affection of the spleen, case 1 (W. S. Greenfield) . . xxix, 273
,, — case 2 commencing in the cervical glands, with secondary growths in the skin, affection of liver and spleen (W. S. Greenfield) . . . . . xxix, 278
,, — case 3 (W. S. Greenfield) . . . . xxix, 282
,, — case 4 commencing in inguinal glands (W. S. Greenfield) . xxix, 284
,, — case 5, of cervical glands, infiltration of omentum and peritoneum (W. S. Greenfield) . . . . xxix, 288
,, and leukæmia (S. Wilks) . . . . xxix, 269
,, with infiltration of the lungs and skin (W. S. Greenfield) . xxvii, 275
,, of the lymphatic glands, liver, spleen, lungs, and pleuræ (F. Taylor) . . . . . xxxi, 282
,, of the mediastinum, involving the pericardium (F. S. Eve) . xxxi, 279

LYMPHADENOMA (*continued*)—
„ in the sacral region (F. Mason) . . . . xxvi, 194
„ sections of spleen in (W. R. Gowers) . . . xxix, 306
„ of the stomach, mesenteric glands, kidneys, ovaries, thyroid, &c. (S. Coupland) . . . . . xxviii, 126
„ intestines and abdominal lymphatic glands from a case of (S. Coupland) . . . . . xxix, 363
„ intestine in (W. B. Hadden) . . . . xxxvii, 261
„ two cases of tubercle associated with (W. H. Dickinson) . xxix, 373
„ see *Hodgkin's disease, Lympho-sarcoma.*

LYMPHADENOMATOUS TUMOURS of scalp and neck (W. M. Baker) . . . . . xxx, 417

LYMPHADENOSIS, case of (J. H. Porter) . . . xxix, 335

LYMPHANGEIOMA, with general enlargement of the limb and elephantiasis of the toes (S. Jones) . . . xxvi, 227

LYMPHANGIECTODES, case of, with an account of the histology of the growth (T. Fox and T. C. Fox) . . . xxx, 470
„ details of the changes of the epidermis, &c., in . . xxx, 474
additional note to ditto . . . xxxiii (S. R.), 49

LYMPHATIC GLANDS, anatomical changes in, in pig typhoid (E. Klein) . . . . . xxviii, 442
„ of the neck, anatomical changes of, in scarlatina (E. Klein) . xxviii, 438
„ colloid cancer of (P. H. Pye-Smith) . . . xxxiv, 100
„ primary caseous degeneration of (P. H. Pye-Smith) . . xxvi, 202
„ progressive caseous disease of, after disease of the knee-joint (J. F. Goodhart) . . . . . xxix, 324
„ secondary deposits in, in a case of epithelioma of the larynx (F. Semon) . . . . . xxxi, 55
„ dilatation of, in a case of glioma of the spinal cord (T. T. Whipham) . . . . . xxxii, 8
„ considerable enlargement of, in neck and left axilla in case of malignant disease of the œsophagus (J. A. P. Price). . xxxvii, 227
„ femoral, primary sarcoma of (H. A. Lediard) . . xxxvii, 472
„ on their condition in Eastern leprosy (G. Hoggan) . . xxx, 504
„ of mediastina, enchondroma of (N. Dalton) . . xxxv, 82
mesenteric, lympho-sarcoma of a dasyurus (F. S. Eve) . xxxiii, 432
of the pleura, varicose condition of, in a case of Addison's disease (E. H. Greenhow) . . . . xxviii, 231
obstructed, as a cause of malignant pleuritis (W. Moxon) . xxvii, 46
infected, in case of alveolar sarcoma of triceps (G. Barling) . xxxvi, 414

LYMPHATIC SPACES, dilated, containing clear fluid (A. E. Barker) xxxiv, 304

LYMPHATIC SYSTEM, disease of, including lymphadenoma and leukæmia, special communications on . . xxix, 269–419
„ cases illustrating diseases of (J. F. Goodhart) . . xxix, 322
„ observations on specimens illustrating diseases of (W. R. Gowers) xxix, 304
„ cancer in its relation to (G. Hoggan) . . . xxix, 384

LYMPHOID TUMOURS, multiple, case in which some disappeared under observation (Jas. Gairdner and Jos. Coats) . . xxx, 387

LYMPHOMA of the small intestine (F. Taylor) . . xxviii, 135
„ of mediastinum pressing on the right bronchus and invading the lung (H. A. Lediard) . . . . xxxi, 309
„ of the prostate, secondary nodules in pancreas and supra-renal capsule (S. Coupland) . . . . . xxviii, 179
„ malignant, in a child aged 4 years (J. M. Hobson) . . xxxiii, 300
„ — of mesentery (A. Q. Silcock) . . . . xxxv, 348

LYMPHO-SARCOMA of the back, sloughing, with other lesions of the skin and internal organs (F. Taylor) . . . xxxiv, 247
,, of the back, accompanied by spreading ulceration (J. N. C. Davies-Colley) . . . . . xxxiv, 258
,, of bladder (W. C. Chaffey) . . . . xxxvi, 287
,, invading the duodenum (N. Moore) . . . xxxiv, 99
,, diffused, of liver (H. H. Tooth) . . . . xxxvi, 236
,, of the mediastinum involving the pericardium (F. S. Eve) . xxxi, 279
,, (lymphadenoma) of mesenteric lymphatic glands of a dasyurus (F. S. Eve) . . . . . xxxiii, 432
,, of the neck (A. E. Durham) . . . . xxxiv, 245
,, of stomach (W. B. Hadden) . . . . xxxvii, 234
,, primary, of the right tonsil (A. E. Barker) . . xxxvii, 218

McCarthy (Jeremiah), case of communication between the vermiform appendix and the rectum . . . . xxvii, 161
,, disease of an invertebral substance, with double psoas abscess . xxvii, 225
,, necropsy in Dr. S. Mackenzie's case of malformation of the heart xxxi, 67
,, tumour of face, plexiform sarcoma . . . xxxi, 256
additional note to ditto . . . xxxiii (S. R.), 52
,, gummata in the lung and testes . . . . xxxi, 384
,, rupture of the arch of the aorta from injury . . xxxii, 54
,, case of reduction "en masse" of a strangulated inguinal hernia from separation of the neck of the sac . . . xxxii, 80
,, myeloid tumour of the head of the tibia . . . xxxii, 208
,, carcinoma of the left kidney; nephrectomy; recovery . xxxvii, 295
,, necrosis of the patella from injury . . . xxxvii, 371
,, see *Pyæmia* (Report of Committee on).

Mac Cormac (Sir William), dislocation with fracture of the astragalus backwards and inwards . . . xxvi, 174
,, epithelioma of the clitoris . . . . xxxvii, 357
,, tumour involving the hard and soft palate chiefly on the left side; removal; recovery . . . . xxxvii, 485

Macdonald (P. W.), per *Sidney Coupland*, intracranial cystic tumour overlying and compressing left cerebral hemisphere . xxxvii, 6

Mackenzie (Stephen), remarks in the discussion on lardaceous disease . . . . . xxx, 535
,, two cases of congenital malformation of the heart . . xxxi, 63
,, ulcerative endocarditis (non-valvular), perforating left ventricle xxxiii, 61
,, — necropsy by Dr. H. G. Sutton . . . xxxiii, 63
,, annular stricture of the intestine . . . xxxiii, 144
,, ulceration of large intestine in enteric fever . . xxxiii, 161
,, two cases of congenital xanthelasma (living specimens) . xxxiii, 370
,, — *report* on ditto (Jon. Hutchinson, H. Sangster, and H. R. Crocker) . . . . . xxxiii, 376
,, case of filarial hæmato-chyluria . . . . xxxiii, 394
,, remarks in discussion on diabetes [analysis of fatal cases in the London Hospital, naked-eye appearances of the body and microscopic examination] . . . . xxxiv, 355
,, see *Tay* and Mackenzie, bromide of potassium eruption.

Mackinder (D.), per *D'Arcy Power*, a pouched or duplicate (?) bladder . . . . . xxxvi, 283

Maclagan (T. J.), remarks in the discussion on the germ theory of disease . . . . . xxvi, 290–296

Macnamara (C.), lymphadenoma . . . . xxix, 360
,, congenital tumour containing fœtal structures, removed from the sacrum of a child . . . . . xxxii, 199
,, case of congenital hypertrophy of limbs, see *Eve* (*F. S.*).

MAHOMED (F. A.), case of intestinal obstruction produced by the abnormal remains of a fœtal vessel . . . xxvi, 117
,, — *report* on, by J. Wood and J. W. Hulke . . xxvi, 119
,, on two cases of adenoma hepatis . . . . xxviii, 144
,, — *report* on, by the Committee on Morbid Growths (J. F. Payne and W. S. Greenfield) . . . . xxviii, 155
,, two cases of syphilitic disease of the lungs (early fibroid) . xxviii, 339
,, aneurysm of the aorta in a syphilitic subject . . xxviii, 344
,, on the sphygmographic evidence of arterio-capillary fibrosis . xxviii, 394
,, thrombosis of the pulmonary artery (para-vaginal and dermoid cysts) . . . . . xxxiv, 72
,, primary cancer of the undescended testis, cancer of thymus, vacuolation of liver and kidneys . . . xxxiv, 182
,, malignant anthrax (charbon), *post-mortem* of Mr. Bryant's case xxxiv, 294
MAKINS (G. H.), case of tubercular disease of the elbow-joint . xxxii, 189
,, suppurating bronchial glands at the root of the right lung, with obstruction of the trachea. . . . xxxv, 79
,, primary carcinoma of tibia . . . . xxxvi, 409
,, carcinoma involving both superior maxillæ . . . xxxvii, 382
,, diastasis of cervical spine . . . . xxxvii, 385

MALFORMATION, aortic valvular disease, probably originating in (T. B. Peacock) . . . . . xxvii, 59
,, of arm (A. Sturge) . . . . . xxxi, 208
,, of heart, see *Heart*.
,, of pharynx and œsophagus, two cases (J. W. Ilott) . . xxvii, 149
,, of pulmonary veins (W. C. Chaffey) . . . xxxvi, 183
,, congenital, of the ductus communis choledochus (J. H. Morgan) xxix, 137
,, — of hand and feet (M. Balding) . . . xxxii, 190
,, — of the skull (F. Treves) . . . . xxxiv, 228
,, see also *Deformities*.

MALIGNANT DISEASE of the pericardium (W. H. Broadbent) . xxxiii, 78
,, of thyroid from a case of myxœdema (G. Gulliver) . . xxxvii, 511

MALIGNANT GROWTH in the right kidney, invading inferior vena cava (F. C. Turner) . . . . xxxvi, 275
,, — of lip with melanosis (G. W. Steeves) . . . xxxvii, 475

MALIGNANT PUSTULE, see *Pustule* (malignant).

MALLEOLUS, fracture of the inner, with partial dislocation of the foot (H. Morris) . . . . . xxxii, 158

MALPIGHIAN BODIES, changes in, in granular kidney (R. Saundby) xxxi, 154

MAMMARY REGION, see *Breast*.

MANSON (PATRICK), per *Dr. Geo. Thin*, lymph scrotum showing filaria *in situ* [history of the parasite] . . . xxxii, 285
,, his discoveries relative to hæmatozoa, reference to (Sir J. Fayrer and D'Arcy Power) . . . . . xxx, 489

MANUBRIUM STERNI, ununited fracture of (W. A. Lane) . xxxvi, 325

MARSH (HOWARD), carcinoma of the testis in a boy aged 2 years . xxvi, 138
,, — microscopical *report* on, by H. T. Butlin . . xxvi, 140
,, hypertrophy in length of lower limb in association with chronic disease of the knee-joint . . . . xxvi, 161
,, ossifying sarcoma of the upper jaw in a boy 12 years old . xxvii, 218
,, — *report* on the microscopical characters of ditto (H. T. Butlin) xxvii, 219
,, — on Mr. A. Barker's specimen of supposed congenital dislocation of the hip . . . . . xxxiii, 250
,, see *Ilott*.

MARSHALL (LEWIS), per *J. F. Goodhart*, aneurysm of the aorta beneath the pillars of the diaphragm . . . xxviii, 85
„ per *W. J. Walsham*, spindle-celled sarcoma in the muscles of the calf, from a child aged 5 months . . . xxix, 215
additional note to ditto . . . xxxi (S. R.), 43
„ per *J. F. Goodhart*, a case of calculus vesicæ in a female child 2 years old . . . . . xxxvii, 319
MASON (FRANCIS), case of lymphadenoma in the sacral region . xxvi, 194
„ congenital deformity of the foot [nine toes] . . xxx, 583
MAUNDER (C. F.), discontinuous fatty tumours of the right axillary region . . . . . xxvii, 251
„ scirrhus mammæ in a male . . . . xxvii, 252
„ — *report* on ditto by the Committee on Morbid Growths (W. Moxon and W. W. Wagstaffe) . . . . xxvii, 252
MAXILLA, superior, osseous tumour of (J. F. Goodhart, for B. Edwards) . . . . . xxx, 358
„ — carcinoma involving both (G. H. Makins) . . xxxvii, 382
„ inferior, symmetrical exostoses of (F. S. Eve) . . xxxii, 170
„ see *Jaw*.
MEASLES, special communications on . . . xxix, 421–425
„ researches on (P. M. Braidwood and F. Vacher) . . xxix, 421
„ larynx and trachea from a dog dying of (W. Squire) . . xxvii, 340
„ ulceration of larynx from a case of (N. Moore) . . xxxiv, 22
MEATUS URINARIUS, protrusion of orifice of ureter through, in a female child (N. Davies-Colley) . . . xxx, 310
MECKEL'S DIVERTICULUM, see *Diverticulum*.
MEDIAN NERVE, thickened; anæsthetic leprosy (B. N. Rake) . xxxvii, 111
MEDIASTINUM, enchondroma of lymphatic glands of (N. Dalton) xxxv, 82
„ new growths in the (N. Moore) . . . . xxxv, 372
„ lymphoma of, pressing on the right bronchus and lung (H. A. Lediard) . . . . . xxxi, 309
„ lymphosarcoma, "lymphadenoma" of (F. S. Eve) . . xxxi, 279
„ secondary recurrent tumour in (D. Balding) . . xxviii, 23
„ acute inflammation of, two cases (J. F. Goodhart) . . xxviii, 37
„ anterior, fibroid thickening of tissues in, fibroid disease of the heart, &c. (S. O. Habershon) . . . . xxvii, 79
„ see *Abscess*, *Tumour* (mediastinal).
MEDULLA OBLONGATA, symmetrical degeneration in (W. B. Hadden) . . . . . xxxiii, 21
„ glioma of (T. T. Whipham) . . . . xxxii, 8
„ hæmorrhages in, causing sudden death from implication of vagal nucleus (W. Hale White) . . . . xxxiii, 15
MELANOSIS of finger (R. J. Godlee) . . . xxxi, 336
additional note on ditto . . . xxxiii (S. R.), 54
„ of the little finger (T. W. Nunn) . . . . xxxi, 299
„ malignant growth of lip with (G. W. Steeves) . . xxxvii, 475
MELANOTIC SARCOMA, see *Sarcoma*.
MELANOTIC TUMOUR, see *Tumours*.
MELANURIA associated with melanotic new growths, two cases (C. H. Fagge) . . . . . xxviii, 172
MELASMA, case of Addison's disease without; death by syncope after sea-sickness (W. W. Greene) . . . xxxiv, 270
„ with simple atrophy of the suprarenal capsules (H. Davy) . xxxiii, 360
MEMBRANE, diphtheritic false (W. S. Greenfield) . . xxviii, 41

MENINGEAL HÆMORRHAGE, see *Hæmorrhage.*
MENINGEAL INFILTRATION, extensive, in case of internal anthrax (J. Poland) . . . . . xxxvii, 550
MENINGITIS (Edwards Crisp) . . . . xxvii, 28
,, observations on the changes in small vessels in (C. Handfield Jones) . . . . . xxxvii, 203
,, arteritis and choroiditis in a child the subject of congenital syphilis (T. Barlow) . . . . . xxviii, 287
,, CEREBRO-SPINAL, chronic, case of (W. B. Hadden) . . xxxvi, 13
,, — a sporadic case of cerebro-spinal fever (R. E. Carrington) . xxxiii, 19
,, — spinal cords from two cases of (F. C. Turner) . . xxxv, 63
,, "epidemic," two cases of (R. E. Carrington) . . xxxv, 51
,, syphilitic, and gumma of the spinal dura mater (F. Taylor) . xxxv, 36
,, tubercular (F. C. Turner) xxxv, 101; (J. F. Goodhart) xxix, 322.
MENINGOCELE, pedunculated occipital, with the occipital bone removed after death, showing the opening in the bone (Dr. Roddick) . . . . . xxxi, 383
,, chronic hydrocephalus with (E. B. Baxter) . . . xxxiii, 1
MENINGO-ENCEPHALOCELE, trabeculated calvaria from a case of (S. G. Shattock) . . . . . xxxvii, 367
MENINGO-MYELOCELE in the lumbo-sacral region, cured by the injection of Morton's solution (S. G. Shattock) . . xxxvii, 89
MEREDITH (W. A.), ovarian cyst which had ruptured repeatedly during nine years prior to removal . . . xxxi, 180
,, large multilocular fibro-cystic tumour of uterus . . xxxii, 145
,, fibro-cyst of uterus . . . . . xxxii, 151
MESENTERIC GLANDS, caseous enlargement of, acute tuberculosis, &c., following (Sir D. Duckworth) . . . xxvi, 246
,, caseous disease of, chronic obstruction of small intestine due to old adhesions from (C. H. Fagge) . . . xxvii, 157
,, see *Lymphadenoma* of.
MESENTERY, band connecting, with umbilicus, intestinal obstruction from (F. A. Mahomed) . . . . xxvi, 117
,, malignant lymphoma of (A. Q. Silcock) . . . xxxv, 348
,, primary spindle-celled sarcoma of the (H. Sainsbury) . xxxv, 343
METACARPUS, cartilage tumours in the bones of (Jno. Hutchinson) xxxii, 241
METATARSAL BONES of right foot, fracture of the four outer, thrombosis of femoral vein, &c. (Stanley Boyd) . . xxxiii, 93
MICROCEPHALOUS CHILD, brain of a (T. Barlow) . . xxviii, 8
MICROCOCCI in the blood in cases of pyæmia . . . xxx, 44
,, proportions of carbolic acid in cucumber infusion, in which they develope (W. W. Cheyne) . . . . xxx, 578
,, in pyæmia (V. Horsley) . . . . xxxiv, 298
,, (streptococci) from abscess in a case of acute infective osteomyelitis (C. H. Golding-Bird) . . . . xxxv, 273
MICRO-ORGANISMS, photographs of (E. Crookshank) . . xxxvii, 571
,, in two cases of idiopathic purpura hæmorrhagica (W. W. Cheyne) xxxv, 408
MICROTOME, ether, a new and simple (L. Hudson) . . xxxvi, 498
MILIARY ANEURYSM, see *Aneurysm.*
,, tubercle, see *Tubercle.*
MILK, on the nature of certain observed relations between diphtheria and (W. H. Power) . . . . xxx, 546
,, ropy or garget, or cold in udder (A. H. Smee) . . xxx, 551
,, see *Lactic* Fermentation.

MILKY FLUID, enormous discharge of, in elephantiasis (W. W. Wagstaffe) . . . . . xxvi, 215
MILLSTONE-MAKERS' disease; siliceous matter found in the lung (T. B. Peacock) . . . . . xxix, 31
MISCELLANEOUS SPECIMENS, xxvi, 224–248; xxvii, 303–338; xxviii, 448–451; xxx, 581–589; xxxi, 353–384; xxxii, 273–310; xxxiii, 394–425; xxxiv, 291–307; xxxv, 408–467; xxxvi, 476–498.
MITRAL VALVE, double (W. S. Greenfield) . . . xxvii, 128
,, constriction of (S. J. Sharkey) . . . . xxxvii, 170
,, DISEASE of (A. P. Gould) . . . . xxviii, 50
,, — compensatory enlargement of anterior flap (W. R. Gowers) . xxviii, 51
,, — in a case of aneurysm of common femoral artery (T. Bryant) . . . . . xxviii, 98
,, STENOSIS of (W. S. Greenfield) xxvii, 113; (W. Ewart) xxix, 52; (J. P. Irvine) xxxi, 79; (F. C. Turner) xxxv, 109; (R. G. Hebb) xxxvi, 145; (R. E. Carrington) xxxvii, 171.
,, — in cases of loose balls of fibrin in left auricle (J. W. Legg) . xxix, 49
,, — thrombosis of left auricle, &c. (W. Cayley) . . xxix, 60
,, — with contraction of the aortic semilunar valves, in a boy (A. Boyce Barrow) . . . . . xxxii, 74
,, — and of tricuspid valves (P. Horrocks) . . . xxxii, 76
,, — with concurrent disease of the aortic valves (R. E. Carrington) . . . . . xxxii, 75
,, — embolism of the muscular tissue of the heart, &c. (J. F. Goodhart) . . . . . xxvii, 100
,, — and recent vegetations on (F. C. Turner) . . xxxiv, 36
,, — and aortic aneurysm (W. Pasteur) . . . xxxvii, 183
,, — fibrous and calcareous degeneration with ulceration of the angles of the mitral slit (F. C. Turner) . . . xxxvi, 144
,, fungating and ulcerating endocarditis of (R. E. Carrington) . xxxvi, 135
,, retroversion of, owing to lengthening of chordæ tendineæ (S. J. Sharkey) . . . . . xxxvii, 171
,, vegetations on, in case of rheumatic subcutaneous nodules (F. G. D. Drewitt) . . . . . xxxvii, 168
,, abnormal fibrous ring in left ventricle, attached to (N. Moore) . xxxiv, 29
,, see *Aneurysm* of.
MOLE, pigmented, with hypertrophy of mons and labium, growth after excision and second operation (J. Hutchinson) . xxxi, 348
additional note on ditto . . . xxxiii (S. R.), 55
,, the cock's-comb (J. Hutchinson) . . . . xxxi, 349
MOLLITIES OSSIUM, cases of (W. A. Lane) . . . xxxv, 299
,, partial (W. A. Lane) . . . . . xxxv, 308
,, myeloid sarcomata of lower jaw and rib with (H. T. Butlin) . xxxi, 277
MOLLUSCUM CONTAGIOSUM, nature and affinities of (A. and B. G. Morison) . . . . . xxxii, 245
,, case of (Jas. Startin) . . . . . xxxi, 341
,, cases of, occurring as a general eruption over the body and limbs of adults (J. Hutchinson) . . . xxvii, 295
,, the histology of (T. Fox and T. C. Fox) . . . xxx, 460
,, — references to writers on the subject . . . xxx, 460–461
,, histology and pathology of (H. R. Crocker) . . xxxi, 254
,, of Bateman, on the histology of (Geo. Thin) . . xxxii, 257
MOLLUSCUM FIBROSUM (G. Pollock) xxvi, 219; (John Wood) xxx, 458.
additional note on Mr. Wood's case . . xxxiii (S. R.), 48
,, case, with one tumour very large and pendulous (J. Hutchinson) xxxi, 349

MONEY (ANGEL), disease of sacrum, abscess in left thigh and left calf, scarlet fever, death . . . . . xxxiii, 264
,, morbus cordis, adherent pericardium, rheumatic nodules . xxxiv, 45
,, cirrhosis of liver . . . . . xxxiv, 136
,, the spinal cord of a recent and an old case of infantile palsy . xxxv, 45
,, necrosis of the upper jaw after typhoid fever . . xxxv, 275
MONKEYS, bone disease in (J. B. Sutton) . . . xxxv, 468
,, (Macaque) aged 3 years, bone disease in (J. B. Sutton) . xxxiv, 317
,, — thickness of bone in (J. B. Sutton) . . . xxxiv, 320
,, "Cercopithecus Diana," bone disease in (J. B. Sutton) . xxxiv, 319
,, "Cercopithecus cynosurus," thickness of bones in (J. B. Sutton) xxxiv, 320
,, see *Baboon.*
MONS VENERIS, hypertrophy of, in a case of pigmented mole (J. Hutchinson) . . . . . xxxi, 348
additional note to ditto . . . xxxiii (S. R.), 55
MONSTER, siren (J. H. Morgan) . . . . xxxvii, 555
MOORE (CHARLES) on "rodent ulcer," reference to . . xxx, 361
MOORE (NORMAN), rupture of the aorta within the pericardium . xxx, 283
,, case of poisoning by sulphuric acid . . . xxx, 297
,, cases of abscess of liver . . . . . xxx, 306
,, aneurysm of aorta opening into right auricle . . xxxi, 82
,, aneurysm of mitral valve . . . . xxxi, 96
,, ulcerations of stomach and duodenum . . . xxxi, 106
,, case of cancer, probably primary, of the gall-bladder . . xxxi, 138
,, horseshoe kidney . . . . . xxxi, 188
,, two cases of disease of the skull-cap . . . xxxi, 238
,, case of disease of the suprarenal capsules . . . xxxi, 350
,, tumour of optic tract from a case of diabetes insipidus . xxxii, 5
,, pyocephalus: brain of a child aged 5 months . . xxxii, 6
,, spinal cord showing dilatation of the central canal . . xxxii, 7
,, cancer of the right lung, with embolism in middle cerebral artery . . . . . xxxii, 32
,, ulcer of right bronchus penetrating the pulmonary artery . xxxii, 33
,, malformation of the heart . . . . xxxii, 39
,, blood from a patient who died of diabetes . . . xxxii, 72
,, abscess of liver in a child . . . . xxxii, 132
,, cirrhosis of liver in a child . . . . xxxii, 132
,, calcified fibroid of uterus . . . . xxxii, 145
,, remarks in the discussion on rickets . . . xxxii, 334
,, necrosis of epiglottis from a case of typhoid fever . . xxxiii, 38
,, stomachs from two cases of poisoning by oxalic acid and cyanide of potassium . . . . . xxxiii, 140
,, stomach from case of cirrhosis of liver . . . xxxiii, 141
,, upper part of descending colon, showing a perforated ulcer from a case of typhoid fever . . . . xxxiii, 150
,, *table* of eighteen cases of typhoid fever, with morbid appearances, examined in St. Bartholomew's Hospital, in epidemic, September—December, 1881 . . . xxxiii, 152, 153
,, *table* of ninety-five cases of typhoid fever, examined *post-mortem* at St. Bartholomew's Hospital, September, 1867, to September, 1881. . . . . xxxiii, 155–160
,, abscess of the pancreas, two specimens . . . xxxiii, 186
,, diverticulum of œsophagus . . . . xxxiii, 191
,, lobulation of the liver, a rare variety . . . xxxiii, 192
,, primary cancer of kidney, with calculus . . . xxxiii, 199
,, calculus in ureter, from a woman aged 45, who died of cerebral hæmorrhage . . . . . xxxiii, 206

MOORE (NORMAN) (*continued*)—
,, specimens from a case of gout, viz. knee-joint, patella, larynx, pons Varolii and pia mater, and kidneys . . . xxxiii, 271
,, rheumatic arthritis in a dog . . . . xxxiii, 432
,, ulceration of the larynx from a case of measles, and from a case of scarlet fever . . . . . xxxiv, 22
,, lung with impacted foreign body . . . . xxxiv, 23
,, abnormal heart [fibrous structures resembling valves in left ventricle] . . . . . xxxiv, 29
,, — *report* of Committee on ditto (J. F. Payne, P. H. Pye-Smith, and S. Coupland) . . . . xxxiv, 30
,, variety in the structure of the heart . . . xxxiv, 31
,, endocarditis, with miliary abscesses of the heart, in a case of hip-joint disease . . . . . xxxiv, 52
,, aneurysms in children . . . . . xxxiv, 71
,, carcinoma of œsophagus . . . . xxxiv, 79
,, cases of gastric ulcer associated with general degeneration of the arteries . . . . . xxxiv, 94
,, two cases of simple ulcer of the duodenum . . . xxxiv, 98
,, lympho-sarcoma invading the duodenum . . . xxxiv, 99
,, polypus of the stomach . . . . xxxiv, 106
,, stricture of intestine at the ileo-cæcal valve . . xxxiv, 112
,, cases of ulceration of vermiform appendix in typhoid fever . xxxiv, 113
,, tubercle of the liver in an adult . . . . xxxiv, 133
,, case of visceral syphilis . . . . xxxiv, 133
,, double hydrosalpinx . . . . . xxxiv, 182
,, diaphragm in a case of rickets . . . . xxxiv, 185
,, deep ulceration of cranium . . . . xxxiv, 209
,, elbow-joint from a case of scarlet fever . . . xxxiv, 225
,, rheumatic arthritis from a Roman tomb . . . xxxiv, 226
,, multiple diverticula of the small intestine with congenital stricture of the duodenum [with table of cases of Meckel's diverticulum] . . . . . xxxv, 202
,, cases of calculus of the pancreas . . . . xxxv, 232
,, case of visceral syphilis . . . . xxxv, 233
,, interstitial disease of the ovaries (with microscopic sections of ovaries and liver) . . . . . xxxv, 248
,, — *report* on ditto by Morbid Growths Committee (C. J. Symonds and A. A. Bowlby) . . . . xxxv, 248
,, natiform skull . . . . . xxxv, 282
,, new growths in the mediastinum . . . . xxxv, 372
,, cavity in the lung of a child, aged 11 months . . xxxvi, 108
,, heart showing aneurysm of aortic valve . . . xxxvi, 147
,, congenital disease of heart . . . . xxxvi, 192
,, carcinoma of stomach in a child . . . . xxxvi, 195
,, liver (from a case of anæmia) with hæmorrhage into its substance . . . . . xxxvi, 233
,, renal tumour, chiefly consisting of cholesterin . . xxxvi, 272
,, disease of sacro-iliac joint . . . . xxxvi, 346
,, sarcoma of skeleton in a child . . . . xxxvi, 393
,, chronic endocarditis with similar changes in the aorta . xxxvii, 169
,, cases of carcinoma of the heart . . . . xxxvii, 172
,, gummata of liver in a boy aged nine . . . xxxvii, 271
,, skull of chronic hydrocephalus . . . . xxxvii, 366
,, primary new growth in thyroid . . . . xxxvii, 513
,, — *report* of Morbid Growths Committee on above (R. W. Parker and S. G. Shattock) . . . . . xxxvii, 513

MORBID GROWTHS AND TUMOURS, xxvi, 180–189; xxvii, 233–284; xxviii, 213–230; xxix, 194–251; xxx, 360–438; xxxi, 256–314; xxxii, 194–244; xxxiii, 285–338; xxxiv, 233–269; xxxv, 335; xxxvi, 397–419; xxxvii, 450–506.
,, see *Committee on.*

MORBILLI, see *Measles.*

MORGAN (JOHN H.), enormous dilatation of the bile-ducts from stricture of the ductus communis choledochus . . xxvii, 176
,, case of congenital malformation of the ductus communis choledochus . . . . . xxix, 137
,, acute disease of the hip-joint . . . . xxx, 354
,, sarcoma of the scapula in an infant, followed by multiple sarcomata in various organs and tissues . . . xxx, 399
,, subperiosteal sarcoma of femur . . . . xxx, 403
additional note to ditto . . . xxxiii (S. R.), 46
,, sarcoma of testis (recent) . . . . xxxii, 243
,, multiple growths in the bladder . . . . xxxiv, 157
,, wound of the cerebellum by wire which passed through palate, pharyngeal wall, and occipito-atloid articulation . . xxxv, 12
,, large mass of calcareous deposit in thorax . . . xxxv, 78
,, double displacement of the head of the femur in a child . xxxvii, 383
,, large and rapidly growing granulation-growth following a bite on the upper lip . . . . . xxxvii, 462
,, siren monster . . . . . xxxvii, 555

MORISON (ALEX.), case of disease of the pulmonary and tricuspid valves of the heart . . . . . xxvii, 83
,, — *report* on, by the Morbid Growths Committee (J. F. Payne and W. S. Greenfield) . . . . xxvii, 97
,, case of chylous urine, in which the fatty principles were in part crystallisable, and the presence of sugar determined. . xxix, 394
,, recto-vesical fistula, septicæmia, terminating fatally . . xxx, 326
,, and BASIL G., observations on the nature and affinities of molluscum contagiosum . . . . xxxii, 245

MORISON (BASIL G.), case of gangrene of the lung from thrombosis in pulmonary artery . . . . . xxxii, 23
,, case of laryngeal phthisis . . . . xxxiv, 21
,, deposit of lime salts in mucous membrane of hepatic ducts in an ox . . . . . xxxiv, 137
,, and F. CHARLEWOOD TURNER, case of symmetrical cysts in the cerebrum, with hydrocephalus, hydrorhachis, and degeneration of the lateral columns of the spinal cord . . . xxxv, 17

MORPHŒA (Jas. Startin) . . . . . xxxiii, 384
,, or circumscribed scleroderma of the left side of face and scalp (W. M. Baker) . . . . . xxviii, 245
additional note to ditto . . . xxxiii (S. R.), 42
,, histology and pathology of, and its relation to scleroderma adultorum (H. R. Crocker) . . . . xxxi, 315

MORRIS (HENRY), intussusception of the ileum; enterotomy, removal of the tumour during life . . . xxviii, 131
,, bony outgrowth of the great trochanter in a case of impacted fracture of the neck of the femur, and simulating a dorsal dislocation of the hip . . . . xxxi, 214
,, pulsating tumour of the left parietal bone, right clavicle and of both femora, with hypertrophy of the heart . . xxxi, 259
,, — remarks on the microscopical structure of the tumour (J. F. Goodhart and Geo. Thin) . . . xxxi, 265–266

MORRIS (HENRY) (*continued*)—
,, — *letter* of M. Cornil on the tumour . . . xxxi, 267
,, — *report* of a similar case by S. W. Gross . . xxxi, 268
,, — *report* of the Morbid Growths Committee (M. Beck, H. T. Butlin, and R. J. Godlee) . . . xxxi, 270
,, comminuted fracture of the astragalus with subastragaloid dislocation of the foot outwards and backwards . . xxxii, 156
,, fracture of the inner malleolus, with partial dislocation of the foot by rotation around its antero-posterior axis . xxxii, 158
,, genu valgum . . . . . xxxii, 160
,, longitudinal fracture of the femur . . . xxxiii, 258
,, stomach from a case of acute gastrorrhœa, or acute dilatation of the stomach; death in forty hours from onset of vomiting . xxxiv, 82
,, a case of osteitis deformans (with plate from photographs) . xxxiv, 188
,, keloid tumour on the front of the leg (true keloid of Alibert) . xxxv, 338
,, *report* on Dr. Dowse's specimen of invaginated intestine . xxvi, 110
,, see *Sutton*.
MORRIS (MALCOLM), piedra, a new disease of the hair . . xxx, 441
,, case of extreme lupus (living specimen) . . . xxxii, 270
,, case of so-called xanthoma tuberosum [of diabetes] . . xxxiv, 278
,, — *report* on ditto (H. R. Crocker and A. Sangster) . . xxxiv, 284
,, — *postscript* to ditto (Jonathan Hutchinson) . . xxxiv, 285
MORTON'S SOLUTION, meningo-myelocele cured by the injection of (S. G. Shattock) . . . . xxxvii, 89
MOSQUITO, the, as intermediary host of the Filaria sanguinis, &c. (Sir J. Fayrer) . . . . . xxx, 493
,, history of its relations with the Filaria sanguinis hominis (P. Manson) . . . . . xxxii, 291–293
MOTT (F. W.), see *Steeves* (*G. W.*), malignant growth of lip with melanosis . . . . . xxxvii, 475
MOULLIN (C. MANSELL), cystic degeneration of breast . . xxxii, 215
,, — *report* of Morbid Growths Committee on ditto (H. T. Butlin and J. F. Goodhart) . . . . . xxxii, 217
,, bladder and rectum six months after Littre's operation for imperforate anus . . . . . xxxvii, 260
,, sarcoma of spermatic cord . . . . xxxvii, 341
MOUTH, blue pigment from the (W. H. Dickinson) . . xxxvi, 476
MOXON (WALTER), obstructed lymphatic glands as a cause of malignant pleuritis . . . . . xxvii, 46
,, post-mortem examinations of moveable kidneys . xxvii, 470–471
,, remarks in the discussion on the pathology of syphilis . xxvii, 403
,, *report* on Dr. J. B. Yeo's case of cardiac tumour . . xxvi, 53
,, *report* on *Mr. Maunder's* scirrhous tumour of the breast in a male . . . . . xxvii, 252
MUCOUS CYST, see *Cyst*.
MUCOUS MEMBRANE of rectum, cylindrical slough of (J. N. C. Davies-Colley) . . . . . xxxvii, 251
,, tracheal, chronic ulceration and thickening of, from the presence of a rubber tracheotomy tube (P. H. Pye-Smith) . xxxv, 78
MUMFORD (—), see *Fagge*, case of embolism.
MUNRO (W.), fibrinous clot in the heart of a child seven years of age, probably from sewer-gas poisoning . . . xxviii, 47
MURCHISON (CHARLES), remarks in the discussion on the germ theory of disease . . . . xxvi, 314–320
,, typical cirrhosis of liver in a boy aged nine . . xxvii, 199
,, see *Aitken, Bancroft, Braidwood, Klein, London*.

MURRAY (G. C. P.), case and specimen of solid ovarian disease . xxvi, 143
,, — *report* on, by the Committee on Morbid Growths (J. F. Payne and W. S. Greenfield) . . . . xxvi, 144

MUSCLES, abnormality of, near the shoulder-joint (C. B. Lockwood) xxxiv, 227
,, chondro-epitrochlearis, on each side (F. Taylor) . . xxxv, 466
,, abdominal, slough of part of, and its aponeurosis following punctured wound (J. N. C. Davies-Colley) . . xxxvii, 566
,, of the calf, spindle-celled sarcoma in (L. W. Marshall) . xxix, 215
,, of the larynx, partial atrophy of, in a case of sacculated aneurysm of arch of the aorta (R. D. Powell) . . . xxxiii, 85
,, of both legs, fatty degeneration of (W. H. Cripps) . . xxvi, 234
,, of the leg, fatty metamorphosis of (F. S. Eve) . . xxxi, 381
,, pectoral, of a hen, fatty tumour from (E. Crisp) . . xxvii, 339
,, sterno-mastoid, induration of (F. Taylor) . . . xxvi, 224
,, temporal and masseter, enlargement of, on both sides (J. W. Legg) . . . . . xxxi, 361
additional note on ditto . . . xxxiii (S. R.), 55
,, voluntary, appearances, probably of parasites, in, in enteric fever (G. Buchanan) . . . . . xxxi, 366
,, see *Atrophy* (muscular).

MUSCULAR ENVELOPE to ovarian cyst (G. Hewitt) . . xxvi, 142

MUSCULAR FIBRES, striated, in a fatty tumour from a child (H. T. Butlin) . . . . . xxviii, 221

MUSCULAR NERVES, see *Nerves, muscular.*

MUSEUM of the Royal Victoria Hospital at Netley, specimens of visceral syphilis at, description (W. Aitken) . . xxviii, 348

MYCOTIC ULCERATIVE AORTITIS (F. C. Turner) . . xxxvii, 107

MYELITIS (W. Hale White) . . . . xxxvii, 107
,, POLIO-, acute anterior, spinal cord from a case of, fatal in six weeks (F. C. Turner) . . . . . xxx, 202

MYELOCELE, see *Meningo-myelocele.*

MYELOID, see *Tumour.*

MYOCARDITIS, interstitial, and nephritis in a case of infantile syphilis (S. Coupland) . . . . xxvii, 303
,, suppurative, with scarlatinal nephritis (J. F. Goodhart) . xxxi, 70

MYO-LIPOMA of spinal cord (W. R. Gowers) . . . xxvii, 19

MYOMA of the œsophagus (C. H. Fagge) . . . xxvi, 94
,, associated with cancer of the uterus (R. G. Hebb) . . xxxvi, 307
,, see *Fibro-myoma.*

MYO-NEUROMA of the pituitary body (W. Hale White) . xxxvi, 37

MYO-SARCOMA of the kidney, probably congenital (D. Williams) . xxxiii, 317
,, striped, of kidney (F. S. Eve) . . . . xxxiii, 312

MYOSITIS, acute, of thigh (C. J. Devis) . . . xxxii, 273

MYXO-CHONDRO-SARCOMA of spermatic cord (A. J. Pepper) . xxxvi, 297

MYXŒDEMA, malignant disease of thyroid from case of (G. Gulliver) xxxvi, 511

MYXO-FIBROMA of epididymis and cord (J. Gay) . . xxxi, 310
additional note on ditto . . . xxxiii (S. R.), 53
,, recurrent of left parotid (C. Heath) . . . xxxv, 342

MYXOMA, two cases of (H. T. Butlin) . . . xxxiii, 324
,, see *Adeno-myxoma.*

MYXO-SARCOMA, or so-called colloid or hydatid tumour of the great omentum (F. S. Eve) . . . . xxxvii, 496

MYXO-SARCOMA (*continued*)—
,, of the spermatic cord, removed from a child thirteen months old (W. J. Walsham) . . . . . xxxi, 299
,, of the upper part of the left thigh (R. Lyell) . . xxviii, 225
,, of the head of the tibia (A. R. Anderson) . . . xxxi, 309

NÆVOID STRUCTURE at the base of the tongue in a case of papilloma (W. W. Wagstaffe) . . . . xxvi, 107
NAIL, epithelioma of the (J. Hutchinson, jun.) . . xxxvi, 468
NAILS, duck's crop filled with large, causing death (W. Curran) . xxvi, 253
NASAL CALCULUS (H. H. Clutton) . . . . xxxv, 330
NASUA RUFUS, pneumothorax in (J. B. Sutton) . . xxxiii, 432
NECK, blood-cyst removed from the (J. Gay) . . . xxx, 435
additional note on ditto . . . xxxiii (S. R), 48
,, horny growth from (A. Doran) . . . . xxxiii, 337
,, vascular growth in (J. S. Wilkinson) . . . xxvi, 196
,, congenital hydrocele of, dissection of (F. Treves) . . xxxii, 194
,, congenital tumour of (S. G. Shattock) . . . xxxiii, 289
,, fibro-cystic tumour of (J. F. West) . . . xxvi, 180
,, — microscopical report on ditto (O. Leeson) . . xxvi, 182
additional note on ditto . . . xxxiii (S. R.), 38
,, lymphadenomatous tumours of (W. M. Baker) . . xxx, 417
additional note on ditto . . . xxxiii (S. R.), 48
,, extensive sloughing of, "nondescript" lympho-sarcomatous tumour (A. E. Durham) . . . . xxxiv, 245
,, recurrent cartilaginous tumours of (Geo. Lawson) . . xxxiv, 261
NECROSIS, with softening in pyramids of the kidneys; recent endo-pericarditis (F. C. Turner) . . . . xxxvii, 290
,, of the endocardium over the auricular surface of its larger curtain (F. C. Turner) . . . . xxxv, 109
,, of epiglottis and right arytenoid cartilage in typhoid fever (S. West) . . . . . xxxiii, 37
,, of epiglottis from a case of typhoid fever (N. Moore) . xxxiii, 38
,, intraosseous or central, of femur (D'Arcy Power) . . xxxvii, 372
,, of osseous centre of the upper epiphysis of the right humerus (J. Poland) . . . . . xxxv, 327
,, of upper jaw after typhoid fever (A. Money) . . xxxv, 275
,, removal of nearly the whole of the lower jaw for; additional note ten years after (W. Tay) . . . . xxxv, 281
,, of the cartilages of the larynx in smallpox and enteric fever (Fred. S. Eve) . . . . . xxxi, 33
,, of patella from injury (J. McCarthy) . . . xxxvii, 371
,, extensive, of the skull-cap after a burn (Isambard Owen) . xxxiii, 263
,, acute, or infective periostitis, in pyæmia . . . xxx, 127
,, — of the tibia (W. M. Baker, for G. White) . . xxxii, 163
,, — with extensive necrotic patches in the heart (R. J. Godlee) xxxvi, 349
,, congenital syphilitic, of vomer (F. Churchill) . . xxxvii, 372
NEMATODE WORMS in the lungs of a Beatrix antelope (H. Gibbes) . . . . . xxxv, 483
NEPHRECTOMY for carcinoma of the left kidney; recovery (J. McCarthy) . . . . . xxxvii, 295
,, abdominal, scrofulous kidney removed by (J. K. Thornton) . xxxvi, 266
,, — of right kidney for hydronephrosis (J. K. Thornton) . xxxvi, 271
,, lumbar, kidney removed by, five months after renal lithotomy (R. C. Lucas) . . . . . xxxv, 235

NEPHRITIS and interstitial myocarditis in a case of infantile syphilis (S. Coupland) . . . . xxvii, 303
,, congenital smallness of left kidney (B. Rake) . . xxxvii, 286
,, acute (F. Taylor) xxxiv, 38; (R. E. Carrington) xxxvi, 135.
,, — a peculiar form of (W. Hale White) . . . xxxvi, 262
,, — secondary, and acute abscess in right lumbar region in a case of thrombosis of vena portæ (S. West) . . xxix, 107
,, scarlatinal, in a case of suppurative myocarditis (J. F. Goodhart) . . . . . xxxi, 70

NERVES, amputation changes in (W. H. White and W. Edmunds) xxxiv, 16
,, condition of, in diabetes, see *Diabetes* (discussion on).
,, degenerative changes in a patient with perforating ulcer of the foot (A. J. Pepper and A. Q. Silcock) . . . xxxvi, 63
,, on degeneration and regeneration of the axis-cylinder in non-traumatic nerve lesions (Geo. Hoggan) . . . xxxi, 12
,, leprous disease of, memorandum on (H. V. Carter) . . xxviii, 1
,, paralysis of third, fifth, and sixth, of four years' duration, in a girl with inherited syphilis (E. Nettleship) . . xxxii, 13
,, syphilis of, general remarks on (J. Hutchinson) . . xxviii, 305
,, syphilitic thickening of membrane around (W. R. Gowers) . xxviii, 281
,, tumours of, cases exhibited at the Pathological Society (1850–1875) . . . . . xxviii, 30
,, supposed rupture of most of the roots of the brachial plexus of (Jon. Hutchinson) . . . . . xxxi, 27
,, cranial, syphilitic gummata on, in a case of congenital syphilis (T. Barlow) . . . . . xxviii, 291
,, cutaneous, gangrene of, in relation to degeneration and regeneration of the axis-cylinder (Geo. Hoggan) . . xxxi, 12
,, median, enlargement of, in a case of congenital syphilis (J. A. Ormerod) . . . . . xxxii, 14
,, — thickened; anæsthetic leprosy (B. N. Rake) . . xxxvii, 111
,, muscular, condition of, in paralysis after diphtheria (R. G. Hebb) . . . . . xxxv, 50
,, optic, from a case of optic neuritis with good sight (E. Nettleship) . . . . . xxxi, 252
,, — atrophy of, in an eye lost by erysipelas spreading to the orbit (E. Nettleship) . . . . . xxxi, 254
,, — hæmorrhage into sheath of the (W. Hale White) . xxxvii, 5
,, phrenic, sections of, in the two forms of progressive muscular atrophy (J. M. Charcot) . . . . xxviii, 9
,, pneumogastric, involved in a case of mediastinal tumour (S. West) . . . . . xxxvi, 416
,, left recurrent, disorganisation of, from sacculated aneurysm of arch of the aorta (R. D. Powell) . . . xxxiii, 85
,, left recurrent laryngeal, aneurysm of aorta pressing on (T. T. Whipham) . . . . . xxxiii, 82
,, sciatic, tumour of the (D. Balding) . . . xxvii, 23
,, — recurrent tumour of, with secondary growth in mediastinum and pleura (D. Balding) . . . . xxviii, 23
,, spinal, from three cases of infantile paralysis (W. Edmunds) . xxxiv, 15
,, abdominal sympathetic, dissection of, from a case of Addison's disease (J. F. Goodhart) . . . . xxxiv, 271
,, ulnar, cyst on deep branch of (F. S. Edwards) . . xxxv, 65

NERVOUS SYSTEM, diseases, &c., of, xxvi, 1–10; xxvii, 1–39; xxviii, 1–31; xxix, 1–28; xxx, 189–219; xxxi, 1–29; xxxii, 1–15; xxxiii, 1–33; xxxiv, 1–18; xxxv, 9–74; xxxvi, 13–72; xxxvii, 1–113.

NETTLESHIP (EDWARD), sarcoma of outer surface of the sclerotic, with invasion of the ciliary body and iris . . . xxvii, 227
,, — sequel to above case; death from recurrent tumours four years after excision of the eye . . . . xxix, 234
,, microscopic examination of Mr. Hutchinson's tumour of the femur . . . . . xxvii, 267
,, carcinoma of the orbit recurring fourteen years after its second removal . . . . . xxix, 230
additional note to ditto . . . xxxiii (S. R.), 43
,, optic nerve from a case of optic neuritis with good sight . xxxi, 252
,, spontaneous intra-ocular hæmorrhage in an infant . . xxxi, 253
,, atrophy of optic nerve and retina, and other changes in an eye lost by erysipelas spreading to the orbit . . . xxxi, 254
,, paralysis of third, fifth, and sixth nerves of four years' duration, in a girl aged 14, the subject of inherited syphilis . xxxii, 13
,, see *Hutchinson* (*J.*), cholesterin in eyeball.

NEURITIS, optic, with good sight; optic nerve from the case (E. Nettleship) . . . . . xxxi, 252
,, peripheral (W. Hale White) . . . . xxxvii, 107

NEUROMA of the parotid (J. Hutchinson, jun.) . . xxxvii, 459
,, multiple, of the forearm (C. De Morgan) . . . xxvi, 2
,, — *report* on, and dissection and microscopic characters of (S. Coupland) . . . . . xxvi, 6

NEUROTIC EXCORIATION, case of (Jas. Startin) . . xxxiii, 385

NEW-BORN, bilateral cystic disease of the kidneys in the (S. G. Shattock) . . . . . xxxvii, 287

NEWMAN (W.), per *H. T. Butlin*, osteoma of the upper jaw . xxvi, 153
additional note to ditto . . . xxxiii (S. R.), 37
,, per *ditto*, elephantiasis of the right lower extremity . . xxvi, 211

NIL-GHAU [Antilope picta], bovine tuberculosis in (C. Creighton) xxxiii, 428

NIPPLE, supernumerary, in a man (H. Handford) . . xxxvii, 568
,, and areola, connection between diseases of, and tumours of the breast (G. Thin) . . . . . xxxii, 218
,, see *Eczema* of.

NODULES, subcutaneous fibrous, following rheumatism (J. Cavafy) xxxiv, 41
,, rheumatic (A. Money) . . . . . xxxiv, 45
,, — microscopical characters of, removed from right elbow and pericardium (A. Money) . . . . xxxiv, 49
,, — analogy between those of children and heart disease (F. D. Drewitt) . . . . . xxxiv, 50
,, multiple hæmorrhagic, in wall of jejunum; septicæmia (F. C. Turner) . . . . . xxxvii, 242
,, secondary, in the peritoneum in a case of ovarian tumour (J. M. Hobson) . . . . . xxxv, 351

NOSE, acinous adenoma of tip of (R. Parker) . . . xxxii, 238

NOSTRIL, fleshy polypus involving (W. S. Watson) . . xxix, 223

NUNN (T. W.), hyperostosis of the tibia . . . xxix, 181
,, recurrent tumour of breast removed seven years after first operation . . . . . xxxi, 276
,, *report* of the Morbid Growths Committee on ditto (M. Beck and R. J. Godlee) . . . . . xxxi, 276
,, epithelioma of the penis . . . . xxxi, 298
,, melanosis of the little finger . . . . xxxi, 299
,, see *Charcot* (*J. M.*).

OBLITERATION, congenital, of bile-ducts (J. M. Hobson) . xxxiii, 183
,, see *Artery* (coronary), obliteration of.

OBSTRUCTION, see *Intestines* (obstruction of).

OCCLUSION, complete, of right pulmonary artery (W. Ewart) . xxxi, 99
,, of the duodenum above the common bile-duct, congenital (G. Eastes) . . . . . xxxi, 114
,, of hepatic ducts by medullary carcinoma of duodenum (S. Coupland) . . . . . xxxi, 145
,, of vena cava superior (A. W. Stocks) . . . xxvii, 118
,, congenital, of small intestine (N. Davies-Colley) . . xxix, 115

O'Connor (Bernard), commencing symmetrical (senile) gangrene in the upper limbs of a female, associated with mammary and thoracic tumours . . . . . xxxv, 150

Odell (W. M.), *report* of Case 1 in Dr. Gowers' paper on Hydrophobia . . . . . xxviii, 15

ODONTOMA of second lower left molar tooth (R. Parker) . xxxii, 240

ŒSOPHAGEAL VEINS, dilated, giving rise to fatal hæmorrhage in cirrhosis of liver (W. B. Hadden) . . . . xxxiii, 190
,, and enlarged follicles in a case of cirrhosis of liver (W. B. Hadden) . . . . . xxxiii, 190

ŒSOPHAGUS, cancer of (H. Larder) . . . xxxvii, 226
,, — for which gastrostomy was performed (H. A. Lediard) . xxxvii, 229
,, — with perforation into right lung; upper lobes filled with decomposing food (F. S. Eve) . . . . xxxiv, 80
,, carcinoma of (N. Moore) . . . . xxxiv, 79
,, — spheroidal-celled (hard) of the (S. Benton) . . xxxv, 190
,, diverticulum of (N. Moore) . . . . xxxiii, 191
,, multiple epithelial growth in the (S. J. Sharkey) . . xxxvi, 189
,, epithelioma of, fistula between œsophagus and trachea, death from hæmorrhage (T. Whipham) . . . xxvi, 91
,, from fatal case of sword-swallowing (C. Gross) . . xxxvi, 188
,, impaction of a five-centime piece in the, for twenty months; scarlet fever; double pneumonia (S. J. Sharkey) . . xxxvi, 190
,, and pharynx, congenital malformation of (J. W. Ilott) . xxvii, 149
,, and trachea, double aortic arch enclosing (J. Curnow) . . xxvi, 33
,, case of malignant disease of, with considerable enlargement of the lymphatic glands in the neck and left axilla (J. A. P. Price) . . . . . xxxvii, 227
,, myoma of the (C. H. Fagge) . . . . xxvi, 94
,, and stomach from a case of acute carbolic acid poisoning (R. Smith) . . . . . xxxi, 143
,, fom a case of poisoning by carbolic acid (S. J. Sharkey) . xxxv, 191
,, rupture of, two cases (Stanley Boyd) . . . xxxiii, 123
,, — into the right pleura (Stanley Boyd) . . . xxxiii, 123
,, — in a case of Addison's disease (Stanley Boyd) . . xxxiii, 125
,, — spontaneous (W. Adams) . . . . xxix, 113
,, — into, sudden death from, in a case of double aneurysm of (J. B. Yeo) . . . . . xxvii, 61
,, — into, of aneurysm of arch of aorta (H. A. Lediard) . xxviii, 75
,, perforations in, of aneurysm of thoracic aorta (F. Semon) . xxviii, 76
,, separation of coats of, by aneurysm of arch of the aorta (F. Taylor) . . . . . xxvii, 97
,, &c., scald of, croupous inflammation following (J. N. Davies-Colley) . . . . . xxxiii, 34
,, congenital stenosis of the lower extremity of the (F. C. Turner) xxxvi, 185

ŒSOPHAGUS (*continued*)—
„ stricture of the (S. J. Sharkey) . . . . xxxv, 193
„ — with ulceration and perforation (R. W. Burnet) . . xxxiii, 191
„ — nearly impassable, fatal by ulcerative perforation of the trachea (J. Cockle) . . . . . xxviii, 123
„ simple ulceration establishing a communication between the trachea and (R. E. Carrington) . . . . xxxvi, 98
OGILVIE (GEORGE), glioma of optic thalamus . . . xxxvii, 53
OGSTON'S OPERATION, knee-joints seventeen months after (D'Arcy Power) . . . . . xxxvi, 345
OIL CYST, removed from parotid region (T. Bryant) . . xxxiii, 302
„ of temple (J. N. C. Davies-Colley) . . . xxxiii, 305
OMENTUM, colloid cancer of (E. Crisp) . . . xxvi, 123
„ carcinoma of (B. Fenwick) . . . . xxxiv, 269
„ pericardial draphragmatic hernia of the (W. M. Baker) . xxviii, 58
„ great, hernia of ileum through rent in (S. Coupland) . xxxi, 146
„ — myxo-sarcoma, or so-called colloid or hydatid tumour of (F. S. Eve) . . . . . xxxvii, 496
„ — case of tubercle of (F. S. Eve) . . . xxxvii, 496
„ intestinal obstruction caused by constricting cords of (J. K. Fowler) . . . . . xxx, 146
„ obliteration of left ureter by (S. West) . . . xxx, 203
OPERCULA, membranous, in bone of calvaria of an infant (J. F. Goodhart) . . . . . xxxvii, 364
OPTIC NERVES, hæmorrhage into the sheath of the (W. Hale White) . . . . . xxxvii, 5
OPTIC THALAMUS, glioma of (G. Ogilvie) . . . xxxvii, 53
OPTIC TRACT, tumour of, from a case of diabetes insipidus (N. Moore) . . . . . xxxii, 5
ORBIT, carcinoma of, recurring fourteen years after its second removal (E. Nettleship) . . . . xxix, 230
additional note on ditto . . . xxxi (S. R.), 43
„ secondary glioma of left, which covered one side of the face; excision of both eyes; death; *post-mortem* (G. Lawson) . xxxvi, 418
„ fleshy polypus involving (W. S. Watson) . . . xxix, 223
„ congenital tumour of the, complete exophthalmos in a child two days old; removal of eye (G. Lawson) . . . xxxv, 379
„ see *Eye*.
ORCHITIS, chronic interstitial, in tertiary syphilis (P. H. Pye-Smith) xxviii, 334
ORD (WM. MILLER), specimens of calculi which appear to have undergone spontaneous disintegration within the bladder . xxviii, 170
„ specimens of small calculi, in great part of carbonate of lime passed by the urethra . . . . . xxviii, 171
„ indigo calculus from the kidney . . . . xxix, 155
„ calculus containing carbonate and phosphate of lime . . xxix, 160
„ spontaneous disruption of calculi within the bladder . xxix, 161
„ fat from a case of chyluria . . . . xxix, 402
„ description of a large gall-stone passed per anum, with remarks on the structure and formation of biliary calculi . . xxxi, 139
additional note on ditto, by H. Carr Roberts . xxxi (S. R.), 49
„ calculus from the kidney . . . . xxxi, 185
„ cystine calculus, 1050 grains . . . . xxxi, 384
„ enterolith, an oriental bezoar . . . . xxxi, 385
„ aneurysm of the anterior communicating artery of the circle of Willis . . . . . xxxii, 65
„ case of colloid cancer of peritoneum invading the spleen . xxxii, 214

ORD (WM. MILLER) (*continued*)—
,, spontaneous disintegration of vesical calculi . . xxxii, 304
,, tubercular disease involving ascending parietal and frontal convolutions of left side, at the level of the first and second transverse frontal, involving also the adjoining parts of first and second transverse frontal, and extending into the white matter beneath . . . . . xxxvii, 46
,, gumma in and beneath upper part of ascending parietal convolution and parietal lobe, on right side, with adhesion of thickened dura mater . . . . . xxxvii, 42
,, *report* and chemical examination of Dr. Kraus's cases of spontaneous disruption of vesical calculi . . . xxx, 315
,, — on specimens of spontaneous fracture of calculi within the bladder, exhibited by Mr. Croft . . . . xxx, 318
,, see *Kraus, J.*

ORGANISMS characteristic of diseases (ague, pyæmia, typhoid, erysipelas, necrosis), description of a series of experiments undertaken for determining whether they could be obtained from the blood or juices of patients suffering from those diseases (R. J. Godlee) . . . . . xxviii, 397
,, on their relation to antiseptic dressings (W. W. Cheyne) . xxx, 557
,, see *Micro-organisms.*

ORGANS OF SPECIAL SENSE, diseases, &c., of, xxvi, 178–179; xxvii, 227–232; xxviii, 210–212; xxxi, 252–255; xxxiv, 230–232; xxxv, 330–334; xxxvii, 449.

ORLEBAR (HOTHAM G.), a case of three aneurysms arising from the descending aorta . . . . . xxx, 286
,, aneurysm and rupture of aortic valve . . . xxxi, 97
,, aneurysm of aortic arch rupturing into trachea . . xxxi, 98

ORMEROD (J. A), enlargement of the median nerve, congenital syphilis . . . . . xxxii, 14
,, hæmorrhage from a cerebral tumour . . . xxxiii, 11
,, cerebral tumour; sarcoma of temporo-sphenoidal lobe . xxxv, 27
,, case of scleroderma . . . . . xxxvi, 466
,, see *Committee* on intracranial tumours.

OS CALCIS, ostitis of right (W. Rivington) . . . xxxi, 246

OSBORN (SAMUEL), cirrhosis of liver in a child with congenital hydrocele . . . . . xxxii, 133

OSSEOUS LESIONS in hereditary syphilis (Jules Parrot) . xxx, 339

OSSEOUS SYSTEM, diseases, &c., of, xxvi, 153–177; xxvii, 218–226; xxviii, 201–209; xxix, 172–193; xxx, 332–359; xxxi, 193–251; xxxii, 152–193; xxxiii, 222–284; xxxiv, 185–229; xxxv, 252–329; xxxvi, 313–396; xxxvii, 360–448.

OSSEOUS TISSUE, extreme senile changes of (A. Doran) . xxvii, 314

OSSIFIC DEPOSITS, secondary, in the cranium and femur in a case of cancer of the prostate (A. Q. Silcock) . . xxxv, 244

OSSIFICATION in tumours not connected with bone, two cases (A. E. Durham) . . . . . xxxv, 378

OSSIFYING SARCOMA, see *Sarcoma.*

OSTEITIS (W. Hale White) . . . . . xxxvii, 107
,, of the femur (W. M. Baker) . . . . xxxii, 165
,, of upper part of tibia, with disease of knee-joint (W. Rivington) . . . . . xxxvi, 346
,, of right os calcis (W. Rivington) . . . xxxi, 246

OSTEITIS (*continued*)—
,, with ulceration of the skull, gummatous infiltration of dura mater, &c., from a case of syphilis (S. Coupland) . . xxxi, 243
,, of the ulna in connection with inherited syphilis (Jon. Hutchinson) . . . . . xxxi, 248
,, chronic, in connection with inherited syphilis (Jon. Hutchinson) xxxi, 250
,, DEFORMANS (D'Arcy Power) xxxvii, 369; (F. Treves) xxxii, 167.
,, — case of, with plate from photographs (H. Morris) . xxxiv, 188
,, — curvature of the femur due to (A. A. Bowlby) . . xxxiv, 192
,, — hyperostosis of tibia (H. G. Howse) . . . xxix, 182
,, — bones from two cases of (S. Paget) . . . xxxvi, 382
,, — case of, unaccompanied by tumour (A. Q. Silcock) . xxxvi, 383

OSTEO-ARTHRITIC JOINTS, loose bodies in (W. Edmunds) . xxxvii, 447

OSTEO-ARTHRITIS, with general hyperostosis in a living subject (H. G. Howse) . . . . . xxix, 184

OSTEO-CHONDROMA of thigh (W. H. Battle) . . xxxvii, 474

OSTEOCHONDROSARCOMA of breast (W. H. Battle) . . xxxvii, 473

OSTEO-ENCHONDROMATA, notes of a case of (G. Elder) . xxxiii, 280

OSTEOMA of the upper jaw (W. Newman) . . . xxvi, 153
additional note to ditto . . . xxxiii (S. R.), 37

OSTEO-MALACIA, juvenile (R. Barwell) . . . xxxiv, 205
,, rachitic, extreme deformity from (R. Barwell) . . xxxiv, 202
,, bones and kidneys from a case of, in a girl aged 13 (N. Davies-Colley) . . . . . xxxv, 285
,, microscopical appearances of bones in the above case (C. J. Symonds) . . . . . xxxv, 292
,, see *Rickets*.

OSTEOMYELITIS, acute infective, micrococci from abscess in a case of (C. H. Golding-Bird) . . . . xxxv, 273
,, caseating, in the tibia of a domestic pigeon (S. G. Shattock) . xxxiii, 435

OSTEOPHYTES, syphilitic, osteoid and rachitic (Jules Parrot) . xxx, 343–348

OSTEO-SARCOMA of lower end of femur (H. M. Jones) . . xxxii, 242
,, enormous, of the left femur in a boy (A. E. Durham) . xxxiv, 265

OSTRICH of South America, "Rhea Darwinii," bone disease in (J. B. Sutton) . . . . . xxxiv, 316

OVARIES, absence of left (R. E. Carrington) . . . xxxv, 237
,, and breasts, cancer of both (S. Coupland) . . . xxvii, 259
,, CYST, which had ruptured repeatedly during nine years prior to removal (W. A. Meredith) . . . . xxxi, 180
,, — in connection with, occurring in twin infants (A. Leared) . xxix, 171
,, — on the origin of cystic disease (cystic adenoma) of (F. S. Eve) . . . . . xxxvii, 343
,, — blood cyst of left, with peritoneal cysts (J. K. Thornton) . xxix, 145
additional note to ditto . . . xxxiii (S. R.), 42
,, — dermoid (J. K. Thornton) . . . . xxvii, 209
,, — gangrenous (J. K. Thornton) . . . . xxvii, 212
,, — pedunculated fibroma on the outer wall of (A. Doran) . xxxvi, 306
,, — with muscular envelope (G. Hewitt) . . . xxvi, 142
,, — multilocular extra-ovarian cyst (J. K. Thornton) . . xxvi, 147
additional note to ditto . . . xxxiii (S. R.), 37
,, — papillary (A. Doran) . . . . xxxiii, 207
,, — proliferating, in that of a seven months' fœtus (A. Doran) . xxxii, 147
,, — unilocular (J. K. Thornton) . . . . xxvi, 149

OVARIES (*continued*)—
„ fibroma of (W. J. Walsham) . . . . . xxvii, 216
„ interstitial disease of the (with microscopic sections of ovaries and liver) (N. Moore) . . . . . xxxv, 248
„ case of solid, ovarian disease (G. C. P. Murray) . . xxvi, 143
„ TUMOURS of, two dermoid (T. D. Griffiths) . . xxviii, 196
„ — fibroid (E. Crisp) . . . . . xxviii, 195
„ — of both, with peritoneal infection (J. K. Thornton) . xxviii, 189
„ — solid, and slightly enlarged right (H. Taylor) . . xxix, 168
„ — secondary nodules in the peritoneum in a case of (J. M. Hobson) . . . . . xxxv, 351
„ see *Lymphadenoma* of.

OVARIOTOMY, perforating ulcers of ileum from obstruction after (A. Doran) . . . . . xxx, 298
„ spinal cord from a case of tetanus following (V. Harris and A. Doran) . . . . . xxxi, 7

OWEN (ISAMBARD), extreme stenosis of the aortic opening by calcareous atheroma of the valves . . . . xxxiii, 72
„ extensive necrosis of the skull-cap after a burn . . xxxiii, 263

OXALIC ACID, stomach from a case of poisoning by (N. Moore) . xxxiii, 140

OXEN, actinomycosis of the jaws and tongue of (A. Lingard) . xxxvii, 590
„ calculous deposit in the urethra of, producing rupture of the bladder (E. Crisp) . . . . . xxviii, 453

PACHYMENINGITIS hæmorrhagica in delirium tremens (W. S. Greenfield) . . . . . xxix, 1
„ syphilitic (W. Hale White) . . . . xxxvii, 107

PADDISON (EDMUND H.), a case of Charcot's disease . . xxxvi, 48

PAGET (Sir JAMES), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 363
„ "case of rodent ulcer," reference to (G. Thin) . . xxx, 379

PAGET (STEPHEN), intestine from a case of acute diarrhœa . xxxvi, 208
„ direct backward dislocation of the hip without fracture of the acetabulum . . . . . xxxvi, 336
„ synovial cyst in the thigh from chronic rheumatic arthritis of the hip . . . . . xxxvi, 342
„ the bones from two cases of osteitis deformans . . xxxvi, 382
„ dermoid cyst under the tongue; pigmentation of corium . xxxvii, 225
„ symmetrical psoriasis . . . . . xxxvii, 516

PALATE, adenoma of, two cases with exceptional clinical features (J. Hutchinson) . . . . . xxxvii, 490
„ tubercular lupus of (Fairlie Clarke) . . . xxvii, 148
„ perforation of, by "hypertrophied" incisor tooth in a rat (S. G. Shattock) . . . . . xxxvii, 587
„ hard and soft, tumour involving the, chiefly on the left side; removal; recovery (Sir W. Mac Cormac) . . . xxxvii, 485
„ cleft, dissection of, from the adult (S. G. Shattock) . . xxxii, 284
„ soft, dermoid tumour growing from (W. Hale White) . xxxii, 201
„ — primary tumour of (F. Treves) . . . xxxvi, 397

PALSY, infantile, spinal cord of a recent and an old case (A. Money) . . . . . xxxv, 45

PANCREAS, abscess of the, two specimens (N. Moore) . . xxxiii, 186
„ calculus of the, cases of (N. Moore) . . . xxxv, 232

PANCREAS (*continued*)—
„ cancer of, and of liver, &c., with polypi of the portal vein and pancreatic duct (J. W. Legg) . . . . xxvii, 189
„ — primary (P. Kidd) . . . . . xxxiv, 136
„ cysts in the (P. H. Pye-Smith) . . . . xxxvi, 17
„ secondary inflammatory induration of, in case of ulcer of stomach (W. H. White) . . . . xxxvi, 192
„ secondary nodules of lymphoma in (S. Coupland) . . xxviii, 179
„ tubercle of the (T. Barlow) . . . . xxvii, 173

PANCREATIC DUCT, cancerous polypi of, in cancer of pancreas (J. W. Legg) . . . . . xxvii, 189

PAPILLOMA, congenital, in line of branchial fissure (H. H. Clutton) xxxv, 381
„ of bladder (E. H. Fenwick) . . . . xxxvii, 311
„ hydronephrosis due to (J. K. Thornton) . . . xxxvi, 269
„ of the Fallopian tube, with ascites and pleuritic effusion (A. Doran) . . . . . xxxi, 174
additional note to ditto . . . xxxiii (S. R.), 49
„ ? of the tongue (W. W. Wagstaffe) . . . xxvi, 105
„ of tongue, with nævoid structure at its base (W. W. Wagstaffe) xxvi, 107
„ intracystic, of accessory thyroid gland (B. Pollard) . . xxxvii, 507
„ see *Duct-papilloma.*

PARALYSIS, talipes equino-varus from long-standing (F. S. Eve) . xxxi, 381
„ bilateral, of vocal cords, caused by aneurysm of aorta (T. T. Whipham) . . . . . xxxiii, 82
„ after diphtheria, condition of spinal cord and muscular nerves in (R. G. Hebb) . . . . . xxxv, 50
„ agitans, or Parkinson's disease, pathology of a case of (T. S. Dowse) . . . . . xxix, 17
„ see *Alcoholic paralysis.*
„ general, of insane, bladder from case of (G. Savage and E. H. Fenwick) . . . . . xxxvii, 111
„ infantile, case of (H. Humphreys) . . . xxx, 211
„ — spinal cord from a case of (F. Taylor) . . . xxx, 197
„ — spinal nerves from three cases of (W. Edmunds) . xxxiv, 15
„ — dissection of a leg atrophied from, and amputated from a patient aged 20 (A. Doran) . . . . xxxi, 381

PARAPLEGIA caused by sarcomatous blood-cyst of spine (W. H. Kesteven) . . . . . xxxiv, 216
„ in case of fracture of the lumbar spine; death (J. R. Lunn) . xxxv, 252
„ ulceration of the intestines in (T. D. Acland) . . xxxvi, 56

PARASITES, remarkable case of, in a small W. African carnivore (J. B. Sutton) . . . . . xxxiv, 325
„ see *Blood parasites.*

PARKER (ROBERT W.), ossifying chondro-sarcoma of both femora with secondary deposits of a similar new growth in the lungs and in the bronchial and lymphatic glands . . xxxi, 223
„ bone lesions in congenital syphilis . . . xxxi, 226
additional note to ditto . . . xxxiii (S. R.), 50
„ diffuse sarcoma of liver, probably congenital . . xxxi, 290
„ congenital talipes varus and talipes calcaneus . . xxxi, 370
„ congenital absence of long bones, living cases . xxxiii, 236, 238
„ rickety deformity of the thorax, with spontaneous fracture of several of the ribs . . . . . xxxiii, 257
„ congenital absence of rectum . . . . xxxv, 213
„ congenital adeno-sarcoma of testis . . . xxxvi, 299

PARKER (ROBERT W.) (*continued*)—
„ obliterative endo-tracheitis and endo-bronchitis in congenital syphilis . . . . . xxxvii, 119
„ remarks in the discussion on rickets . . . xxxii, 338
„ and SAMUEL G. SHATTOCK, the pathology and etiology of congenital club-foot . . . . . xxxv, 423
„ *report* on Dr. Macdonald's intracranial cystic tumour . xxxvii, 9
„ — on Dr. Norman Moore's specimen of tumour of thyroid . xxxvii, 513
PARKER (RUSHTON), mammary adenoma-fibroma, containing an adjacent piece of carcinoma . . . . xxxii, 233
„ — *report* of Morbid Growths Committee on (M. Beck and R. J. Godlee) . . . . . xxxii, 235
„ hyaline adeno-myxoma of breast . . . . xxxii, 236
„ acinous adenoma of right breast . . . . xxxii, 237
„ tubular adenoma of left breast . . . . xxxii, 238
„ acinous adenoma of tip of nose . . . . xxxii, 238
„ tubular adenoma of root and dorsum of tongue, submucous . xxxii, 238
„ columnar epithelioma of antrum of upper jaw . . xxxii, 239
„ round-celled acinous epithelioma, or adenoma of upper jaw . xxxii, 239
„ odontoma of second lower left molar tooth . . xxxii, 240
PARKINSON'S DISEASE, see *Paralysis Agitans.*
PAROTID, left, recurrent myxo-fibroma of (C. Heath) . . xxxv, 342
„ neuroma of (J. Hutchinson, jun.) . . . xxxvii, 459
PAROTID REGION, oil cyst removed from (T. Bryant) . . xxxiii, 302
PAROVARIAN CYST with twisted pedicle and intracystic hæmorrhage (H. A. Lediard) . . . . xxxvii, 353
PAROVARIUM and broad ligament, incipient cystic disease of (A. Doran) . . . . . xxxiv, 169
PARROT (JULES), les lésions osseuses de la syphilis héréditaire . xxx, 339
PARROT, colotomy performed by, on a sheep (H. A. de Lautour) . xxxi, 386
PARTRIDGE (S. BOWEN), description of specimens of elephantiasis arabum (Sir J. Fayrer and D'Arcy Power) . . xxx, 488
PASTEUR (L.), notices of his solution for experiments, &c., on fermentation (Sir J. Lister) . . . . xxix, 431
PASTEUR (W.), aortic aneurysm and mitral stenosis . . xxxvii, 183
PATELLA, old outward dislocation of (C. J. Symonds) . . xxxii, 193
„ chronic enlargement of a bursa patellæ (J. Hutchinson) . xxxi, 383
„ left, from a case of gout (N. Moore) . . . xxxiii, 271
„ necrosis of, from injury (J. McCarthy) . . . xxxvii, 371
PATHOLOGICAL SOCIETY OF LONDON: sketch of its career (J. W. Hulke) . . . . . xxxv, 1
PAUL (F. T.), cases of adenoma and primary carcinoma of the liver xxxvi, 238
„ rupture of aorta . . . . . xxxvii, 173
„ a note on calcareous degeneration of arteries . . xxxvii, 216
„ congenital adeno-sarcoma of the kidney . . . xxxvii, 292
PAVY (F. W.), remarks in discussion on diabetes [chemical condition of the blood in diabetes, maltose, &c.] . . xxxiv, 391
PAYNE (J. F.), remarks in the discussion on the germ theory of disease . . . . . xxvi, 329–334
„ case of hemiatrophia facialis . . . . xxxii, 306
„ specimens from a case of varicella gangrænosa . . xxxvi, 471
„ specimens from a case of erythrasma . . . xxxvii, 516
„ specimens from a case of granuloma fungoides . . xxxvii, 522
„ hairs showing a remarkable nodose condition, or "beaded hairs" xxxvii, 540

PAYNE (J. F.) (*continued*)—
,, and FELIX SEMON, a case of rhinoscleroma . . xxxvi, 73
,, — *report* of Morbid Growths Committee (J. F. Goodhart and H. T. Butlin) on above . . . . xxxvi, 81
,, see *Jacob* (*E. H.*), tumour of finger.
,, see *Jones* on pale and red clots.
,, see *Devis* (*C. J.*), on myositis.
,, *report* on G. C. P. Murray's specimen of ovarian tumour . xxvi, 144
,, — on Mr. J. S. Wilkinson's specimen of vascular growth in the neck and upper part of chest . . . xxvi, 198
,, — on Dr. A. Morison's specimen of disease of the pulmonary and tricuspid valves . . . . . xxvii, 97
,, — on Dr. F. A. Mahomed's cases of adenoma of the liver . xxviii, 155
,, — on Dr. B. Fenwick's specimen of intrathoracic tumour . xxxiii, 299
,, — on Dr. N. Moore's case of abnormal heart . . xxxiv, 30
,, — on Dr. Handfield Jones's cases of obstruction of cerebral arteries by atheroma . . . . . xxxiv, 60
,, — on Dr. S. J. Sharkey's case of syphilitic inflammation of the capsule of the liver . . . . xxxiv, 122
,, — on the specimens exhibited in the discussion on diabetes . xxxiv, 397
,, — on Drs. Lanchester and Hobson's case of caseous pneumonia xxxvi, 117

PEACOCK (T. B.), aneurysm of aorta opening into the left bronchus xxvi, 16
,, supra-renal capsular disease and bronzing of the skin . xxvi, 207
,, case of aortic valvular disease, probably originating in malformation, &c. . . . . xxvii, 59
,, aneurysm of the arteria innominata and one of the aorta, the latter opening into the trachea . . . . xxvii, 130
,, malformation of heart; stenosis of conus arteriosus of right ventricle and of pulmonary artery at origin, aperture in septum ventriculorum; foramen ovale, and ductus arteriosus closed; cyanosis . . . . . xxvii, 131
,, ulceration of the stomach from sulphuric acid taken by mistake . . . . . xxvii, 143
,, supra-renal capsular disease, with bronzing of the skin . xxvii, 287
,, — post-mortem examination, five hours after death, by W. S. Greenfield . . . . . xxvii, 288
,, medullary sarcoma of bronchial glands and lungs . . xxviii, 32
,, millstone-makers' disease; siliceous matter found in the lung . xxix, 31
,, malformation of the heart; large aperture in the septum of the auricles, foramen ovale closed . . . xxix, 43
,, aneurysm of the arch of the aorta which opened externally . xxix, 68
,, case of stenosis of the pulmonary artery from disease of the valves, probably of congenital origin . . . xxx, 258
,, disease of the aortic valves originating in congenital defect . xxx, 277
,, malformation of heart; stenosis of the orifice of the pulmonary artery, aorta from both ventricles, defects in foramen ovale, ductus arteriosus closed . . . . xxxii, 35
,, — eight cases in which the patients survived to twenty years of age and upwards . . . . . xxxii, 38
,, and T. BARLOW, malformation of the heart, stenosis of pulmonary artery, aorta communicating with both ventricles . . xxxi, 91
,, and W. C. REED, malformation of the heart, absence of the pulmonary artery . . . . . xxxi, 91
,, see *Ashby*, *Fisher*.

PEARSON (D. R.), see *Howes*.

PELVIS, enchondroma of (F. S. Eve) . . . xxxvi, 395

PENICILLIUM GLAUCUM, its introduction into tube glasses by acari . . . . . xxix, 427
PENIS, epithelioma of (Thomas W. Nunn) . . . xxxi, 298
,, corpora cavernosa and spongiosum of, gangrene of, from thrombosis of iliac vein (?), consequent upon rheumatic phlebitis (J. Gay) . . . . . xxx, 323
,, primary sarcoma of (W. H. Battle) . . . xxxvi, 291
PEPPER (A. J.) and A. QUARRY SILCOCK, case of perforating ulcer of the foot in a patient affected with remarkable degenerative changes in the spinal cord and nerves . . . xxxvi, 63
PERFORATING ULCER, see *Ulcer*.
PERFORATION of bladder after fracture of spine (E. H. Fenwick) . . . . . xxxvii, 308
,, of a diverticulum, in a case of acute intestinal obstruction (A. Doran) . . . . . xxix, 122
,, fatal, of trachea in nearly impassable stricture of œsophagus (J. Cockle) . . . . . xxviii, 123
,, see *Aortic valves*.
PERICARDITIS, pus in pericardium (E. Crisp) . . xxvi, 67
,, following caseous enlargement of bronchial glands, &c., in a child (Sir D. Duckworth) . . . . xxvi, 246
,, acute (R. E. Carrington) . . . . . xxxvi, 135
,, early, in a case of empyema (J. F. Goodhart) . . xxvii, 102
,, purulent, case treated by incision in the course of pyæmia (S. West) . . . . . xxxv, 104
,, see *Endo-pericarditis*.
PERICARDIUM, leakage in, from an extra-pericardial aneurysm of ascending aorta (W. Ewart) . . . . xxxi, 82
,, adherent (A. Money) . . . . . xxxiv, 45
,, malignant disease (sarcoma) of (W. H. Broadbent) . . xxxiii, 78
,, fibrous nodules on, in case of rheumatic subcutaneous nodules (F. G. D. Drewitt) . . . . . xxxvii, 168
,, perforation of (F. C. Turner) . . . . xxxvi, 152
,, rupture into, of aneurysm of aorta (J. P. Irvine) . . xxviii, 68
,, — of aneurysm of ascending aorta (J. P. Irvine) . . xxviii, 73
,, — of aortic aneurysm (W. W. Wagstaffe) . . . xxix, 72
,, rupture of the aorta within the (N. Moore) . . . xxx, 283
,, PYO-, case of recovery from (A. P. Gould) . . . xxviii, 57
PERICHONDRITIS, see *Chondritis*.
PERIHEPATITIS, syphilitic, case of (S. J. Sharkey) . . xxxiv, 118
PERINÆUM, testicle in the, with congenital inguinal hernia and acute hydrocele (W. R. Williams) . . . xxxiv, 168
,, congenital tumour of (G. R. Turner) . . . xxxvi, 417
PERIOSTITIS and osteo-myelitis of os calcis (W. Rivington) . xxxi, 246
,, hæmorrhagic, of the shafts of several of the long bones, with separation of the epiphyses (T. Smith) . . . xxvii, 219
,, infective, in pyæmia . . . . . xxx, 127
PERITONEAL ADHESIONS, biliary calculi encysted in (S. Coupland) . . . . . xxviii, 157
PERITONEAL (RETRO-) TISSUES, diffuse suppuration in, causing aneurysm of the cœliac axis (J. P. Irvine) . . . xxix, 85
PERITONEUM, colloid cancer of, invading the spleen (W. M. Ord) xxxii, 214
,, infection of, in a case of tumours of both ovaries (J. K. Thornton) . . . . . xxviii, 189

PERITONEUM (*continued*)—
„ secondary nodules in the, in a case of ovarian tumour (J. M. Hobson) . . . . . xxxv, 351
„ inflammatory thickening and contraction of, stricture of ileum (G. Gulliver) . . . . . xxxvii, 248
„ patent vaginal process of (F. S. Eve) . . . xxxi, 147
„ hernia into vaginal process of (F. S. Eve) . . . xxxi, 147
„ see *Cysts* (Peritoneal).

PERITONITIS in a case of cancerous ulcer of the colon (J. F. Goodhart) . . . . . xxx, 234
„ acute, in a case of calculus perforating vermiform appendix (S. J. Sharkey) . . . . . xxxvii, 243
„ chronic, in fibroid disease of heart, &c. (S. O. Habershon) . xxvii, 79
„ — in a case of cirrhosis of the liver (P. H. Pye-Smith) . xxxiii, 172
„ suppurative, death from, in a case of obturator hernia in a female, causing chronic intestinal obstruction (J. F. Goodhart) xxvii, 161

PERITYPHLITIS caused by grain of corn (W. Hale White) . xxxvi, 210

PERONEUS LONGUS, round-celled sarcoma of (G. Barling) . xxxvi, 414

PETROUS BONE, see *Temporal.*

PEYERIAN lesions in case of relapse of enteric fever, unusual (pseudo-membranous) character of (J. J. Pringle) . . xxxvi, 196

PHARYNX, epithelioma of, invading the larynx (L. Browne) . xxix, 250
additional note to ditto . . . xxxiii (S. R.), 44
„ — involving the larynx, trachea, and œsophagus (T. Gilbart Smith) . . . . . xxxi, 102
„ pin spontaneously expelled after eleven months' retention in (J. J. M. Dunbar) . . . . . xxviii, 120
„ and œsophagus, congenital malformation of (J. W. Ilott) . xxvii, 149
„ fatty tumour behind the (F. Taylor) . . . xxviii, 216
„ tubercular ulceration of (P. Kidd) . . . xxxv, 189

PHEASANTS, tubercle in (E. Crisp) . . . . xxvi, 249
„ rickets in young (E. Crisp) . . . . xxvii, 339

PHLEBITIS, PYLE-, suppurative, with resulting cicatrices in the liver (J. F. Goodhart) . . . . xxxii, 137
„ rheumatic, thrombosis of the iliac vein consequent on (J. Gay) xxx, 323
„ suppurative, of the vesical, iliac, and femoral veins of the left side, following cystitis (W. J. Walsham) . . . xxx, 321

PHOSPHORUS POISONING, liver, kidneys, and heart from a case of (J. F. Goodhart) . . . . . xxxvi, 479

PHTHISIS, non-connection with diabetes, see *Diabetes* (D. Powell in discussion on).
„ in a case of aneurysm of the septum of the heart, &c. (J. W. Legg) . . . . . xxvii, 104
„ kidney from a case of, showing mortification of the apices of the pyramids (F. C. Turner) . . . . xxxvi, 268
„ fibroid, with a history of syphilis (J. F. Goodhart) . . xxviii, 313
„ — in tertiary syphilis (P. H. Pye-Smith) . . . xxviii, 334
„ — nodular, syphilitic (J. F. Goodhart) . . . xxx, 232
„ laryngeal, case of (B. G. Morison) . . . xxxiv, 21
„ syphilitic? (P. H. Pye-Smith) . . . . xxviii, 337
„ tubercular, tubercle in liver and kidneys, &c. (J. F. Goodhart) . xxvii, 196

PIA MATER from a case of gout (N. Moore) . . . xxxiii, 271
„ cyst in; deformity of brain (F. C. Turner) . . . xxxv, 22
„ sarcoma of the cerebral (W. Cayley) . . . xxvi, 1

PIEDRA, specimen of the affection of the hair so described; trichoclasia or trichorrhexis nodosa (P. H. Pye-Smith) . xxx, 439
„ a new disease of the hair (M. Morris) . . . xxx, 441
PIGEON, domestic, caseating osteo-myelitis in tibia of (S. G. Shattock) . . . . . xxxiii, 435
„ ectopia from crop of (F. S. Eve) . . . . xxxvii, 592
PIGMENT, absorption of, in patches invaded by symmetrical loss of hair (T. Robinson) . . . . . xxxiii, 391
„ blue, from the mouth (W. H. Dickinson) . . . xxxvi, 476
PIGMENTATION of the cervix uteri (R. Barnes) . . xxxiv, 176
„ marked, of labia minora in case of Addison's disease (S. Taylor) xxxvi, 449
„ of corium (S. Paget) . . . . . xxxvii, 225
„ abnormal, of the skin following jaundice (John Cavafy) . xxxii, 258
„ of the skin of the face and hands, following multiple melanotic sarcomata (J. W. Legg) . . . . xxxv, 367
„ — in case of blood-cysts of suprarenal capsules (R. E. Carrington) . . . . . xxxvi, 454
„ peculiar, in Addison's disease (D. J. Leech) . . xxx, 478
PIN spontaneously expelled after eleven months' retention in the pharynx (J. J. M. Dunbar) . . . . xxviii, 120
PINE, xyloma or woody tumour of (S. G. Shattock) . . xxxvii, 593
PINEAL BODY, spindle-cell sarcoma of the, containing glandular and carcinomatous structures (F. C. Turner) . . xxxvi, 27
PITT (G. N.), scarred kidneys which have become granular; thrombosis of right uterine vein following delivery; hypertrophied heart with *ante-mortem* clot in both ventricles; pulmonary apoplexy . . . . . xxxvi, 265
„ old hydatid of liver embedded in a syphilitic growth . . xxxvii, 276
„ see *Durham, A. E.*, Colitis polyposa.
PITTS (BERNARD), case of bronchocele in which the thyroid was removed during an attack of dyspnœa . . . xxxiii, 364
„ ossifying sarcoma of radius . . . . xxxvii, 374
„ see *Jones* (*Sydney*).
PITUITARY BODY, cancer of, in the anubis baboon (J. F. Goodhart) . . . . . xxxvi, 36
„ myo-neuroma of the (W. Hale White) . . . xxxvi, 37
„ tumour of (F. Taylor) xxxv, 35; (A. A. Bowlby) xxxvi, 35.
PLEURA, cancer of right, following cancer of right mamma (S. West) . . . . . xxxii, 227
„ lobulated lamellar fibroma on the (F. C. Turner) . . xxxiv, 19
„ secondary growths in, in fibro-myoma of uterus (D. W. Finlay) xxxiv, 177
„ fibroid thickening of right (of syphilitic origin?) (A. Q. Silcock) . . . . . xxxvii, 140
„ hernia of abdominal viscera into left (W. Ewart) . . xxxi, 146
„ rupture of œsophagus into right (Stanley Boyd) . . xxxiii, 133
„ secondary recurrent tumour in (D. Balding) . . xxviii, 23
„ lymphatic vessels of, varicose condition of, in a case of Addison's disease (E. H. Greenhow) . . . . xxviii, 231
PLEURAL CAVITY, left, rupture of renal abscess into (J. R. Lunn) xxxiv, 138
PLEURISY, fatal, extensive caries of spine leading to (A. E. Barker) . . . . . xxix, 191
„ malignant, caused by obstructed lymphatic glands (W. Moxon) xxvii, 46
„ tubercular, and pericarditis following caseous enlargement of bronchial glands in a child (Sir D. Duckworth) . . xxvi, 246

PLEURITIC EFFUSION, associated with a papilloma of the Fallopian tube (A. Doran) . . . . xxxi, 174
PLEURO-PNEUMONIA, hæmoptysis eighteen months before death (E. Crisp) . . . . . xxvi, 14
PNEUMOGASTRIC NERVE involved in case of mediastinal tumour (S. West) . . . . . xxxvi, 416
PNEUMONIA in birds (E. Crisp) . . . . xxviii, 455
„ tricuspid septic endocarditis? consequent upon previous (H. Handford) . . . . . xxxvii, 166
„ caseous, of entire lung, simulating empyema, with general tuberculosis (H. T. Lanchester and J. M. Hobson) . xxxvi, 115
„ destructive, due to compression of bronchus by aneurysm of aorta (J. P. Irvine) . . . . . xxix, 36
„ — and compression of left bronchus by an aneurysm (J. P. Irvine) xxx, 239
„ — in left lung, from compression of its bronchus by aneurysm of aorta (J. P. Irvine) . . . . xxx, 241–244
„ interstitial, in a case of Addison's disease (E. H. Greenhow) . xxviii, 231
„ — in a case of double aneurysm of thoracic aorta (J. P. Irvine) xxviii, 63
„ — in a case of cirrhosis of the liver (P. H. Pye-Smith) . xxxiii, 172
„ — in congenital syphilis (J. F. Goodhart) . . xxviii, 359
„ — chronic, in tertiary syphilis (P. H. Pye-Smith) . . xxviii, 334
„ — in an infant (C. J. Symonds) . . . . xxxvii, 124
„ chronic lobar, grey induration, gangrene and secondary suppuration in lower lobe of lung (S. Coupland) . . xxx, 224
„ syphilitic (?) (W. S. Greenfield) . . . xxvii, 43
PNEUMOTHORAX, two cases of the right side (S. West) . xxx, 236
„ chronic excavation of the lung terminating in localised (S. West) xxxii, 21
„ in a coati (J. B. Sutton) . . . . xxxiii, 432
POISONING by carbolic acid; œsophagus, stomach, and intestine from a case of (S. J. Sharkey) . . . . xxxv, 191
„ — stomach from a case of (S. West) . . . xxxv, 192
„ case of, by sulphuric acid (N. Moore) . . . xxx, 297
„ — stomach from a case of (R. Percy Smith) . . xxxv, 192
„ — with intense inflammation of the transverse colon (W. Hale White) . . . . . xxxiv, 96
„ stomachs from two cases of, by oxalic acid and cyanide of potassium (N. Moore) . . . . . xxxiii, 140
„ see *Phosphorus*.
Poland (John), suppurative arthritis of both shoulder-joints of an infant, with necrosis of the osseous centre of the upper epiphysis of the right humerus . . . . xxxv, 327
„ suppurative arthritis of right hip-joint of an infant . . xxxv, 329
„ sebaceous cyst of finger . . . . xxxv, 399
„ suppurating (caseous) bronchial gland, opening into œsophagus and left bronchus . . . . . xxxvi, 105
„ congenital hydrocele of left spermatic cord . . . xxxvi, 294
„ ununited fracture of internal condyle of right humerus . xxxvi, 332
„ synostosis of foot, following gunshot wound thirty-five years previously . . . . . xxxvi, 347
„ epithelial growths in liver and kidney secondary to epithelioma of tongue; microscopic sections . . . . xxxvi, 411
„ old subcoracoid dislocation of the right shoulder-joint . xxxvii, 383
„ dislocation of knee-joint outwards . . . xxxvii, 885
„ internal anthrax; affection of stomach, intestines, and lungs; extensive meningeal infiltration; cerebral and spinal hæmorrhages into skin; delirium and tetanic spasm . . xxxvii, 550
„ stump of amputation at the knee-joint . . . xxxvii, 567

POLIOMYELITIS, acute anterior, spinal cord from a case of, fatal in six weeks (F. C. Turner) . . . . xxx, 202
POLLARD (BILTON), carcinoma of the kidney, associated with calculi xxxvi, 272
,, hypertrophied callus of tibia and fibula . . . xxxvi, 388
,, — *report* of Morbid Growths Committee on above (F. S. Eve, S. J. Sharkey) . . . . . xxxvi, 391
,, tubular epithelioma of upper jaw . . . xxxvi, 406
,, gonorrhœal pyæmia . . . . . xxxvi, 477
,, round-celled sarcoma of tonsil . . . . xxxvii, 221
,, dermoid cyst of testicle . . . . xxxvii, 342
,, duct-papilloma of breast . . . . xxxvii, 483
,, secondary epithelioma of lower jaw . . . xxxvii, 492
,, intracystic papilloma of accessory thyroid gland . . xxxvii, 507
POLLOCK (GEORGE), molluscum fibrosum . . . xxvi, 219
,, remarks in the discussion on the pathology of syphilis . xxvii, 439
POLYPOID body found in left ventricle, following incompetency of the aortic valves, &c. (E. H. Greenhow) . . xxxi, 73
,, growths, diffuse, of large intestine (A. A. Bowlby) . . xxxiv, 108
POLYPUS, fleshy, involving the antrum, orbit, and nostril (W. S. Watson) . . . . . xxix, 223
,, fibroma-sarcoma, of bladder (E. H. Fenwick) . . xxxvii, 313
,, mucous, of the urinary bladder (S. G. Shattock) . . xxxiv, 150
,, villous, of the bladder (F. Treves) . . . xxxii, 141
,, intestinal, causing intussusception, cured after sloughing of strangulated bowel (A. A. Bowlby) . . . xxxiv, 106
,, connected with Meckel's diverticulum (A. E. Durham) . xxxvi, 209
,, cancerous, of the portal vein and pancreatic duct (J. W. Legg) xxvii, 189
,, of the rectum (M. Sheild) . . . . xxxvi, 214
,, connective-tissue, of the rectum, very large (A. A. Bowlby) . xxxiv, 107
,, disseminated, of the rectum, two cases (W. H. Cripps) . xxxiii, 165
,, of the stomach (N. Moore) . . . . xxxiv, 106
,, removal of, followed by exfoliation of petrous portion of temporal bone, &c. (W. J. Roeckel) . . . . xxxiv, 232
,, congenital mucous, of umbilicus (A. P. Gould) . . xxxii, 204
PONS VAROLII, hæmorrhage into (T. S. Dowse) . . xxvii, 7
,, — from a case of gout (N. Moore) . . . xxxiii, 271
,, sarcomata of, see *Tumours, intracranial.*
POPLITEAL SPACE, cylindroma or hyaline degeneration of (H. T. Butlin) . . . . . xxxii, 210
PORRIGO DECALVANS, case of, examined after death (Sir D. Duckworth and V. D. Harris) . . . . xxxiii, 386
PORT (HEINRICH), dermoid tumour from the rectum . . xxxi, 307
PORTER (J. H.), Hodgkin's disease of the glands, two cases: leucocythæmia and lymphadenoma . . . . xxix, 335
POST-NASAL FIBROMA (F. Churchill) . . . xxxvii, 458
POTASSIUM, bromide of, peculiar eruption after the use of (D. B. Lees) . . . . . xxviii, 247
,, — eruption in an infant (H. R. Crocker) . . . xxix, 252
,, — — in a child, with microscopic examination (W. Tay and S. Mackenzie) . . . . . xxxv, 400
,, — rash, simulating erythema nodosum (P. Horrocks) . xxxiv, 272
,, — — unusual (P. Horrocks) . . . xxxiv, 273
,, cyanide of, stomach from a case of poisoning by (N. Moore) . xxxiii, 140
,, iodide of, eruption, pustules removed from the back of the hand, in, microscopic examination (Sir D. Duckworth and V. Harris) xxx, 476

POTT (PERCIVALL), case of recurrent steatomatous tumour (from 'Philos. Trans.' for 1740) . . . . xxviii, 31

POWELL (EVAN), per *H. Handford*, congenital ? atrophy of right kidney with hydronephrosis . . . . xxxvii, 285

POWELL (R. DOUGLAS), small aneurysm of the coronary artery in an ulcer of the lower curvature of the stomach . . xxix, 133

,, mediastinal tumour invading the right lung and occluding its bronchi . . . . . xxx, 249

,, sacculated aneurysm projecting from the back of the arch of the aorta, disorganisation of part of left recurrent nerve, partial atrophy of muscles of larynx, &c. . . . xxxiii, 85

,, remarks in discussion on diabetes [non-connection of phthisis and diabetes] . . . . . xxxiv, 393

POWER (D'ARCY), three specimens of encysted hernia . . xxxvi, 216

,, an account of four cases of intermuscular synovial cysts . xxxvi, 337

,, knee-joint seventeen months after Ogston's operation . xxxvi, 345

,, true adenoma of the breast . . . . xxxvi, 411

,, fibro-sarcoma of the dura mater . . . . xxxvii, 12

,, multiple sarcomata in the cerebral hemispheres and pons Varolii, with entire absence of cerebral symptoms . . . xxxvii, 54

,, psammoma involving the superior frontal gyrus of the right side . . . . . xxxvii, 55

,, simple cyst occurring in the right lateral ventricle . . xxxvii, 57

,, sarcoma involving the left fifth nerve near its origin; multiple sarcomata of the body . . . . xxxvii, 62

,, primary carcinoma of the cerebellum; left lateral hemisphere . xxxvii, 66

,, primary round-celled sarcoma, involving the inferior vermiform process of the cerebellum . . . . xxxvii, 66, 67

,, a case of multiple intussusception . . . xxxvii, 240

,, two specimens of osteitis deformans . . . xxxvii, 369

,, intraosseous or central necrosis of the femur . . xxxvii, 372

,, central sarcoma of the shaft of the femur . . . xxxvii, 377

,, see *Fayrer* and *Power* (Elephantiasis arabum).

,, see *Mackinder* (*D.*), a pouched or duplicate bladder.

POWER (HENRY), *report* on Sir Joseph Fayrer's two specimens of scrotal tumour . . . . . xxx, 499

POWER (W. H.), per *G. Buchanan*, thoughts on the nature of certain observed relations between diphtheria and milk . xxx, 546

PREGNANCY, right tubal, corpus luteum in left ovary (S. West) . xxxiii, 218

PRESIDENT'S ADDRESS, January 4th, 1884 (J. W. Hulke) . xxxv, 1

,, January 20th, 1885 (J. S. Bristowe) . . . xxxvi, 1

PRICE (J. A. P.), deposit of bone in testis and epididymis on both sides . . . . . xxxvi, 296

,, morbus Addisonii with (?) lymphadenoma . . . xxxvi, 454

,, two cases of probable embolism of the abdominal aorta . xxxvii, 199

,, a case of malignant disease of the œsophagus, with considerable enlargement of the lymphatic glands in the neck and left axilla . . . . . xxxvii, 227

PRINGLE (J. J.), (1) Portion of intestine from fatal case of relapse of enteric fever, with typhilitis and unusual (pseudo-membranous) character of Peyerian lesions; (2) Aorta and retroperitoneal glands from the same, with old caseous and recent inflammatory changes . . . . xxxvi, 196

PROSTATE and bladder from a boy cut for stone eleven years previously (J. F. Goodhart) . . . . xxvii, 208
,, cancer of the, with secondary ossific deposits in the cranium and femur (A. Q. Silcock) . . . . xxxv, 244
,, medullary cancer of (S. Coupland) . . . xxviii, 185
,, carcinoma of, pyæmia, cystotomy (W. Bruce Clarke) . . xxxvi, 289
,, lymphoma of the, secondary nodules in pancreas and suprarenal capsule (S. Coupland) . . . . . xxviii, 179
,, sarcoma of, of very rapid development (S. West) . . xxxiv, 145
,, colloid scirrhus of (S. Boyd) . . . . xxxiii, 200
,, tumours of, removed in the operation of lithotomy; recovery (T. Bryant) . . . . . xxix, 164
PROSTATIC URETHRA, see *Urethra*.
PRURIGO of Hebra (W. M. Baker) . . . . xxxiii, 393
PSAMMOMA of the brain (F. S. Eve) . . . xxxiii, 14
,, of the spinal cord (J. Hutchinson, jun.) . . . xxxiii, 23
,, involving the superior frontal gyrus of the right side (D'Arcy Power) . . . . . xxxvii, 55
PSEUDARTHROSIS, long retention of the ivory pegs in Dieffenbach's operation for (W. Anderson) . . . xxxii, 170
PSOAS ABSCESS, new formation in the walls of a sinus in connection with (A. Q. Silcock) . . . . xxxvii, 564
,, double, and disease of an invertebral substance (J. McCarthy) . xxvii, 225
PSORIASIS of the tongue (A. Sangster) . . . xxxiii, 103
,, symmetrical (S. Paget) . . . . xxxvii, 516
PUBERTY, early, case of (W. Bruce Clarke) . . . xxxvii, 358
PULMONARY APOPLEXY, see *Apoplexy*.
PULMONARY DISEASE, see *Lungs*.
PULMONARY VALVES, case of disease of (A. Morison) . . xxvii, 83
,, disease of, with dilatation of pulmonary artery, &c. (S. Coupland) . . . . . xxvi, 22
,, malformation of, increase of fibroid thickening of tissues in anterior mediastinum (S. O. Habershon) . . . xxvii, 79
PULSATION, peculiar, in the hepatic region (S. West) . . xxxiii, 184
PUMA, femur of, old injury to (J. B. Sutton) . . . xxxiii, 431
PURPURA following syphilis (J. Wickham Legg) . . xxxvi, 479
,, changes in the thymus gland in a case of (T. D. Acland) . xxxvi, 491
PURPURA HÆMORRHAGICA, idiopathic, two cases in which micro-organisms were present (W. W. Cheyne) . . xxxv, 408
,, hæmorrhage into long bones in a case of (W. Hale White) . xxxvii, 368
PURULENT EFFUSION into several of the joints of a syphilitic infant (W. A. Lane) . . . . . xxxvi, 343
PURULENT INFECTION, see *Pyæmia* (Report of Committee).
PUS in pericardium in a case of pericarditis (E. Crisp) . . xxvi, 67
,, note on the injection of . . . . xxx, 152–155
PUSTULE, malignant, case of (T. Bryant) . . . xxxiv, 293
PYÆMIA in a lamb (Jon. Hutchinson) . . . xxxiii, 434
,, in a case of carcinoma of prostate (W. Bruce Clarke) . xxxvi, 289
,, gonorrhœal (B. Pollard) . . . . xxxvi, 477
,, death from, in a case of severe syphilitic disease of facial bones (V. Horsley) . . . . xxxiv, 208
,, micrococci in (V. Horsley) . . . xxxiv, 298
,, in a male "Python sebæ," W. Africa (J. B. Sutton) . . xxxiv, 323

PYÆMIA (*continued*)—
„ septicæmia, and purulent infection, report of the committee appointed to investigate the nature and causes of (Charles H. Ralfe, M.D., W. S. Greenfield, M.D., Marcus Beck, and Jeremiah McCarthy) . . . . . xxx, 1

PART I.—Sex and age; number of patients at each decade, 2.—Influence of season and meteorological condition; decennial return of deaths from pyæmia and septicæmia in eight London hospitals, 3.—Monthly death-rate at three London hospitals during decennial period, 5.—Relationship of pyæmia and septicæmia to erysipelas, 6.—Duration of disease and frequency of its occurrence after various surgical lesions, 6.—Analysis of 768 cases of pyæmia and septicæmia arising in six London hospitals, 7.

PART II.—Clinical: septicæmia, definitions of the term by Birch-Hirschfeld, Hueter, and Billroth, and references to other writers on septic intoxication and its *post-mortem* appearances, 8–16.—Septic infection without metastatic inflammation, 17.—*Post-mortem* appearances in ditto, 20–21.—Pyæmia: definitions, experiments, &c., 22–23.—Classification of the cases of pyæmia collected, in a series of ten groups, 24–37.—Summary of ditto, 38.

PART III.—Microscopical examination of blood, and chemical examination of the urine, made during life, 39–49.

PART IV.—Microscopic examination of organs, 49–59.

APPENDIX I.—Tables of details of fatal cases of pyæmia and septicæmia in the different London hospitals [by Chas. H. Ralfe, M.D.], 61–77.

APPENDIX II.—Table I. Cases of deaths from blood-poisoning without secondary inflammation, septic intoxication and septic infection, 80–87.—Table II. Pyæmia. Group I. No thrombosis, no abscesses in the viscera, 87–96.—Table III. Pyæmia. Group IB. Cases with no thrombosis, but with visceral abscesses, 96–104.—Table IV. Pyæmia. Group II. Thrombosis apparently as a secondary effect of blood-poisoning, 104–106.—Table V. Pyæmia. Group III. Thrombosis and softening of the clot without the formation of secondary abscesses, 107–108.—Table VI. Pyæmia. Group IV. Thrombosis and softening of the clot without secondary abscesses in the lung, but with secondary inflammations elsewhere, 109–112.—Table VII. Pyæmia. Group V. Thrombosis and softening of clot, with abscesses in the lungs and other viscera, 112–117.—Table VIII. Pyæmia. Group VI. Thrombosis and softening of clot, with secondary abscesses only in the lung, 118–126.—Table IX, Group VII. Acute necrosis or infective periostitis, 127–131.—Table X, Group VIII. Ulcerative endocarditis, 132.—Table XI. Spontaneous pyæmia and septicæmia, 133–135 [by Marcus Beck].

APPENDIX III.—Notes of microscopical examination of blood during life, twenty-one cases, 137–149.—Note on microscopic examination of blood and organs with reference to Bacteria, 149–152.—Note on the injection of pus, 152–155 [by W. S. Greenfield, M.D.].

APPENDIX IV.—Notes of microscopical examination of organs, together with some special notes of cases; Nos. 1 to 12 examined by W. S. Greenfield, M.D.; Nos. 13 to 31 examined by Jeremiah McCarthy, 157–188.

PYÆMIC ABSCESS, see *Abscess*.

PYE-SMITH (P. H.), hæmorrhage into the joints in a case of gout . xxvi, 162
„ enlarged liver and spleen from overgrowth of adenoid tissue, without leuchæmia . . . . . xxvi, 199
„ primary caseous degeneration of lymph-glands . . xxvi, 202
„ — *report* on, by the Committee on Morbid Growths (Henry Green and J. B. Sanderson) . . . . xxvi, 206
„ lepra vera, elephantiasis Græcorum, a living specimen . xxvi, 218
„ chronic hydrocephalus in an adult, apparently the result of fracture of the skull . . . . xxvii, 27
„ cerebral abscesses following three weeks after successful operation for empyema . . . . . xxviii, 4
„ tertiary syphilis affecting the lungs, the air-passages, the heart, dura mater, skull, ulna, and testes . . . xxviii, 334
„ specimen of the affection of the hair which has been described as piedra, and as trichoclasia or trichorrexis nodosa . . xxx, 439
„ remarks in the discussion on lardaceous disease . . xxx, 530

PYE-SMITH (P. H.) (*continued*)—
„ membranous inflammation of the larynx, trachea, and bronchial tubes in an adult . . . . . xxxi, 30
„ aneurysm of abdominal aorta and external iliac artery opening into vena cava . . . . . xxxi, 85
„ primary carcinoma of the liver . . . . xxxi, 125
„ cystic disease of the liver, and of both kidneys . . xxxii, 112
„ cirrhosis of the liver in a boy, with interstitial pneumonia and chronic peritonitis . . . . . xxxiii, 172
„ colloid cancer of stomach, lymph-glands, and lungs . . xxxiv, 100
„ tumour of the thalamus . . . . xxxv, 31
„ per *J. F. Goodhart*, chronic ulceration and thickening of the tracheal mucous membrane from the presence of a rubber tracheotomy tube . . . . . xxxv, 78
„ cyst of the cerebellum, with numerous small cysts in the pancreas and kidneys . . . . . xxxvi, 17
„ teratoma from an infant . . . . xxxvii, 499
„ see *Smith* (*W. F.*), case of jaundice.
„ *report* on Dr. Cavafy's case of abnormal pigmentation of the skin . . . . . xxxii, 260
„ — on Mr. M. Baker's case of circumscribed scleroderma . xxxii, 262
„ — on Dr. N. Moore's case of abnormal heart . . xxxiv, 30
PYLEPHLEBITIS, suppurative, with resulting cicatrices in the liver (J. F. Goodhart) . . . . . xxxii, 137
PYLORUS, excision of the (S. Jones) . . . xxxv, 198
„ simple stricture of, dilatation of stomach, fibroid of uterus (W. J. Tyson) . . . . . xxxiii, 142
„ inflammatory thickening of (W. Hale White) . . xxxvii, 280
„ obstruction, cases of dilated stomach not due to (Jas. F. Goodhart) . . . . . xxxiv, 88
„ ulceration of the; a small pouch in the mucous membrane (F. C. Turner) . . . . . xxxv, 200
„ see *Stomach.*
PYOCEPHALUS, brain of a child aged five months (N. Moore) . xxxii, 6
PYONEPHROSIS; valvular obstruction of ureter (H. Sainsbury) . xxxvii, 296
PYOPERICARDIUM, case of recovery from (A. P. Gould) . xxviii, 57
PYOSALPINX in a child (W. C. Chaffey) . . . xxxvi, 303
PYTHON SEBÆ, male, pyæmia in (J. B. Sutton) . . xxxiv, 323

RABIES of the dog (Edwards Crisp) . . . xxx, 584
RADIUS, congenital absence of, four specimens (S. G. Shattock) . xxxiii, 240
„ congenital absence of, from each arm, with defective carpus and hand (R. W. Parker) . . . xxxiii, 236, 238
„ congenital absence of, from each arm, and of tibia from each leg, with supernumerary toes (R. W. Parker) . . xxxiii, 238
„ fracture of head of (M. A. Sheild) . . . xxxvi, 333
„ ossifying sarcoma of (B. Pitts) . . . . xxxvii, 374
RAKE (BEAVAN), tubercular leprosy of tongue and larynx (2) . xxxvi, 97
„ thickened median nerve; anæsthetic leprosy . . xxxvii, 111
„ congenital smallness of left kidney; nephritis: sudden death from œdema of lungs . . . . xxxvii, 286
„ hand from an old case of anæsthetic leprosy, showing spontaneous amputation and arrest of the disease . . . xxxvii, 543
„ extreme ulceration of larynx with perforation, from a case of anæsthetic leprosy . . . . . xxxvii, 543
„ hand and larynx, from a case of mixed tubercular and anæsthetic leprosy . . . . . xxxvii, 544

RAKE (BEAVAN) (*continued*)—
„ a form of ulceration simulating leprosy . . . xxxvii, 544
„ viscera from a case of tuberculated leprosy associated with syphilis . . . . . xxxvii, 545

RALFE (CHARLES H.), case of so-called phosphatic diabetes . xxix, 151
additional note to ditto . . . xxxiii (S. R.), 43
„ a case of chyluria . . . . . xxix, 388
additional note to ditto . . . xxxiii (S. R.), 44
„ remarks in the discussion on lardaceous disease . . xxx, 536
„ acute fatty changes in an enlarged liver . . . xxxi, 144
„ branched renal calculus . . . . xxxi, 189
„ renal calculus undergoing disintegration . . . xxxiii, 206
„ tests for albumen in urine . . . . xxxiv, 143
„ remarks in discussion on diabetes [aceto-acetic acid test for indicating presence of acetone, &c.] . . . xxxiv, 329
„ — see *Pyæmia* (Report of Committee on).
„ *report* on Mr. G. F. Whately's specimen of renal calculus . xxvi, 128
„ — on Dr. Wilton's specimen of concretion from vermiform appendix . . . . . xxviii, 130
„ — on Mr. Wagstaffe's specimens of renal calculi . . xxviii, 176

RASH, peculiar circular wandering, on the tongue (A. E. Barker) . xxxi, 353

RAT, perforation of palate by "hypertrophied" incisor tooth in a (S. G. Shattock) . . . . . xxxvii, 587

RECTUM, congenital absence of (R. W. Parker) . . xxxv, 213
„ imperforate (W. H. Cripps) . . . . xxxi, 112
„ six months after Littre's operation for imperforate anus (C. Mansell Moullin) . . . . . xxxvii, 260
„ case of communication of, with the appendix vermiformis (J. McCarthy) . . . . . xxvii, 161
„ persistent communication of, with genito-urinary track in new-born male child (S. G. Shattock) . . . xxxi, 191
„ CANCER of, for which excision was performed (H. A. Lediard) . xxxvii, 259
„ — adenoid disease of (cancer) (W. H. Cripps) . . xxxii, 87
„ — of, colotomy two years and nine months before death (C. Heath) . . . . . xxvii, 145
„ — complete occlusion of, from, colotomy, death nine months subsequently (T. Bryant) . . . . xxvi, 99
„ — colloid, of (R. W. Lyell) . . . . xxix, 220
„ — — parts from, two years after colotomy (H. Arnott) . xxvi, 120
„ — epithelial, of, two specimens (W. H. Cripps) . . xxix, 123
additional note to ditto . . . xxxiii (S. R.), 42
„ polypus of the (M. Sheild) . . . . xxxvi, 214
„ — very large connective-tissue, of (A. A. Bowlby) . . xxxiv, 107
„ — disseminated, of, two cases (W. H. Cripps) . . xxxiii, 165
„ scirrhous disease of, intestinal obstruction from, with rupture of cæcum (J. Way) . . . . . xxvi, 104
„ cylindrical slough of mucous membrane of (J. N. C. Davies-Colley) . . . . . xxxvii, 251
„ stricture of; colotomy (W. Bruce Clarke) . . . xxxvii, 258
„ — fibrous (H. Cripps) . . . . xxxvii, 255
„ — (syphilitic ?), with recto-vaginal and anal fistulæ, colotomy, death from hip disease subsequently (T. Bryant) . . xxvi, 101
„ syphilitic disease of, two cases (T. S. Dowse) . . xxvi, 111
„ dermoid tumour from the (H. Port) . . . xxxi, 307
„ peculiar epithelial tumour of skin near (H. H. Clutton) . xxxvii, 479

REDUCTION "en masse," see *Hernia*.

REED (W. C.), see *Peacock*, Malformation of Heart.
RENAL CALCULUS, see *Kidneys*.
„ tumour, see *Kidneys*.
„ disease, see *Kidneys*.
REPRODUCTIVE ORGANS, see *Generation*, organs of.
RESECTION, see *Excision*.
RESPIRATION, organs of, diseases, &c., xxvi, 11–15; xxvii, 40–58; xxviii, 32–42; xxix, 29–42; xxx, 220–257; xxxi, 30–57; xxxii, 16–34; xxxiii, 34–48; xxxiv, 19–28; xxxv, 75–103; xxxvi, 73–125; xxxvii, 114–146.
„ diseases of, in animals (J. B. Sutton) . . . xxxvi, 533
RETINA, atrophy of, in an eye lost by erysipelas spreading to the orbit (E. Nettleship) . . . . . xxxi, 254
RETROFLEXION of the uterus in a baboon (J. B. Sutton) . xxxiv, 326
RETROPERITONEAL GLANDS from fatal case of relapse of enteric fever (J. J. Pringle) . . . . xxxvi, 96
RETROVERSION OF MITRAL VALVE owing to lengthening of chordæ tendineæ (S. J. Sharkey) . . . xxxvii, 171
RHEUMATIC FEVER, acute fatty degeneration of the heart after (S. West) . . . . . xxxiii, 74
„ heart, enormous hypertrophy of (W. Hale White) . . xxxvi, 126
RHEUMATIC NODULES (A. Money) . . . xxxiv, 45
„ — analogy between those of children, and heart disease (F. D. Drewitt) . . . . . xxxiv, 50
„ subcutaneous; vegetations on mitral valve and fibrous nodules on pericardium in case of (F. G. D. Drewitt) . . xxxvii, 168
„ — — heart and pericardium from case of (F. G. D. Drewitt) . xxxvii, 169
RHEUMATIC PHLEBITIS, thrombosis of the iliac vein consequent on (J. Gay) . . . . . xxx, 323
RHEUMATISM, subcutaneous fibrous nodules following (J. Cavafy) xxxiv, 41
„ acute, four attacks in a case of aneurysm of mitral valve (J. W. Legg) . . . . . xxvi, 48
RHEUMATOID ARTHRITIS, see *Arthritis*.
RHINOLITH, case of (G. Stoker) . . . . xxxvii, 449
RHINOSCLEROMA, case of (J. F. Payne and F. Semon) . . xxxvi, 73
RIBS, rudimentary abdominal (C. B. Lockwood) . . xxxvi, 359
„ first, changes in cartilages of the, due to rheumatic arthritis (C. B. Lockwood) . . . . . xxxv, 298
„ — mode of fracture of, alone (W. A. Lane) . . xxxvi, 327
„ spontaneous fracture of, in rickety deformity of the thorax (R. W. Parker) . . . . . xxxiii, 257
„ ununited fractures of (W. A. Lane) . . xxxv, 262, 266
„ —; incomplete fracture; enumeration of, and remarks on cases described (W. A. Lane) . . . . xxxv, 264
„ myeloid sarcomata of, mollities ossium (H. T. Butlin) . xxxi, 277
„ synostosis of, to the vertebræ (C. H. Fagge) . . xxviii, 201
RICHARDS (J. PEEKE), tumour in the third ventricle of the brain . xxxvii, 50
„ — *report* of the Morbid Growths Committee on above case (F. Taylor, F. C. Turner) . . . . . xxxvii, 51
RICKETS, diaphragm in a case of (N. Moore) . . . xxxiv, 185
„ extreme deformity from rachitic osteo-malacia (R. Barwell) . xxxiv, 202
„ in a baboon (J. B. Sutton) . . . . xxxiv, 310
„ "Cynocephalus porcarius" (J. B. Sutton) . . . xxxiv, 312
„ in young pheasants (E. Crisp) . . . . xxvii, 339

RICKETS (*continued*)—
„ DISCUSSION ON THE PATHOLOGY OF:—
„ opening remarks by C. Hilton Fagge . . . xxxii, 313
„ remarks by David B. Lees and Thomas Barlow . . xxxii, 323
„ — Edwards Crisp . . . . . xxxii, 331
„ — Norman Moore . . . . . xxxii, 334
„ — Warrington Haward . . . . xxxii, 334
„ — W. H. Dickinson . . . . . xxxii, 336
„ — R. W. Parker . . . . . xxxii, 338
„ — Sir William Jenner . . . . . xxxii, 347
„ — Samuel Jones Gee . . . . . xxxii, 349
„ — Jonathan Hutchinson . . . . xxxii, 349
„ — Clement Lucas . . . . . xxxii, 356
„ — E. B. Baxter . . . . . xxxii, 360
„ — Thomas Barlow . . . . . xxxii, 364
„ — Samuel G. Shattock . . . . xxxii, 369
„ — A. E. T. Longhurst . . . . . xxxii, 378
„ — Spencer Watson . . . . . xxxii, 378
„ — James F. Goodhart . . . . . xxxii, 382
„ — F. G. Dawtrey Drewitt . . . . xxxii, 386
„ specimen shown by F. C. Turner . . . . xxxii, 390
„ — by H. Radcliffe Crocker . . . . xxxii, 390
„ remarks in reply by C. Hilton Fagge . . . xxxii, 391
„ — tables A. Craniotabes marked; syphilis almost certain . xxxii, 392
„ — — B. Craniotabes slight; syphilis almost certain . xxxii, 396
„ — — C. Evidence as to rickets (if any) in fifty-three cases of craniotabes . . . . . xxxii, 400
„ fœtal (? fœtal cretinism), limb-bones, skull, and brain of case of so-called (T. Barlow) . . . . xxxv, 459

RICKETY CHANGES in bone, in a case of extensive hyperostosis (J. F. Goodhart) . . . . . xxxiv, 197

RING, fibro-cretaceous, surrounding the heart (W. Ewart) . xxxi, 94

RINGWORM, growth of the fungi in, compared with favus (Geo. Hoggan) . . . . . xxx, 444

RIVINGTON (WALTER), osteitis of right os calcis, combined periostitis and osteomyelitis . . . . . xxxi, 246
„ osteitis of upper part of tibia, with disease of knee-joint . xxxvi, 346

ROBERTS (H. CARR), see *Ord* (*W. M.*).

ROBINSON (FREDERICK), case of aneurysm of the ascending aorta . xxvii, 77
„ remarks in the discussion on the pathology of syphilis . xxvii, 423
„ case of fatal hæmoptysis associated with tuberculosis . xxviii, 33

ROBINSON (T.), case of symmetrical loss of hair, with absorption of pigment in the invaded patches . . . xxxiii, 391

RODDICK (Dr.), per *Jonathan Hutchinson*, infant with a pedunculated occipital meningocele; the occipital bone, after death, showing the opening . . . . . xxxi, 383

RODENT ULCER (T. Fox and T. C. Fox) . . . xxx, 360
„ further illustrations of the histology of (G. Thin) . . xxx, 373

ROECKEL (WALDEMAR J.), piece of petrous portion of left temporal bone, including part of external auditory meatus which exfoliated after removal of a polypus . . . xxxiv, 232
„ a contribution to the pathology of internal hæmorrhoids . xxxv, 153

ROKITANSKY (CARL) two cases of defect in the ventricular septum of the heart, extracts from (S. Coupland) . . . xxx, 269

ROSE (W.), gunshot wound of brain . . . . xxxvi, 39

Ross (James), on the pathology of tetanus and hydrophobia . xxx, 215
Rowlands (Thos.), letter relative to filariæ found in urine . xxix, 407
RUPTURE of aorta, see *Aorta.*
„ of axillary artery, with formation of true bone callus at the site of rupture (H. G. Howse) . . . . xxviii, 90
„ of bladder, idiopathic extraperitoneal (E. H. Fenwick) . xxxvii, 303
„ supposed, of most of the roots of the brachial plexus (Jonathan Hutchinson) . . . . . xxxi, 27
additional note on ditto . . . xxxiii (S. R.), 49
„ of right ventricle of the heart (T. Fisher) . . . xxxi, 72
„ of the liver (C. J. Symonds) . . . . xxxiii, 193
„ of the trachea (R. J. Godlee) . . . . xxvi, 13
„ see *Œsophagus.*

SACCULI of the large intestine (W. Hale White) . . xxxvi, 215
SACRAL REGION, lymphadenoma in (F. Mason) . . xxvi, 194
SACRO-ILIAC JOINT, disease of (N. Moore) . . . xxxvi, 346
SACRUM, disease of, abscess in left thigh, scarlet fever, death (A. Money) . . . . . xxxiii, 264
„ congenital tumour of (S. G. Shattock) . . . xxxii, 197
„ — from that of a child containing fœtal structures (C. Macnamara) . . . . . xxxii, 199
Sainsbury (Harrington), tubercular mass attached to dura mater xxxv, 9
„ primary spindle-celled sarcoma of the mesentery . . xxxv, 343
„ case of Addison's disease . . . . xxxvi, 445
„ tumour of the base of the brain showing the structure of skin and subcutaneous tissue . . . . xxxvii, 57
„ valvular obstruction of ureter; pyonephrosis . . xxxvii, 296
SALIVARY GLAND, submaxillary, enchondroma of (H. T. Butlin). xxviii, 228
SALPINX, hydro- and pyo-, fourteen specimens (Lawson Tait) . xxxiii, 212
SALPYNGITIS, tubercular, in a young child (A. Q. Silcock) . xxxvi, 303
Sanderson (J. Burdon), remarks in the discussion on the germ theory of disease . . . . . xxvi, 284–289, 304
„ *report* on Dr. Pye-Smith's specimen of caseous disease of the mesenteric glands . . . . . xxvi, 206
„ — on Mr. Sydney Jones's case of lymphangeioma . . xxvi, 233
„ — on Mr. J. Wilton's specimen of concretion from vermiform appendix . . . . . xxviii, 130
Sangster (Alfred), case of "hypertrophic lupus," with the histology of its various stages . . . . xxix, 254
„ — *summary* of microscopical appearances . . . xxix, 264
„ ichthyosis or psoriasis of the tongue . . . xxxiii, 103
„ — tabular statement of forty-three cases from other writers on the subject . . . . . xxxiii, 110–122
„ see *Bellamy* and Sangster (Cancerous ulcer of face.)
„ microscopical *report* on Jonathan Hutchinson's case of vesicular wart-like growth on the chin . . . xxxi, 346
„ *report* on Mr. Startin and Dr. S. Mackenzie's cases of xanthelasma xxxiii, 376
„ — on Mr. Malcolm Morris's case of xanthoma in connection with diabetes . . . . . xxxiv, 284
SARCOMA, blood-cyst developed in (R. J. Godlee) . . xxvi, 193
„ of the bladder, two cases (F. S. Eve) . . . xxxvi, 284
„ — of a diverticulum of the bladder (W. Roger Williams) . xxxiv, 152
„ — of prostate and, of very rapid development (S. West) . xxxiv, 145

SARCOMA (*continued*)—
,, of temporo-sphenoidal lobe (J. A. Ormerod) . . xxxv, 27
,, (with myxomatous degeneration) involving the whole of the central parts of the left temporo-sphenoidal lobe, but not reaching the surface; absence of characteristic symptoms till shortly before death (S. West) . . . . xxxvii, 48
,, of clavicle (H. M. Jones) . . . . xxxii, 242
,, subperiosteal, of the femur (John H. Morgan) . . xxx, 403
additional note to ditto . . . xxxiii (S. R.), 46
,, central, of shaft of femur (D'Arcy Power) . . xxxvii, 377
,, of the lower extremity of the femur extending into knee-joint (F. S. Eve) . . . . . xxxii, 169
,, of lower jaw of horse (H. A. Lediard) . . . xxxv, 468
,, of the kidney (J. Croft) . . . . xxxvi, 274
,, of the right kidney confined to the capsule (W. H. Day) . xxxii, 142
,, of the liver (S. Coupland) . . . . xxxi, 130
,, — diffuse, probably congenital (R. W. Parker) . . xxxi, 290
,, — primary melanotic (R. W. Burnet) . . . xxxvi, 252
,, of the lung, with secondary deposits in the brain, &c. (Sir Dyce Duckworth) . . . . . xxxvi, 120
,, primary, of femoral lymphatic glands (H. A. Lediard) . xxxvii, 472
,, involving the left fifth nerve near its origin; multiple sarcomata of the body (D'Arcy Power) . . . . xxxvii, 62
,, primary, of penis (W. H. Battle) . . . xxxvi, 291
,, of the pericardium (W. H. Broadbent) . . . xxxiii, 78
,, of the cerebral pia mater (W. Cayley) . . . xxvi, 1
,, of the scapula in an infant, followed by multiple sarcomata in various organs and tissues (John H. Morgan) . . xxx, 399
,, of outer surface of sclerotic, with invasion of ciliary body and iris (E. Nettleship) . . . . . xxvii, 227
,, of the anterior part of the sclerotic, death from recurrent tumours nearly four years after excision of the eye (see vol. xxvii, p. 227) (E. Nettleship) . . . . . xxix, 234
,, springing from cornea and sclerotic of the eye (G. Lawson) . xxvi, 179
,, of the shoulder (R. Barwell) . . . . . xxvi, 168
additional note to ditto . . . . xxxiii (S. R.), 37
,, of skeleton in a child (N. Moore) . . . . xxxvi, 393
,, of spermatic cord (C. M. Moullin) . . . xxxvii, 341
,, of suprarenal capsule (W. Hale White) . . . xxxvi, 464
,, — primary, with secondary growth in the lung (S. West) . xxx, 419
,, — — of left, with extensive thrombosis of the vena cava inferior, in a child (T. C. Fox) . . . . xxxvi, 460
,, of testis (John H. Morgan) . . . . xxxii, 243
,, — congenital (A. Q. Silcock) . . . . xxxvi, 301
,, — early (W. C. Chaffey) . . . . xxxvi, 302
,, (?) of the thyroid gland (A. A. Bowlby) . . . xxxvi, 420
,, of the right tonsil (S. West) . . . . xxxiii, 331
,, ADENO-FIBRO-, pedunculated, of groin (F. S. Eve) . . xxxv, 338
,, ALVEOLAR, of the capsule of the right kidney (J. K. Thornton) xxxiv, 141
,, — of skull, secondary growth of bladder (H. H. Clutton) . xxxiv, 212
,, — of subcutaneous tissue (R. J. Godlee) . . . xxvi, 183
additional note to ditto . . . . xxxiii (S. R.), 38
,, — of triceps (recurrence); one lymphatic gland infected (G. Barling) . . . . . xxxvi, 414
,, disseminated, case of (W. B. Hadden) . . . xxxiv, 236
,, MEDULLARY, of the bladder (W. Roger Williams) . . xxxiii, 328
,, — of bronchial glands and lungs (T. B. Peacock) . . xxviii, 32
,, — of the skull in a child (F. B. Jessett) . . . xxxv 363

SARCOMA (MEDULLARY) (*continued*)—
„ — of both suprarenal bodies (F. C. Turner) . . xxxvi, 464
„ MELANOTIC (R. G. Hebb) . . . . xxxvi, 413
„ — of an eye the sight of which had been long lost (G. Lawson) . . . . . xxvi, 178
„ — of the eyeball (W. Spencer Watson) . . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
„ — of the eyeball, secondary growths in the chest, liver, &c. (J. W. Legg) . . . . . xxix, 225
„ — of the choroid; no recurrence after removal of the eye (W. Spencer Watson) . . . . . xxviii, 210
additional note to ditto . . . xxxiii (S. R.), 41
„ — primary, of liver (R. W. Burnet) . . . xxxvi, 252
„ — multiple, beginning in the choroid, followed by pigmentation of the skin in the face and hands (J. W. Legg) . xxxv, 367
„ mixed-celled, of the thumb (H. T. Butlin) . . . xxxiii, 323
„ MULTIPLE, ulcerating and sloughing in various parts of body, especially in the limbs (A. E. Durham) . . . xxxiv, 243
„ — in a child (W. C. Chaffey) . . . . xxxvi, 415
„ — in the cerebral hemispheres and pons Varolii; with entire absence of cerebral symptoms (D'Arcy Power) . . xxxvii, 54
„ — projecting upon the surface of the head (W. H. Dickinson) . . . . . xxxvii, 463
„ — of bone (W. A. Lane) . . . . xxxvii, 373
„ — of cranial bones (J. Abercrombie) . . . xxxi, 216
„ — central medullary, round-celled, of the osseous centre system (S. W. Gross) . . . . . xxxi, 268
„ — in various organs and tissues, following sarcoma of the scapula in an infant (John H. Morgan) . . . xxx, 399
„ MYELOID, of lower jaw and rib, mollities ossium (H. T. Butlin) . xxxi, 277
„ — of the knee-joint (R. Barwell) . . . xxxv, 323
„ — (central) of tibia, which produced no expansion of the bone (H. H. Clutton) . . . . . xxxv, 327
„ ossifying, of the upper jaw in a boy twelve years old (H. Marsh) . . . . . xxvii, 218
„ — of radius (B. Pitts) . . . . . xxxvii, 374
„ plexiform, of the face (Jer. McCarthy) . . . xxxi, 256
additional note to ditto . . . xxxiii (S. R.), 52
„ ROUND-CELLED, involving the antrum, orbit, and nostril (W. Spencer Watson) . . . . . xxix, 223
„ — multiple, in a boy (H. T. Butlin) . . . xxix, 211
— — sequel to preceding case . . . . xxx, 396
„ — involving the inferior vermiform process of the cerebellum (D'Arcy Power) . . . . . xxxvii, 66, 67
„ — half a small, occupying upper part of humerus, removed by amputation (Sydney Jones) . . . . xxxiii, 337
„ — of peroneus longus (G. Barling) . . . xxxvi, 414
„ — with hyaline degeneration (cylindroma), of popliteal space (H. T. Butlin) . . . . . xxxii, 210
„ — of skin (F. S. Edwards) . . . . xxxvii, 468
„ — of part of upper thigh (R. J. Godlee) . . . xxvi, 183
additional note to ditto . . . xxxiii (S. R.), 38
„ — of tonsil (B. Pollard) . . . . xxxvii, 221
„ — calcified, of the bones of the leg (W. R. Williams) . xxxiv, 267
„ — small, of the upper jaw (W. J. Walsham) . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
„ SPINDLE-CELLED (John Gay) . . . . xxxiii, 321
„ — sixth removal (John Gay) . . . . xxxi, 272

SARCOMA (SPINDLE-CELLED) (*continued*)—
,, — in the muscles of the calf, from a child aged five months (L. W. Marshall) . . . . . xxix, 215
additional note to ditto . . . xxxiii (S. R.), 43
,, — of epididymis (F. S. Edwards) . . . xxxiii, 334
,, — in the upper epiphysis (H. G. Howse) . . . xxix, 182
,, — in male mammary region (J. Croft) . . . xxvii, 249
,, — primary, of the mesentery (H. Sainsbury) . . xxxv, 343
,, — of the pineal body, containing glandular and carcinomatous structures (F. C. Turner) . . . . xxxvi, 27
,, — melanotic alveolar and gland (H. A. Lediard) . . xxxiv, 269
,, — large, of thigh (A. P. Gould) . . . . xxviii, 223
,, VILLOUS, of the bladder (W. Roger Williams) . . xxxiv, 156
,, — of the cerebellum (F. S. Eve) . . . . xxxiii, 12
,, see *Adeno-*, *Angio-*, *Chondro-*, *Fibro-*, *Glio-*, *Lympho-*, *Myxo-*, *Myxo-chondro*, *Osteo-chondro*, *Cyst* (sarcomatous), *Tumours* (sarcomatous).
SARCOMATOUS GROWTH, invading both kidneys from without (J. Abercrombie) . . . . . xxxi, 168
,, in the fourth ventricle of the brain; secondary nodules of growth on the posterior surface of the spinal cord (F. C. Turner) . . . . . xxxvi, 21
SAUNDBY (ROBERT), note on the morbid anatomy of hypertrophic cirrhosis of the liver . . . . . xxx, 301
,, the histology of granular kidney . . . xxxi, 148
,, atrophy of the suprarenal capsules, with enlarged spleen and dark-coloured urine . . . . . xxxvi, 440
,, two cases of cerebral tumour . . . . xxxvii, 35
SAVAGE (G. H.) and E. H. FENWICK, bladder from case of general paralysis of the insane . . . . xxxvii, 111
,, and W. HALE WHITE, cystic degeneration of the liver . xxxv, 214
,, — on the causes of holes in the brain, together with two cases of universal cystic degeneration . . . xxxiv, 1
,, *report* on the specimens exhibited in the discussion on diabetes . . . . . xxxiv, 397
,, — on Dr. A. Harbinson's specimens of sclerotic changes in brain xxxiii, 33
SAVILL (T. D.), cardiac disease following chorea . . xxxvii, 167
SAVORY (W. S.), enchondroma, see *Butlin, H. T.*
SCALD of fauces, larynx, and œsophagus, croupous inflammation following (J. N. C. Davies-Colley) . . . xxxiii, 34
SCALP, sebaceous adenoma of (S. G. Shattock) . . xxxiii, 290
,, circumscribed scleroderma affecting (W. M. Baker) . . xxxii, 261
,, connective-tissue tumour of the, containing cartilage-like bodies (C. B. Lockwood) . . . . . xxxv, 340
,, lymphadenomatous tumours of (W. M. Baker) . . xxx, 417
additional note to ditto . . . xxxiii (S. R.), 48
,, rodent ulcer of, pathological histology of (G. Thin) . . xxix, 241
,, — sequel to preceding case (G. Thin), xxxiii (S. R.), 44; xxxvi, 469.
SCAPULA, tumour of the (J. Wood) . . . xxvi, 170
,, recurrent fibroid tumour of, removal (Ch. Heath) . . xxx, 405
,, sarcoma of, in an infant (John H. Morgan) . . xxx, 399
SCARLATINA in man, anatomical changes of the kidney, spleen, and lymphatic glands in (E. Klein) . . . xxviii, 430
,, membranous laryngitis during convalescence from, with albuminuria, no infection from diphtheria (F. C. Turner) . xxxiii, 36
,, see *Nephritis* (scarlatinal).

SCARLET FEVER, elbow-joint from a case of (N. Moore) . xxxiv, 225
,, ulceration of larynx from a case of (N. Moore) . . xxxiv, 22
,, in a case of disease of sacrum (A. Money) . . . xxxiii, 264

SCIRRHUS of bladder (W. B. Hadden) . . . xxxv, 242
,, of female breast, cases of (J. W. Hulke) . . xxxi, 311, 312
,, of the male breast (C. F. Maunder) . . . xxvii, 252
,, — with secondary disease of glands (W. W. Wagstaffe) . xxvii, 234
additional note on ditto . . . xxxiii (S. R.), 40
,, of the diaphragm (J. Walters) . . . . xxviii, 218
,, primary contracting, of liver simulating cirrhosis (C. H. Fagge) xxviii, 137
,, of rectum, intestinal obstruction from (J. Way) . . xxvi, 104
,, colloid, of the prostate (S. Boyd) . . . xxxiii, 200
,, see *Cancer*.

SCLEREMA, case of (W. E. Steavenson) . . . xxxi, 326

SCLERODERMA, case of (J. Abercrombie) xxxii, 266; (J. A. Ormerod) xxxvi, 466.
,, circumscribed, affecting the face and scalp (W. M. Baker) xxviii, 245; xxxii, 261.
,, adultorum, case illustrating its circumscribed and diffuse forms (Sir D. Duckworth) . . . . . xxxi, 322
additional note to ditto . . . xxxiii (S. R.), 53
,, — relation of morphœa to (H. R. Crocker) . . xxxi, 315

SCLEROSIS of the posterior columns of the spinal cord in an early stage, with recent interstitial exudation (C. F. Turner) . xxxvi, 44
,, amyotrophic lateral, case of (C. F. Coxwell) . . xxxv, 42
,, diffuse, of brain (Henry Ashby) . . . . xxxvii, 12
,, insular, case of (W. H. White) . . . . xxxv, 15
,, — of brain and spinal cord (J. F. Goodhart) . . xxvii, 17
,, posterior, and posterior median sclerosis of spinal cord (W. R. Gowers) . . . . . xxvii 30

SCLEROTIC, see *Sarcoma* of.
,, sarcomatous tumour from (G. Lawson) . . . xxvi, 179
,, changes in brain (A. Harbinson) . . . . xxxiii, 31

SCROFULOUS DISEASE of the right kidney (R. C. Lucas) . xxvi, 129

SCROTUM, lymph, showing filaria *in situ* (P. Manson) . . xxxii, 285

SEA-SICKNESS, death by syncope after, in a case of Addison's disease without melasma (W. W. Greene) . . xxxiv, 270

SEBACEOUS CYST, see *Cyst*.

SEDGWICK (W.), notice of his case of recurrent osteoid cancer published in 1855 . . . . . xxviii, 30

SELLA TURCICA, fibroma growing in (H. A. Lediard) . . xxxvii, 11

SEMILUNAR GANGLIA, dissection of, from case of Addison's disease (S. Coupland) . . . . . xxxvi, 452

SEMON (FELIX), case of aneurysm of the thoracic aorta, with repeated perforations in the œsophagus . . . xxviii, 76
,, two cases of congenital syphilis of the larynx . . xxxi, 41
,, epithelioma of larynx, secondary deposits in lymphatic glands, chondritis of thyroid cartilage . . . . xxxi, 55
,, double stenosis of the upper air-passages, in a case of malignant tumour of the thyroid gland . . . . xxxiii, 38
,, — microscopical examination . . . . xxxiii, 47
,, *report* on Mr. Lane's specimens of fractures, &c., of hyoid bone and larynx . . . . . xxxvi, 93
,, see *Payne* and *Semon*, case of rhinoscleroma.

SENILE CHANGES, causation and pathology of (W. A. Lane) . xxxvii, 387

SENSE, organs of special, diseases of, xxvi, 178–179; xxvii, 227–232; xxviii, 210–212; xxxi, 252–255; xxxiv, 230–232; xxxv, 330–334; xxxvii, 449.

SEPTICÆMIA in recto-vesical fistula, terminating fatally (A. Morison) . . . . . xxx, 326
,, in case of multiple hæmorrhagic nodules in wall of jejunum (F. C. Turner) . . . . . xxxvii, 242
,, after compound fracture of the skull (F. C. Turner) . xxxvii, 262
,, see *Pyæmia* (Report of Committee).

SEPTICÆMIC ULCERATIVE AORTITIS (F. C. Turner) . xxxvii, 174

SEPTUM of the auricles, large aperture in: foramen ovale closed (T. B. Peacock) . . . . . xxix, 43
,, cribiform opening into septum of auricles of heart (D. W. Finlay) . . . . . xxx, 262
,, congenital duodenal, with internal diverticulum (A. Q. Silcock) . xxxvi, 207
,, VENTRICULORUM, aperture in (T. B. Peacock) . . xxvii, 131
,, — abnormal fibrous ring attached to (N. Moore) . . xxxiv, 29
,, — extravasation of blood into, in a case of empyema (J. F. Goodhart) . . . . . xxvii, 102
,, — fibroid disease of, in nummular aortitis (J. F. Goodhart) . xxvi, 30
,, — congenital imperfection of, with *ante-mortem* thrombosis of right ventricle and pulmonary artery (J. Abercrombie) . xxxii, 73
,, — defective muscular development: septal aneurysm, &c. (J. P. Irvine) . . . . . xxix, 47
,, — defect in, probably congenital; unusual site of aperture (S. Coupland) . . . . . xxx, 266
,, see *Heart*.

SEQUESTRUM of clavicle (H. M. Jones) . . . xxxii, 192

SESAMOID BONES, fracture of, in both fore feet of a horse (A. Doran) . . . . . xxviii, 452

SEWER-GAS poisoning, fibrinous clot in the heart of a child from (W. Munro) . . . . . xxviii, 47

SEX, mistaken, a case of (F. Willcocks) . . . xxxvi, 309

SHARKEY (SEYMOUR J.), case of simple cyst in cerebellum . xxxiii, 8
,, simple cyst in connection with the liver . . . xxxiii, 168
,, case of carcinoma, showing growth of cancer cells from the epithelium of the Malpighian tufts and tubules of the kidney xxxiii, 195
,, gummata in spleen . . . . . xxxiii, 339
,, case of arteritis, with thrombosis of both middle cerebral arteries during secondary stage of syphilis . . . xxxiv, 10
,, case of syphilitic perihepatitis . . . . xxxiv, 118
,, — *report* on ditto (S. Coupland and J. F. Payne) . . xxxiv, 122
,, impaction of two vertebræ of a small fish in the larynx; tracheotomy; double pneumonia . . . . xxxv, 77
,, œsophagus, stomach, and intestine, from a case of poisoning by carbolic acid . . . . . xxxv, 191
,, a case of stricture of the stomach and œsophagus, with extreme atrophy of the former . . . . xxxv, 193
,, a case of ulceration of the small intestine producing multiple strictures . . . . . xxxv, 204
,, primary carcinoma of kidney . . . . xxxv, 235
,, a case of disseminated cystic squamous epithelioma . . xxxv, 374
aneurysm of the apex of the left ventricle of the heart, and of the arch of the aorta . . . . . xxxvi, 133

SHARKEY (SEYMOUR J.) (*continued*)—
„ ulcerative endocarditis with embolism of left middle cerebral artery, left vertebral artery, spleen, and kidneys . . xxxvi, 139
„ multiple epithelial growth in the œsophagus . . xxxvi, 189
„ impaction of a five-centime piece in the œsophagus for twenty months; scarlet fever; double pneumonia . . xxxvi, 190
„ case of meningeal hæmorrhage due to rupture of an aneurysm on the left middle cerebral artery . . . xxxvii, 3
„ two cases of laryngeal disease occurring in typhoid fever . xxxvii, 114
„ constriction of aortic, mitral, and tricuspid valves . . xxxvii, 170
„ retroversion of mitral valve, owing to lengthening of chordæ tendineæ . . . . . xxxvii, 171
„ perforation of vermiform appendix by a calculus; acute peritonitis . . . . . xxxvii, 243
„ *report* on Mr. Pollard's case of hypertrophied callus of tibia and fibula . . . . . xxxvi, 391
„ — on Mr. Hutchinson, jun.'s, case of neuroma of the parotid . xxxvii, 462
SHATTOCK (SAMUEL G.), mixed calculus of cystine and oxalate of lime . . . . . xxxi, 182
additional note on ditto by Mr. R. Steele . xxxiii (S. R.), 50
„ persistent communication between the rectum and genito-urinary track in a new-born male child . . . xxxi, 191
„ recent division of the tendo Achillis . . . xxxi, 382
„ atresia of the aortic aperture in an infant . . . xxxii, 38
„ mucous tumour of heart, syphilitic gumma? . . xxxii, 77
„ fracture of the coracoid process, followed by fibrous repair . xxxii, 155
„ congenital sacral tumour . . . . xxxii, 197
„ arrested development and growth of the right upper limb in man . . . . . xxxii, 276
„ dissection of cleft palate from the adult . . . xxxii, 284
„ remarks in the discussion on rickets . . . xxxii, 369
„ sacculi of the small intestine . . . . xxxiii, 192
„ congenital tumour of the neck . . . . xxxiii, 289
„ sebaceous adenoma of the scalp . . . . xxxiii, 290
„ on four specimens of congenital absence of the radius . xxxiii, 240
„ Filaria immitis in a dog's heart . . . . xxxiii, 434
„ caseating osteo-myelitis in the tibia of a domestic pigeon . xxxiii, 435
„ mucous polypus of the urinary bladder . . . xxxiv, 150
„ two specimens of urinary calculi from animals, composed of carbonate of lime . . . . . xxxiv, 326
„ malformation of the heart in a child at full term . . xxxv, 124
„ specimen of double vena cava (persistent left duct of Cuvier), the vessel of the left side being the larger . . xxxv, 130
„ unusual condition of? hydrocele fluid . . . xxxv, 250
„ fracture of the superior cornua of the thyroid cartilage . xxxvi, 95
„ hernia into the fossa duodeno-jejunalis . . . xxxvi, 215
„ two cases of actinomycosis in man . . . xxxvi, 254
„ meningo-myelocele in the lumbo-sacral region, cured by the injection of Morton's solution . . . . xxxvii, 89
„ bilateral cystic disease of the kidneys in the new-born . xxxvii, 287
„ iridescence in calculi . . . . . xxxvii, 325
„ trabeculated calvaria from a child who was the subject of a large frontal meningo-encephalocele . . . xxxvii, 367
„ perforation of the palate by "hypertrophied" incisor tooth in a rat . . . . . xxxvii, 587
„ xyloma or woody tumour on branch of pine . xxxvii, 593
„ see *Parker* and Shattock, congenital club-foot.
„ see *Committee* on intracranial tumours.

SHATTOCK (SAMUEL G.) (*continued*)—
,, *report* on Mr. Lane's specimens of fractures, &c., of hyoid bone and larynx . . . . . xxxvi, 93
,, — on Dr. Macdonald's intracranial cystic tumour . . xxxvii, 9
,, — on Dr. Norman Moore's specimen of tumour of thyroid . xxxvii, 513

SHEEP, colon of, showing colotomy performed by a parrot (H. A. de Lautour) . . . . . xxxi, 386

SHEILD (MARMADUKE), blood-clot from the surface of the brain . xxxvi, 17
,, carcinoma of stomach . . . . . xxxvi, 194
,, polypus of the rectum . . . . . xxxvi, 214
,, fracture of head of radius . . . . xxxvi, 333
,, tumour of humerus . . . . . xxxvi, 395
,, cancer of the bladder obstructing the ureters . . xxxvii, 315

SHERRINGTON (C. S.), see *Smith* (*W. Everett*), microscopical preparations of the spinal cord from a case of Friedreich's ataxia xxxvii, 99

SHORTENING, symmetrical, of the foot (Sydney Jones) . xxviii, 208

SHOULDER, sarcomatous tumour of the (R. Barwell) . . xxvi, 168
additional note to ditto . . . xxxiii (S. R.), 37

SHOULDER-JOINT, right, old subcoracoid dislocation of (J. Poland) xxxvii, 383
,, of an infant, suppurative arthritis of (J. Poland) . . xxxv, 327
,, rheumatoid arthritis of (W. A. Lane) . . . xxxv, 267
,, abnormality of bones and muscles near (C. B. Lockwood) . xxxiv, 227
,, right, disease of, in an infant (J. Abercrombie) . . xxxii, 192

SIGMOID FLEXURE, cancer of, gangrene of bowel, &c. (J. F. Goodhart) . . . . . xxxi, 113
,, — with a gaseous abdominal tumour (W. H. Dickinson) . xxxiii, 161
,, healed communication between the bladder and the (A. A. Bowlby) . . . . . xxxvi, 216
,, pedunculated dermoid tumour from the (F. A. Floyer) . xxxvii, 252

SILCOCK (A. QUARRY), case of diffused aneurysm of the abdominal aorta . . . . . xxxiv, 68
,, stomach exhibiting the condition known as phlegmonous gastritis . . . . . xxxiv, 90
,, tubercular ulceration of large intestine . . . xxxv, 211
,, cancer of the prostate, with secondary ossific deposits in the cranium and femur . . . . . xxxv, 244
,, malignant lymphoma of mesentery . . . xxxv, 348
,, croupous enteritis . . . . xxxvi, 206
,, epithelioma of ascending colon, entero-colitis, congenital duodenal septum, with internal diverticulum . . . xxxvi, 207
,, tubercular kidneys, disease of vesiculæ seminales, prostate and testis . . . . . xxxvi, 267
,, congenital sarcoma of the testis . . . xxxvi, 301
,, tubercular endometritis and salpyngitis, associated with accumulation of tubercular matter in the body of the uterus and Fallopian tube of a young child . . . . xxxvi, 303
,, case of osteitis deformans unaccompanied by tumour . xxxvi, 383
,, syphilitic ulcerative bronchitis and tracheitis . . xxxvii, 115
,, gangrene of lung, following embolism of pulmonary artery . xxxvii, 131
,, fibroid thickening of right pleura (of syphilitic origin ?) . xxxvii, 140
,, new formation of bone in the walls of a sinus in connection with a psoas abscess . . . . . xxxvii, 564
,, glandular epithelioma of the lung of a dog . . . xxxvii, 590
,, see *Jones* (*C. Handfield*), changes in meningitis in small vessels.
,, see *Pepper* and *Silcock*, perforating ulcer of the foot.

SILICEOUS matter found in lung, in millstone-makers' disease (T. B. Peacock) . . . . . xxix, 31
SILVER (ALEX.) and J. PEARSON IRVINE, case of diabetes; morbid appearances met with in the brain, spinal cord, lungs, &c. . xxix, 25
SIMON (Sir JOHN), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 417
SINUS OF VALSALVA, intramural pouch in (F. C. Turner) . xxxvi, 146
SKELETON, extensive hyperostosis of, with bone softening and rickety changes, probably syphilitic (Jas. F. Goodhart) . xxxiv, 197
,, sarcoma of, in a child (N. Moore) . . . xxxvi, 393
SKIN, diseases of, &c., xxvi, 209–223; xxvii, 295–302; xxviii, 236–248; xxix, 252–268; xxx, 439–477; xxxi, 315–349; xxxii, 245–272; xxxiii, 367–393; xxxiv, 272–290; xxxv, 397–407; xxxvi, 466–475; xxxvii, 516–545.
,, adenoma of cutaneous glands partially calcified (F. S. Eve) . xxxiii, 335
,, anatomical changes in, in pig typhoid (E. Klein) . . xxviii, 441
,, bronzing of, in suprarenal capsular disease (T. B. Peacock) xxvi, 207; xxvii, 287.
,, — see also *Addison's* disease.
,, disease of, in the horse; sebaceous tumours, erythema circumscriptum, and eczema (G. Thin) . . . . xxx, 588
,, hæmorrhage into, in case of internal anthrax (J. Poland) . xxxvii, 550
,, and subcutaneous tissue of the sole, congenital hypertrophy of (F. S. Eve) . . . . . xxxiv, 298
,, papulo-vesicular eruption on, or lupus lymphaticus (J. Hutchinson) . . . . . xxxi, 342
,, bromide of potassium eruption of, in an infant (H. R. Crocker) . . . . . xxix, 252
,, eruption from iodide of potassium, microscopical examination of pustules from (Sir D. Duckworth and V. Harris) . . xxx, 476
,, infiltration of, in a case of lymphadenoma (W. S. Greenfield) . xxvii, 275
,, pigmentation of, in case of blood-cysts of suprarenal capsules (R. E. Carrington) . . . . . xxxvi, 454
,, — of the face and hands, following multiple melanotic sarcomata (J. W. Legg) . . . . . xxxv, 367
,, — peculiar, in Addison's disease (D. J. Leech) . . xxx, 478
,, — abnormal, following jaundice (John Cavafy) . . xxxii, 258
,, round-celled sarcoma of (F. S. Edwards) . . . xxxvii, 468
,, secondary growths in, in lymphadenoma (W. S. Greenfield) . xxix, 278
,, peculiar epithelial tumour of, near rectum (H. H. Clutton) . xxxvii, 479
SKULL, see *Cranium*.
SKULL CAP, see *Cranium*.
SLOUGH of part of abdominal muscle and its aponeurosis, following punctured wound (J. N. C. Davies-Colley) . . xxxvii, 566
,, circumscribed, superficial, in the stomach (F. C. Turner) . xxxvi, 191
,, cylindrical, of mucous membrane of rectum (J. N. C. Davies-Colley) . . . . . xxxvii, 251
SLOUGHING, extensive, of the neck; lympho-sarcomatous tumour (A. E. Durham) . . . . . xxxiv, 245
,, lympho-sarcoma of the back, &c. (F. Taylor) . . xxxiv, 247
SMALLPOX and enteric fever, necrosis of the cartilage of the larynx in (Fred. S. Eve) . . . . . xxxi, 33
SMEE (A. H.), on garget or ropy milk, or cold in the udder . xxx, 551
SMITH (GILBART), epithelioma of the pharynx involving the larynx, trachea, and œsophagus . . . . xxxi, 102
,, ulceration of the larynx, see *Browne* (Lennox).

SMITH (ROBERT), œsophagus and stomach from a case of acute carbolic acid poisoning . . . . xxxi, 143
SMITH (R. PERCY), stomach from a case of sulphuric acid poisoning xxxv, 192
SMITH (THOMAS), hæmorrhagic periostitis of the shafts of several of the long bones, with separation of the epiphyses . . xxvii, 219
,, remarks in the discussion on the pathology of syphilis . xxvii, 410
,, fatty tumour, see *Butlin, H. T.*
SMITH (W. EVERETT), per *C. S. Sherrington*, microscopical preparations of the spinal cord from a case of Friedreich's ataxia. xxxvii, 99
SMITH (WILLIAM FRANK), per *P. H. Pye-Smith*, case of icterus gravis, with xanthoma planum et tuberosum (xanthelasma) lasting seven years, &c. . . . . xxviii, 236
,, — remarks on, by P. H. Pye-Smith . . . xxviii, 242
SMITH (W. WILBERFORCE), thrombosis of innominate vein contiguous with a pulmonary cavity . . . xxxii, 70
SOFTENING of syphiloma of liver (S. Wilks) . . . xxix, 135
,, of kidneys in a lamb (Jon. Hutchinson) . . . xxxiii, 435
SOLAR PLEXUS, dissection of, from case of Addison's disease (S. Coupland) . . . . . xxxvi, 452
SOLE, hypertrophy of the skin of (F. S. Eve) . . . xxxiv, 298
SOUTHEY (REGINALD), remarkable aneurysm of the heart . xxvi, 43
,, — post-mortem examination by J. W. Legg . . xxvi, 46
,, — *report* on, by R. Southey, Henry Green, and J. W. Legg . xxvi, 47
,, case of symmetrical gangrene . . . . xxxiv, 286
SPECIAL SENSE, organs of, diseases, &c., xxvi, 178–179; xxvii, 227–232; xxviii, 210–212; xxxi, 252–255; xxxiv, 230–232; xxxv, 330–334; xxxvii, 449.
SPECIMENS, MISCELLANEOUS, xxvi, 224–248; xxvii, 303–338; xxviii, 448–451; xxxi, 353–384; xxxii, 273–310; xxxiii, 394–425; xxxiv, 291–307; xxxv, 468–488; xxxvi, 499–553.
,, from the LOWER ANIMALS, xxvi, 249–254; xxvii, 339–340; xxviii, 452–456; xxxi, 385–388; xxxii, 311–312; xxxiii, 426–435; xxxiv, 308–327; xxxv, 468–488; xxxvi, 499–553; xxxvii, 572–592.
SPERMATIC CORD, congenital hydrocele of left (J. Poland) . xxxvi, 294
,, encysted hydrocele of (J. Hutchinson, jun.) . . xxxvi, 296
,, lipoma of (C. Stonham) . . . . xxxvii, 341
,, — diffuse (C. Stonham) . . . . xxxvii, 341
,, myxo-fibroma of (J. Gay) . . . . xxxi, 31
additional note to ditto . . . xxxiii (S. R.), 53
,, myxo-sarcoma of, removed from a child thirteen months old (W. J. Walsham) . . . . . xxxi, 299
,, case of myxo-chondro-sarcoma of (A. J. Pepper) . . xxxvi, 297
,, sarcoma of (C. M. Moullin) . . . . xxxvii, 341
,, tumour of, from a child four years of age (W. J. Walsham) . xxxi, 303
SPHYGMOGRAPHIC evidence of arterio-capillary fibrosis (F. A. Mahomed) . . . . . xxviii, 394
SPINAL CORD, on changes in, and in its vessels in arterio-capillary fibrosis (Sir W. Gull and H. G. Sutton) . . . xxviii, 361
,, from a case of Friedreich's ataxia, microscopical preparations of the (W. Everett Smith) . . . . xxxvii, 99
,, elongated cavity in (F. Taylor) . . . . xxix, 21
,, tubular cavity in the (syringomyelus) (F. Taylor) . . xxxv, 36
,, and medulla oblongata, symmetrical degeneration in (W. B. Hadden) . . . . . xxxiii, 21

SPINAL CORD (*continued*)—
„ degeneration of the lateral columns of the, in a case of symmetrical cysts in the cerebrum (B. G. Morison and F. C. Turner) xxxv, 17
„ morbid appearances in, in a case of diabetes (A. Silver and J. P. Irvine) . . . . . xxix, 25
„ showing dilatation of the central canal (N. Moore) . . xxxii, 7
„ subarachnoid hæmorrhage of (T. S. Dowse) . . xxvii, 1
„ a case of hæmorrhage into the grey matter of the (W. C. Chaffey) . . . . . xxxvii, 90
„ see *Meningitis* (cerebro-spinal).
„ myo-lipoma of (W. R. Gowers) . . . . xxvii, 19
„ of a recent and an old case of infantile palsy (A. Money) . xxxv, 45
„ from a case of infantile paralysis (F. Taylor) . . xxx, 197
„ condition of, in paralysis after diphtheria (R. G. Hebb) . xxxv, 50
„ from a case of acute anterior poliomyelitis in a child, fatal in six weeks (F. C. Turner) . . . . xxx, 202
„ section of, in the two forms of progressive muscular atrophy (J. M. Charcot) . . . . . xxviii, 9
„ psammoma of (J. Hutchinson, jun.) . . . xxxiii, 23
„ secondary nodules on the posterior surface, in case of sarcomatous growth in the fourth ventricle of the brain (F. C. Turner) . . . . . xxxvi, 21
„ insular sclerosis of (J. F. Goodhart) . . . xxvii, 17
„ posterior sclerosis of (W. R. Gowers) . . . xxvii, 30
„ — median sclerosis of (W. R. Gowers) . . . xxvii, 31
„ sclerosis of the posterior columns in an early stage, with recent interstitial exudation (F. C. Turner) . . . xxxvi, 44
„ syphilomata of (W. R. Gowers) . . . . xxviii, 281
„ from a case of tetanus following ovariotomy (V. Harris and A. Doran) . . . . . xxxi, 7
„ and medulla oblongata, tumour of [glioma], with cavity in the central canal (T. T. Whipham) . . . . xxxii, 8
„ tumours of dura mater pressing upon, in cervical region (H. A. Lediard) . . . . . xxxiii, 25
„ degenerative changes in a patient with perforating ulcer of the foot (A. J. Pepper and A. Q. Silcock) . . . xxxvi, 63
SPINE, sarcomatous blood-cyst of, causing paraplegia (W. H. Kesteven) . . . . . xxxiv, 216
„ caries, extensive of, leading to fatal pleurisy (A. E. Barker) . xxix, 191
„ — of, producing aortic deformity (A. E. Barker) . . xxxi, 246
„ — of lumbar, abscess, destruction of right kidney, and ulceration into duodenum; lumbar incision; death (J. N. C. Davies-Colley) . . . . . xxxvii, 561
„ curvature, distortion of the aorta from (J. F. Goodhart) . xxix, 78
„ some of the changes which are produced by pressure in the lower part of the (W. A. Lane) . . . . xxxvi, 364
„ extreme dorsal excurvation produced by a stooping occupation in a growing youth (W. A. Lane) . . . xxxvi, 378
„ diastasis of cervical (G. H. Makins) . . . xxxvii, 385
„ disease, old, with amyloid viscera, &c. (J. F. Goodhart) . xxix, 78
„ of a man who lived twenty-six years after fracture of upper lumbar region (T. Carr Jackson) . . . xxviii, 206
„ two cases of fracture of cervical (R. E. Carrington) . . xxxiii, 260
„ fracture of the lumbar, paraplegia; death (J. R. Lunn) . xxxv, 252
„ from case of contracted sterno-mastoid (W. A. Lane). . xxxv, 315
SPLEEN, colloid cancer of peritoneum invading the (W. M. Ord) . xxxii, 214
„ embolic patches in (T. Bryant) . . . . xxviii, 98
„ embolism of (S. J. Sharkey) . . . . xxxvi, 139

SPLEEN (*continued*)—
„ enlarged, from overgrowth of adenoid tissue without leuchæmia (P. H. Pye-Smith) . . . . . xxvi, 199
„ enlarged, in atrophy of the suprarenal capsules (R. Saundby) . xxxvi, 440
„ gummata in (S. J. Sharkey) . . . . xxxiii, 339
„ infarcts in (F. Taylor) xxxiv, 38; (R. E. Carrington) xxxv, 108; xxxvi, 135.
„ — in a case of ulcerative endocarditis (S. Coupland) . . xxvii, 73
„ lardaceous, case of (C. H. Fagge) . . . xxvii, 325
„ typical affection of, in lymphadenoma (W. S. Greenfield) . xxix, 273
„ sections of, in lymphadenoma . . . . xxix, 306
„ large soft, in tubercular phthisis (J. F. Goodhart) . . xxvii, 196
„ anatomical changes of, in scarlatina (E. Klein) . . xxviii, 439
„ cicatrices of, in a case of congenital syphilis (T. Barlow) . xxviii, 291
„ enlargement of, in congenital syphilis (T. Barlow) . . xxviii, 353
— sequel and *post-mortem* of ditto . . . xxxi, 46
„ syphilitic deposit in (T. Buzzard) . . . xxviii, 295
„ portion of, from a case of general tuberculosis (F. C. Turner) . xxvii, 285
„ multilocular cystic tumour of the, removal by abdominal section (J. K. Thornton) . . . . . xxxv, 385
SPLENECTOMY, see *Abdominal section.*
SPLENIC FEVER, special communications . . . xxix, 420
SPONDYLOLISTHESIS (W. A. Lane) . . . xxxv, 308
„ produced by pressure in the lower part of the spinal column (W. A. Lane) . . . . . xxxvi, 364
SQUIRE (WILLIAM), croup, secondary to hooping-cough . . xxvii, 53
„ — microscopic examination of larynx and trachea in ditto, by W. S. Greenfield . . . . . xxvii, 57
„ larynx and trachea from a dog dying of measles . . xxvii, 340
„ micro-photographs of the blood in yellow fever . . xxxi, 380
STARTIN (JAMES), case of molluscum contagiosum . . xxxi, 341
„ case of congenital ichthyosis . . . . xxxii, 268
„ case of leucoderma . . . . . xxxii, 268
„ case of xanthelasma . . . . . xxxiii, 373
„ — *report* on ditto (Jon. Hutchinson, A. Sangster, and H. R. Crocker) . . . . . xxxiii, 374
„ morphœa alba . . . . . xxxiii, 384
„ case of neurotic excoriation . . . . xxxiii, 385
STEAVENSON (W. E.), per *Thomas Barlow*, case of sclerema . xxxi, 326
STEEL (G. R.), autopsy of Mr. L. Browne's case of cancer of tonsil xxix, 245
STEELE (RUSSELL) see *Shattock, S. G.*
STEEVES (G. W.), per *F. W. Mott*, malignant growth of the lip, with melanosis . . . . . xxxvii, 475
STENOSIS, double, of the upper air-passages, in a case of malignant tumour of thyroid gland (F. Semon) . . . xxxiii, 38
„ of orifices of coronary arteries, due to endarteritis (W. S. Greenfield) . . . . . xxvi, 55
„ aortic, mitral, and tricuspid, firm clot in left auricle, &c. (J. P. Irvine) . . . . . xxxi, 79
„ of the mitral valve (F. C. Turner) . . . xxxv, 109
„ — with coagula in auricular appendix, &c. (J. F. Goodhart) . xxvii, 100
„ — thrombosis of left auricle and of femoral arteries, &c. (W. Cayley) . . . . . xxix, 60
„ — and aortic aneurysm (W. Pasteur) . . . xxxvii, 183
„ of the tricuspid and mitral valves (W. S. Greenfield) xxvii, 113; (D. J. Leech) xxxiii, 102; (R. G. Hebb) xxxvi, 145; (R. E. Carrington) xxxvii, 171.

STENOSIS (*continued*)—
„ of mitral orifice and valve (F. C. Turner) . . . xxxiv, 36
„ of mitral and aortic valves (F. C. Turner) . . . xxxvi, 144
„ of tricuspid valve (B. Fenwick) . . . . xxxiv, 35
„ of conus arteriosus of right ventricle and pulmonary artery at origin (T. B. Peacock) . . . . xxvii, 131
„ congenital, of the lower extremity of the œsophagus (F. C. Turner) . . . . . xxxvi, 184
„ of the pulmonary artery (T. B. Peacock and T. Barlow) . xxxi, 91
„ of pulmonary artery from disease of the valves, probably of congenital origin (T. B. Peacock) . . . . xxx, 258
„ of pulmonary valve, with dilatation of the pulmonary artery and hypertrophy of the right ventricle (D. W. Finlay) . xxx, 262
„ pulmonary, with dilated pulmonary artery above the stenosis (T. Barlow) . . . . . xxx, 272
„ see *Aorta*, *Artery* (pulmonary), *Mitral* valve, *Tricuspid* valve.

STERNO-MASTOID, contracted, spinal column from a case of (W. A. Lane) . . . . . xxxv, 315

STERNUM, one mode of fracture of the (W. A. Lane) . . xxxv, 253
„ fracture of, with costo-chondral dislocation (W. A. Lane) . xxxiv, 223
„ — of, alone (W. A. Lane) . . . . xxxvi, 324
„ see also *Manubrium sterni*.

STEWART (CHARLES), *report* on the microscopical appearances in Mr. Sydney Jones's case of lymphangeioma . . xxvi, 232
„ — on the microscopical appearance of Mr. Sydney Jones's multiple melanotic tumours . . . . xxviii, 221

STOCKS (A. W.), per *T. Henry Green*, occlusion of superior vena cava . . . . . xxvii, 118

STOKER (GEORGE), case of rhinolith . . . xxxvii, 449
„ black tongue . . . . . xxxv, 157

STOMACH, intestines, &c., diseases of: see *Digestion, organs of*.
„ anthrax of (J. Poland) . . . . xxxvii, 550
„ colloid cancer of (P. H. Pye-Smith) . . . xxxiv, 100
„ carcinoma of (R. W. Burnet) xxxiii, 191; (M. Sheild) xxxvi, 194.
„ — medullary, of the pyloric end of (John R. Lunn) . xxxiii, 138
„ — in a child (N. Moore) . . . . xxxvi, 195
„ — of body of, pyloric and œsophageal orifices being free; extreme contraction of the organ; simple atrophy of liver; ascites (R. E. Carrington) . . . . xxxvii, 236
„ from a case of cirrhosis of liver (N. Moore) . . xxxiii, 141
„ dilated, cases of, not due to pyloric obstruction, observed in *post-mortem* room of Guy's Hospital, 1875–82 (Jas. F. Goodhart . . . . . xxxiv, 88
„ — in a case of stricture of pylorus (W. J. Tyson) . . xxxiii, 142
„ — acute, death within forty hours of onset of vomiting (H. Morris) . . . . . xxxiv, 82
„ epithelioma of, with diffusion of secondary deposits in other viscera and the integuments (D. W. Finlay) . . xxxiv, 102
„ fibromyoma of the (P. Kidd) . . . . xxxv, 196
„ exhibiting the condition known as phlegmonous gastritis (A. Q. Silcock) . . . . . xxxiv, 90
„ from a case of acute gastrorrhœa, or acute dilatation of stomach (H. Morris) . . xxxiv, 82

STOMACH (*continued*)—
„ matted mass of hair removed by gastrostomy (J. K. Thornton) . . . . . xxxv, 199
„ extensive affection of, in Hodgkin's disease (R. E. Carrington) . . . . . xxxv, 386
„ hour-glass contraction of, notes of three cases (R. E. Carrington) . . . . . xxxiii, 130
„ — (W. H. White) . . . . . xxxv, 196
„ case of diffused suppurative inflammation of (C. H. Fagge) . xxvi, 81
„ lymphadenoma of, &c. (S. Coupland) . . . xxviii, 126
„ lymphosarcoma of (W. B. Hadden) . . . xxxvii, 234
„ malignant disease of, simulating in its symptoms malignant disease of vertebræ (J. S. Bristowe) . . . xxxvii, 193
„ perforation of, and rupture of aneurysm of hepatic artery into it (J. P. Irvine) . . . . . xxix, 128
„ ulceration of, from sulphuric acid taken by mistake (T. B. Peacock) . . . . . xxvii, 143
„ from two cases of poisoning by oxalic acid and cyanide of potassium (N. Moore) . . . . xxxiii, 140
„ from a case of carbolic acid poisoning (R. Smith) . . xxxi, 143
„ from a case of sulphuric acid poisoning (R. Percy Smith) . xxxv, 192
„ from a case of poisoning by carbolic acid (S. J. Sharkey) xxxv, 191; (S. West) xxxv, 192.
„ polypus of (N. Moore) . . . . xxxiv, 106
„ case of ruptured (J. R. Lunn) . . . . xxxiv, 81
„ circumscribed superficial slough in the (F. C. Turner) . xxxvi, 191
„ stricture of the, with extreme atrophy (S. J. Sharkey) . xxxv, 193
„ case of destruction of walls of, death on the ninth day from the commencement of symptoms (H. Handford) . . xxxvii, 230
„ ulceration of, see *Ulcer.*
„ and pylorus, from a case of excision of the pylorus (S. Jones) . . . . . xxxv, 198

STONE, see *Calculus.*

STONHAM (C.), lipoma of spermatic cord . . . . xxxvii, 340
„ diffuse lipoma of spermatic cord . . . xxxvii, 341

STRACHAN (—), notes of Mr. Bryant's case of oil cyst from parotid region . . . . . xxxiii, 303

STREPTOCOCCI, see *Micrococci.*

STRICTURE, congenital, of the duodenum (N. Moore) . . xxxv, 202
„ multiple, in small intestine (S. J. Sharkey) . . xxxv, 204
„ see *Ileum, Intestine, Œsophagus, Pylorus, Rectum, Stomach.*

STUMP, dissection of a (J. B. Sutton) . . . xxxv, 449

STURGE (W. ALLEN), hæmorrhage into the cerebellum, rupturing into the fourth ventricle . . . . xxx, 194
„ ulceration of the larynx due to congenital syphilis . . xxxi, 39
„ malformation of arm . . . . . xxxi, 208

SUGAR, presence of, in chylous urine (A. Morison) . . xxix, 394
„ in urine, see *Diabetes, Urine.*

SULPHURIC ACID, taken by mistake, ulceration of stomach from (T. B. Peacock) . . . . . xxvii, 143
„ case of poisoning by (N. Moore) . . . . xxx, 297
„ poisoning, stomach from a case of (R. Percy Smith) . . xxxv, 192
„ — with intense inflammation of transverse colon (W. Hale White) . . . . . xxxiv, 96

SUPPURATING bronchial glands at the root of the right lung (G. H. Makins) . . . . . xxxv, 79

SUPPURATION, diffuse, in retro-peritoneal tissues, causing aneurysm of the cœliac axis (J. P. Irvine) . . . . xxix, 85
,, secondary, and gangrene in lower lobe of lung (S. Coupland) . xxx, 224

SUPRARENAL CAPSULES, Addison's disease of, see *Addison's disease.*
,, ATROPHY of, with Addison's disease (G. Eastes) xxxiii, 346; (W. B. Hadden) xxxvi, 436; (S. Coupland) xxxvi, 423.
,, — with enlarged spleen and dark-coloured urine (R. Saundby) . . . . . xxxvi, 440
,, — and calcification of (J. K. Fowler) . . . xxxvi, 453
,, — simple, and gumma of kidney, in a case of Addison's disease (T. Barlow) . . . . . xxxvi, 433
,, — — with melasma suprarenale (J. F. Goodhart) xxxiii, 340; (H. Davy) xxxiii, 360.
,, blood-cysts of (R. E. Carrington) . . . xxxvi, 454
,, carcinoma of (W. B. Hadden) . . . . xxxvii, 515
,, case of disease of (N. Moore) . . . . xxxi, 350
,, disease of, and bronzing of the skin (T. B. Peacock) xxvi, 207; xxvii, 287.
,, enlarged; fatty infiltration, with fibroid degeneration (F. C. Turner) . . . . . xxxv, 395
,, fibrous and calcareous changes in, perhaps syphilitic (Wm. Ewart) . . . . . xxxi, 352
,, circumscribed hyperplasia of both (F. C. Turner) . . xxxvi, 459
,, infiltrating growth in (N. Dalton) . . . xxxvi, 247
,, secondary nodules in (S. Coupland) . . . xxviii, 179
,, sarcoma of (W. Hale White) . . . . xxxvi, 464
,, medullary sarcoma of both (F. C. Turner) . . . xxxvi, 464
,, left, primary sarcoma of, with extensive thrombosis of the vena cava inferior in a child (T. C. Fox) . . . xxxvi, 460
,, primary sarcoma of, with secondary growth in the lung (S. West) . . . . . xxx, 419
,, syphilitic? and lardaceous disease of the (F. C. Turner) . xxxv, 393
,, yellow tubercle in (W. B. Hadden) . . . xxxvii, 514

SUTTON (H. G.), per *F. C. Turner*, drawings illustrative of syphilitic disease of the viscera . . . . . xxviii, 301
,, on arterio-capillary fibrosis, see *Gull* and Sutton.
,, per *F. C. Turner*, drawings of organs, with microscopical sections, from cases of Hodgkin's disease and allied conditions . . . . . xxix, 342
,, necropsy in Dr. Stephen Mackenzie's case of ulcerative endocarditis . . . . . xxxiii, 63

SUTTON (J. BLAND), per *H. Morris*, old injury to upper extremity of the femur of a puma [*Felis concolor*] . . . xxxiii, 431
,, per *H. Morris*, pneumothorax in a coati [*Nasua rufus*] . xxxiii, 432
,, separation of the lower epiphysis of the fibula . . xxxv, 272
,, dissection of a stump . . . . . xxxv, 449
,, a fœtal cretin . . . . . xxxv, 462
,, bone disease in monkeys . . . . xxxv, 468
,, — in wild animals . . . . xxxv, 472
,, tuberculosis in birds . . . . . xxxv, 477
,, diseases of the ductless glands in animals . . . xxxv, 485
,, — reproductive organs in animals . . . xxxvi, 499
,, typhoid fever in animals . . . . xxxvi, 527

SUTTON (J. BLAND) (*continued*)—
,, diseases of the respiratory organs in animals . . xxxvi, 533
,, encephalocele . . . . . xxxiv, 18
,, rickets in a baboon . . . . . xxxiv, 310
,, — skull of a baboon, with extraordinary thickness of its bones . . . . . xxxiv, 311
,, rickets in a baboon, "Cynocephalus porcarius," W. Africa . xxxiv, 312
,, bone disease in animals: an Indian monitor. . . xxxiv, 315
,, — "Rhea Darwinii," South American ostrich . . xxxiv, 316
,, — Macacque monkey, aged three years . . . xxxiv, 317
,, — "Cercopithecus Diana" . . . . xxxiv, 319
,, — "Cercopithecus cynosurus" and Macaque monkey . xxxiv, 320
,, — tabular view of normal and abnormal processes in bone development . . . . . xxxiv, 322
,, pyæmia in a male python "Python sebæ," West Africa . xxxiv, 323
,, two hundred abscesses in the liver of a kangaroo . . xxxiv, 325
,, remarkable case of parasites . . . . xxxiv, 325
,, retroflexion of the uterus in a baboon . . . xxxiv, 326
,, diseases of the vascular mechanism in animals . . xxxvii, 572
,, observations on injuries and diseases of the joints in animals . xxxvii, 580
,, perforating ulcer of foot [in animals] . . . xxxvii, 588
SWAIN (PAUL), calculus removed by supra-pubic lithotomy . xxxi, 184

SWEAT GLANDS, changes in, in cancer and leprosy, as illustrating the extremes of atrophic and hypertrophic pathology (Geo. Hoggan) . . . . . xxx, 421
,, multiple tumours in the foot, apparently connected with the (J. W. Hulke) . . . . . xxxv, 335

SWORD-SWALLOWING, œsophagus from fatal case of (C. Gross) . . . . . xxxvi, 188

SYMONDS (CHARTERS J.), old outward dislocation of the patella . . . . . xxxii, 193
,, epithelioma arising in an ulcer of the leg . . . xxxii, 244
,, aneurysmal dilatation of the radial artery, with suppurative arteritis . . . . . xxxv, 146
,, tubercular ulceration of the tongue; acute pulmonary tuberculosis; death. . . . . xxxv, 166
,, a case of syphilitic hepatitis and of interstitial pneumonia in an infant . . . . . xxxvii, 124
,, rupture of the liver . . . . . xxxiii, 193
,, *report* on Dr. Norman Moore's case of interstitial disease of the ovaries . . . . . xxxv, 248
,, — upon the microscopical appearances of Mr. Davies-Colley's case of osteo-malacia . . . . . xxxv, 292
,, — on Mr. Chavasse's tumour of the petrous portion of the temporal bone . . . . . xxxv, 322
,, — on Mr. Barker's case of tubular epithelioma of the upper jaw . . . . . xxxvi, 403
,, — on Dr. Jacob's specimen of tumour of finger . . xxxvii, 467
SYMPATHETIC SYSTEM in diabetes mellitus (W. Hale White) . xxxvi, 67

SYNCOPE, death by, apparently from sea-sickness, in a case of Addison's disease without melasma (W. W. Greene) . xxxiv, 270
SYNOSTOSIS of foot following gunshot wound thirty-five years previously (J. Poland) . . . . . xxxvi, 347
,, of the ribs to the vertebræ, and of the arches of the vertebræ themselves (C. H. Fagge) . . . . xxviii, 201
,, of vertebræ (N. Davies-Colley) . . . . xxxvi, 359

SYNOVIAL CYSTS, see *Cysts*.
SYNOVIAL MEMBRANE of each knee-joint, extreme congestion of, in a case of gout (C. Hilton Fagge) . . . xxvi, 164
„ tubercular disease of (J. Croft) . . . . xxxii, 174
SYNOVITIS, chronic, of the radio-carpal joint of a horse, with hernial bulgings of the synovial membranes into the sheath of the extensor tendons (F. S. Eve) . . . xxxiii, 433
„ incipient, in hip-joint (A. E. Barker) . . . xxx, 353
SYPHILIS, discussion on the pathology of . . xxvii, 341–466
„ opening remarks by Jonathan Hutchinson . . xxvii, 341–358
„ remarks by Henry Lee . . . . xxvii, 358–360
„ — C. R. Drysdale . . . . xxvii, 360–363
„ — Sir James Paget . . . . xxvii, 363–373
„ — Samuel Wilks . . . . xxvii, 373–381
„ — C. Hilton Fagge . . . . xxvii, 381–383
„ — M. Berkeley Hill . . . . xxvii, 383–389
„ — Vincent de Meric . . . . xxvii, 389–394
„ — W. H. Broadbent . . . . xxvii, 394–398
„ — Thomas Buzzard . . . . xxvii, 399–401
„ — Sir William Jenner . . . . xxvii, 401–403
„ — Walter Moxon . . . . xxvii, 403–410
„ — Thomas Smith . . . . xxvii, 410–413
„ — Sir William Gull . . . . xxvii, 413–416
„ — Sir John Simon . . . . xxvii, 417–421
„ — John Wood . . . . xxvii, 421–423
„ — Frederick Robinson . . . xxvii, 423–424
„ — Edgcombe Venning . . . . xxvii, 424–425
„ — Robert Farquharson . . . xxvii, 425–426
„ — W. S. Greenfield . . . . xxvii, 426–436
„ — Septimus Gibbon . . . . xxvii, 436–439
„ — George Pollock, *President* . . . xxvii, 439–444
„ *reply by* Jonathan Hutchinson . . . xxvii, 444–466
„ aneurysm of the aorta in a syphilitic subject (F. A. Mahomed) . xxviii, 344
„ of the brain, cranial bones, and vertebræ (F. Jordan) . xxxii, 15
„ history of, abstract of nineteen case of chronic lung disease with a (J. F. Goodhart) . . . . xxviii, 322
„ of the nervous system, general remarks on (J. Hutchinson) . xxviii, 305
„ — in a case of phthisis of fibroid form (J. F. Goodhart) . xxviii, 313
„ purpura following (J. Wickham Legg) . . . . xxxvi, 479
„ ostitis of skull, gummatous infiltration of dura mater, &c., from a case of (S. Coupland) . . . . xxxi, 243
„ of the tonsil, chief points of distinction from cancer of tonsil (L. Browne) . . . . . xxx, 409
„ CONGENITAL; disease of growing ends of shafts of long bones in (T. Barlow) . . . . . xxxi, 229
„ — bone lesions in (R. W. Parker) . . . xxxi, 226
additional note to ditto . . . xxxiii (S. R.), 50
„ — obliterative endo-tracheitis and endo-bronchitis in (R. W. Parker) . . . . . xxxvii, 119
„ — receding gummata of liver in a case of (T. Barlow) . xxvii, 202
„ — gummata on cranial nerves, disease of cerebral arteries, and cicatrices of liver and spleen in a case of (T. Barlow) . xxviii, 291
„ — enlargement of the spleen and heart disease in a case of (T. Barlow) . . . . . xxviii, 353
— — sequel and *post-mortem* of ditto . . . xxxi, 46
„ — disease of the epiphysial end of the diaphysis of each humerus and interstitial pneumonia in (J. F. Goodhart) . xxviii, 359

SYPHILIS (CONGENITAL) (*continued*)—
,, — meningitis, arteritis, and choroiditis in a child the subject of (T. Barlow) . . . . . xxviii, 287
,, — specimens of diseases of skull in (T. Barlow) . . xxx, 333
,, — lesions of cranial bones in, three living cases (T. Barlow and D. B. Lees) . . . . . xxx, 350
,, — of the larynx; two cases (F. Semon) . . . xxxi, 41
,, — laryngitis in (T. Barlow) . . . . xxxi, 46
,, — ulceration of larynx due to (W. A. Sturge) . . xxxi, 39
,, — enlargement of median nerve in a case of (J. A. Ormerod) . xxxii, 14
,, HEREDITARY, epiphysial disease from a case (W. Haward) . xxviii, 356
,, — osseous lesions of (Jules Parrot) . . . xxx, 339
,, — gelatiniform and chondro-calcareous atrophy of bones in (Jules Parrot) . . . . . xxx, 341
,, — gumma of tongue in (T. Barlow) . . . xxxi, 101
,, — gumma of testis from a boy, the subject of (J. Hutchinson) xxxi, 192
,, — chronic osteitis in connection with (J. Hutchinson) . xxxi, 250
,, — osteitis of ulna in connection with (J. Hutchinson) . xxxi, 248
,, — late, two cases (S. Coupland) . . . . xxxi, 376
,, — paralysis of third, fifth, and sixth nerves, of four years' duration in a girl, the subject of, aged 14 (E. Nettleship) . xxxii, 13
,, infantile, organs from a case of, gummata in liver and lung (S. Coupland) . . . . . xxvii, 303
,, — milk tooth, its crown exfoliated in a syphilitic infant (J. Hutchinson) . . . . . xxxi, 382
,, — purulent effusion into several joints of an infant (W. A. Lane) xxxvi, 343
,, secondary, arteritis and thrombosis of middle cerebral arteries in (S. J. Sharkey) . . . . . xxxiv, 10
,, tertiary, question of the symmetry of . . xxviii, 312, 322
,, — affecting the lungs, bronchia, heart, dura mater, ulna, and testes (P. H. Pye-Smith) . . . . xxviii, 334
,, (visceral), special communications on . . xxviii, 249–360
,, — description of specimens of, sent from the Museum of the Royal Victoria Hospital at Netley to the Society (W. Aitken) xxviii, 348
,, — specimens illustrative of, from cases observed at St. Thomas's Hospital during 1875–76 (W. S. Greenfield) . . xxviii, 249
,, — ditto, *table* of the cases (do.) . . . xxviii, 250–253
,, — ditto, the disease of the lungs (do.) . . . xxviii, 258
,, — ditto, disease of skull, membranes of brain, cerebral arteries, and brain-substance (do.) . . . . xxviii, 262
,, — ditto disease of the cerebral arteries (do.) . . xxviii, 272
,, — case of (N. Moore) xxxiv, 133; xxxv, 233.
,, — drawings illustrative of (H. G. Sutton) . . xxviii, 301
,, see *Lardaceous changes.*
SYPHILITIC aortitis (F. C. Turner) . . . xxxvi, 156
,, arteritis (?) (A. E. Barker) . . . . xxxvi, 174
,, bone softening and rickety changes (Jas. F. Goodhart) . xxxiv, 197
,, deposit in spleen (T. Buzzard) . . . . xxviii, 295
,, (?) DISEASE of the bones in a fœtus (F. S. Eve) . . xxxi, 233
,, — of parietal bone, congenital, associated with cranio-tabes (T. Barlow) . . . . . xxxi, 236
,, — severe, of facial bones and viscera; death from pyæmia (V. Horsley) . . . . . xxxiv, 208
,, — of cerebral artery (W. R. Gowers) xxviii, 286; (A. Davidson) xxviii, 300; (W. S. Greenfield) xxviii, 272; (W. Anderson) xxxii, 55.
,, — leading to thrombosis and softening of the brain (T. Buzzard) . . . . . xxviii, 295

SYPHILITIC DISEASE (*continued*)—
„ — of the heart (W. Cayley) xxvi, 32; (A. P. Gould) xxvii, 69.
„ — of the lungs (W. R. Gowers) xxviii, 330; (W. S. Greenfield) xxviii, 258; (T. H. Green) xxviii, 331.
„ — — (early fibroid), two cases (F. A. Mahomed) . . xxviii, 339
„ — of the rectum, two cases (T. S. Dowse) . . . xxvi, 111
„ — ? disease of the suprarenal body (F. C. Turner) . . xxxv, 393
„ — of testicle (F. S. Eve) . . . . xxxi, 190
„ ? fibroid thickening of right pleura (A. Q. Silcock) . . xxxvii, 140
„ growth, old hydatid of liver embedded in (G. N. Pitt) . xxxvii, 276
„ GUMMATA, sequel to a case of, in vol. xx of the 'Trans.,' p. 309 (W. Adams) . . . . . xxxi, 374
„ — of posterior cerebral sinuses, &c. (T. S. Dowse) . . xxvii, 11
„ — on cranial nerves, disease of cerebral arteries, &c., in a case of congenital syphilis (T. Barlow) . . . xxviii, 291
„ — of the heart (G. C. Henderson) . . . xxxiv, 53
„ — ? in mucous tumour of the heart (S. G. Shattock) . xxxii, 77
„ — in liver and lung (S. Coupland) . . . xxvii, 303
„ — of liver in congenital syphilis (T. Barlow) . . xxvii, 202
„ — in liver, spleen and kidneys (W. S. Greenfield) . . xxvii, 311
„ — in the lung and testis (J. Hutchinson) . . . xxxi, 384
„ — in spleen (S. J. Sharkey) . . . . xxxiii, 339
„ — meningitis and, of the spinal dura mater (F. Taylor) . xxxv, 36
„ hepatitis in an infant (C. J. Symonds) . . . xxxvii, 124
„ — peri-, case of (S. J. Sharkey) . . . . xxxiv, 118
„ (?) pneumonia (W. S. Greenfield) . . . xxvii, 43
„ necrosis, congenital, of vomer (F. Churchill) . . xxxvii, 372
„ pachymeningitis (W. Hale White) . . . xxxvii, 107
„ phthisis, nodular fibroid (J. F. Goodhart) . . . xxx, 232
„ thickening of membranes around nerves (W. R. Gowers) . xxviii, 281
„ (?) tumour of left anterior cerebral artery (W. S. Greenfield) . . . . . xxvii, 11
„ — of anterior cerebral artery (W. S. Greenfield) . . xxix, 10
„ ulceration, with constriction of trachea (G. Gulliver). . xxxvi, 101
„ — of the trachea; perforation of the superior vena cava; abnormal vascular supply to the kidneys (F. C. Turner) . xxxvii, 117
„ ulcerative bronchitis and tracheitis (A. Q. Silcock) . . xxxvii, 115
SYPHILOMA of brain, mode of growth (W. R. Gowers) . . xxviii, 280
„ — with remarks on syphilis of the nervous system (J. Hutchinson) . . . . . xxviii, 305
„ — and spinal cord, &c. (W. R. Gowers) . . . xxviii, 281
„ of liver, softening of (S. Wilks) . . . . xxix, 135
SYRINGOMYELUS, case of (F. Taylor) . . . xxxv, 36
„ elongated cavity in the spinal cord (F. Taylor) . . xxix, 21
„ cavity occupying central canal of spinal cord (T. T. Whipham) . . . . . xxxii, 8

TABES, see *Cranio-tabes.*
TABES DORSALIS, osseous and articular lesions in (T. Buzzard) . . . . . xxxi, 193
„ bones from two cases of (J. Hopkins) . . . xxxvi, 352
TÆNIA elliptica (F. C. Turner) . . . . xxxiv, 306
„ mediocanellata, specimen of (F. C. Turner) . . xxvii, 337
TAIT (LAWSON), fourteen specimens of hydro- and pyo-salpinx . xxxiii, 212

TALIPES calcaneus (R. W. Parker) . . . . xxxi, 371
„ equino-valgus and congenital absence of fibula and two toes (A. P. Gould) . . . . . xxxii, 152
„ equino-varus from long-standing paralysis (F. S. Eve) . xxxi, 381
„ — in a case of genu valgum (A. P. Gould) . . . xxxiii, 271
„ varus, congenital (R. W. Parker) . . . xxxi, 370

TARCHANOFF (JEAN), "experiments on frogs," referred to (G. Hoggan) . . . . . xxx, 509

TARGETT (J. H.), traumatic hernia through diaphragm . . xxxvii, 239
„ per *J. F. Goodhart*, hæmorrhage into liver-substance; ? internal rupture (contusion) . . . . . xxxvii, 266

TAY (WAREN), alopecia areata and tinea tonsurans . . xxvi, 209
„ additional note ten years after removal of nearly the whole of the lower jaw for necrosis (see 'Trans.,' vol. xxv, p. 204) . xxxv, 281
„ and STEPHEN MACKENZIE, bromide of potassium eruption in a child, with microscopical examination . . . xxxv, 400

TAYLOR (FREDERICK), induration of the sterno-mastoid muscle . xxvi, 224
„ aneurysm of the arch of the aorta separating the coats of the œsophagus and bursting into the stomach . . xxvii, 97
„ lymphoma of the small intestine . . . . xxviii, 135
„ fatty tumour behind the pharynx . . . xxviii, 216
„ elongated cavity in the spinal cord (syringomyelus) . . xxix, 21
„ spinal cord from a case of infantile paralysis . . xxx, 197
„ cirrhosis of the liver in a child . . . . xxxi, 119
„ lymphadenoma of the lymphatic glands, liver, spleen, lungs, and pleuræ . . . . . xxxi, 282
„ obstruction of the mesenteric artery and vein, followed by intestinal and peritoneal hæmorrhage, with rapidly fatal termination . . . . . xxxii, 61
„ ulcerative endocarditis, infarcts in spleen and kidney, acute nephritis . . . . . xxxiv, 38
„ intestinal obstruction resulting from adhesion of the ileum to the mesentery . . . . . xxxiv, 137
„ sloughing lympho-sarcoma of the back, with other lesions of the skin and internal organs . . . . xxxiv, 247
„ remarks in discussion on diabetes [condition of nervous system, mode of death in diabetes] . . . xxxiv, 367
„ tumour of pituitary body . . . . xxxv, 35
„ syphilitic meningitis and gumma of the spinal dura mater, with tubular cavity in the spinal cord (syringomyelus) . xxxv, 36
„ dysentery; abscess of the liver; secondary abscesses of the brain xxxv, 210
„ chondro-epitrochlearis muscle on each side . . . xxxv, 466
„ cases of tumour of the brain . . . . xxxvii, 25
„ aneurysm of the undefended space . . . xxxvii, 152
„ see *Curran*, calculi.
„ *report* on Mr. John Gay's specimen of recurrent mammary tumour xxxi, 389
„ — on Mr. Lockwood's specimen of growth from the scalp . xxxv, 341
„ — on Mr. Peeke Richards's case of tumour in the third ventricle of the brain . . . . . xxxvii, 51

TAYLOR (HENRY), per *J. Knowsley Thornton*, solid tumour of left ovary and slightly enlarged right ovary . . . xxix, 168

TAYLOR (H. H.), per *Percy Kidd*, tubercular ulceration of tongue xxxvi, 184

TAYLOR (SEYMOUR), remarks in discussion on diabetes . . xxxiv, 365
„ a case of Addison's disease with marked pigmentation of the labia minora . . . . . xxxvi, 449
„ tumour of brain, involving the first left frontal convolution . xxxvii, 47

TAYLOR (THOMAS), examination of calculus with mulberry calculus nucleus . . . . . xxxiv, 149
TEETH, imperfect, and lamellar cataract (Jon. Hutchinson) . xxvi, 235
,, artificial, removed from the larynx and passed by the bowels (C. Heath) . . . . . xxvii, 322
,, incisor, "hypertrophied," perforating palate in a rat (S. G. Shattock) . . . . . xxxvii, 587
,, milk, its crown exfoliated in a syphilitic infant (J. Hutchinson) xxxi, 382
,, second lower left molar, odontoma of (R. Parker) . . xxxii, 240
TEMPORAL BONE, exfoliation of petrous portion of, including part of external auditory meatus, after removal of a polypus (W. J. Roeckel) . . . . . xxxiv, 232
,, tumour removed from the petrous portion of the (T. F. Chavasse) xxxv, 320
TEMPORO-SPHENOIDAL LOBE, sarcoma of (J. A. Ormerod) . xxxv, 27
TENDO ACHILLIS, recent division of (S. G. Shattock) . . xxxi, 382
,, reunited, with formation of one and a half inches of new tendon, after subcutaneous division four years before death (W. Adams) xxxi, 372
TERATOMA from an infant (P. H. Pye-Smith) . . xxxvii, 499
TESTES, adeno-sarcoma, congenital, of (R. W. Parker) . xxxvi, 299
,, — in a case of cardiac malformation (V. Horsley) . . xxxiv, 161
,, undescended, primary cancer of, &c. (F. A. Mahomed) . xxxiv, 182
,, carcinoma of, in a boy aged 2 years (H. Marsh) . . xxvi, 138
,, large single cyst of (A. Doran) . . . . xxix, 163
additional note to ditto . . . xxxiii (S. R.), 43
,, left, affected with cystic disease (W. Haward) . . xxviii, 177
,, dermoid cyst of (B. Pollard) . . . . xxxvii, 342
,, deposit of bone in (J. A. P. Price) . . . xxxvi, 296
,, fibroid, from a case of syphilis (S. Coupland) . . xxxi, 243
,, fibrous, in a case of nummular aortitis, &c. (J. F. Goodhart) . xxvi, 30
,, gumma of, from a boy, the subject of inherited syphilis (J. Hutchinson) . . . . . xxxi, 192
,, — in (Jon. Hutchinson) . . . . xxxi, 384
,, chronic interstitial orchitis in tertiary syphilis (P. H. Pye-Smith) . . . . . xxviii, 334
,, hernia of, from a child eighteen months old (W. M. Baker) . xxvi, 140
additional note to ditto. . . . xxxiii (S. R.), 37
,, — of, undescended, into vaginal process (F. S. Eve) . . xxxi, 147
,, in the perineum, with congenital inguinal hernia and acute hydrocele (W. R. Williams) . . . . xxxiv, 168
,, sarcoma of (John H. Morgan) . . . . xxxii, 243
,, — congenital, of (A. Q. Silcock) . . xxxvi, 301
,, — early, of (W. C. Chaffey) . . . . xxxvi, 302
,, syphilitic disease of (F. S. Eve) . . . . xxxi, 190
TETANUS, spinal cord from a case of, following ovariotomy (V. Harris and A. Doran) . . . . xxxi, 7
,, and hydrophobia, on the pathology of (Jas. Ross) . . xxx, 215
THALAMUS, tumour of the (P. H. Pye-Smith) . . xxxv, 31
,, desirability of using this term without the adjective *opticus* (P. H. Pye-Smith) . . . . . xxxv, 34
THIGH, abscess in left, &c., scarlet fever, death (A. Money) . xxxiii, 264
,, acute myositis of (C. J. Devis) . . . . xxxii, 273
,, osteo-chondroma of (W. H. Battle) . . . xxxvii, 474
,, upper, round-celled sarcoma of part of (R. J. Godlee) . xxvi, 183
additional note to ditto . . . xxxiii (S. R.), 38
,, myxo-sarcoma of the upper part of left (R. Lyell) . . xxviii, 225
,, large spindle-cell sarcoma of (A. P. Gould) . . xxviii, 223

THIN (George), case of epithelioma of the lip in a woman . xxix, 236
„ cancerous ulcer of forty-three years' duration . . xxix, 237
additional note to ditto . . . xxxiii (S. R.), 44
„ pathological histology of a case of rodent ulcer of the scalp . xxix, 241
additional note to ditto . . . xxxiii (S. R.), 44
„ further illustrations of the histology of rodent ulcers . xxx, 373
additional note to ditto . . . xxxiii (S. R.), 46
„ skin disease in the horse: sebaceous tumours, erythema circumscriptum, and eczema . . . . xxx, 588
„ remarks on the microscopical structure of Mr. H. Morris's pulsating tumour of cranium . . . . xxxi, 266
„ on some of the appearances observed in a case of cancer of the liver . . . . . xxxi, 293
„ on the histology of a cancerous tumour of the mamma . xxxi, 294
„ histology of elephantiasis arabum and its relations to normal connective tissue . . . . . xxxi, 337
„ on the fungus of tinea imbricata . . . xxxi, 339
„ the connection between disease of the nipple and areola and tumours of the breast . . . . xxxii, 218
„ — summary of his conclusions . . . . xxxii, 227
„ on the histology of the molluscum contagiosum of Bateman . xxxii, 257
„ four cases of alopecia areata occurring in one family . xxxiii, 390
„ sequel to a case of rodent ulcer of the scalp . . xxxvi, 469
„ see *Hillis, Manson* on filaria.

THOMPSON (Sir HENRY), case of calculus impacted in the wall of the bladder, at the lower part, and removed by operation . . . . . xxxv, 239
„ growth from the bladder removed by operation . . xxxv, 240

THOMPSON (REGINALD), notes of Dr. Whipham's case of glioma of the spinal cord . . . . . xxxii, 9

THOMSON (ALEX.), notes of a case of multiple lymphoid tumours (with post-mortem examination), see *Gairdner* and Coats.

THORAX, large mass of calcareous deposit in (J. H. Morgan) . xxxv, 78
„ rickety deformity of, with spontaneous fracture of ribs (R. W. Parker) . . . . . xxxiii, 257

THORNTON (J. KNOWSLEY), multilocular extra-ovarian cyst . xxvi, 147
additional note to ditto . . . xxxiii (S. R.), 37
„ unilocular ovarian cysts . . . . xxvi, 149
„ remarks in the discussion on the germ theory of disease xxvi, 311–314
„ dermoid ovarian cyst . . . . . xxvii, 209
„ gangrenous ovarian cyst . . . . xxvii, 212
„ tumours of both ovaries, with peritoneal infection . . xxviii, 189
„ peritoneal cysts with blood-cyst of left ovary . . xxix, 145
additional note to ditto . . . xxxiii (S. R.), 42
„ alveolar sarcoma of the capsule of the right kidney . . xxxiv, 141
„ matted mass of hair removed from the stomach by gastrostomy . . . . . xxxv, 199
„ multilocular cystic tumour of spleen removed by abdominal section (splenectomy) . . . . xxxv, 385
„ scrofulous kidney removed by abdominal nephrectomy . xxxvi, 266
„ hydronephrosis due to papilloma and calculus . . xxxvi, 269
„ — of right kidney, removal by abdominal nephrectomy . xxxvi, 271
„ see *Day* and Thornton, Cystic kidney; *Taylor* (*H.*).

THORNTON (W. PUGIN), larynx and trachea three years and nine months after thyrotomy . . . . xxvii, 293

THOROWGOOD (J. C.), see *Wilton* (*John*).

THROMBI in branches of the pulmonary artery; pulmonary arteritis; septicæmia (F. C. Turner) . . . xxxvii, 134
THROMBOSIS of the left auricle and of femoral arteries in case of mitral stenosis (W. Cayley) . . . . xxix, 60
„ internal carotid arteries, hemiplegia, death (T. S. Dowse) . xxvii, 67
„ from syphilitic disease of cerebral arteries (T. Buzzard) . xxviii, 295
„ from syphilitic tumour of cerebral artery (W. S. Greenfield) . xxvii, 5
„ of middle cerebral arteries, in secondary syphilis (S. J. Sharkey) xxxiv, 10
„ of the left posterior cerebral artery; partial closure of left carotid by endarteritis (H. Handford) . . . xxxvii, 5
„ of the femoral vein, pulmonary embolism, in a case of fracture of the metatarsal bones; death (Stanley Boyd) . . xxxiii, 93
„ of left common iliac artery, causing gangrene of right leg (J. K. Fowler) . . . . . xxxiv, 77
„ of the iliac veins in Hodgkin's disease (H. G. Sutton) . xxix, 344
„ of iliac vein, gangrene of corpora cavernosa and spongiosum penis from (J. Gay) . . . . . xxx, 323
„ of the veins of one lower extremity with consecutive embolism of the pulmonary artery (R. Lyell) . . . xxx, 294
„ of innominate vein, contiguous with a pulmonary cavity (W. W. Smith) . . . . . xxxii, 70
„ and softening of clot in the lung in pyæmia, table of cases . xxx, 118
„ acute, of superior mesenteric and portal veins, with rapidly fatal collapse (C. H. Fagge) . . . . xxvii, 124
„ of superior mesenteric artery, with plugging of left femoral, and iliac arteries, gangrene of leg (H. G. Howse) . . xxix, 101
„ in pulmonary artery causing gangrene of the lung (B. G. Morison) . . . . . xxxii, 23
„ of the pulmonary artery (para-vaginal and dermoid cysts) (F. A. Mahomed) . . . . . xxxiv, 72
„ of vena cava inferior and both iliac veins, with aneurysm of left internal iliac artery (J. W. Legg) . . . xxvii, 104
„ of vena cava inferior in case of primary sarcoma of left suprarenal capsule in a child (T. C. Fox) . . . xxxvi, 460
„ of the vena portæ, leading to cirrhosis of the liver, after thrombosis of the vena cava, &c. (S. West) . . . xxix, 107
„ of right uterine vein following delivery (G. N. Pitt) . . xxxvi, 265
„ of right ventricle and pulmonary artery in congenital imperfection of septum ventriculorum (J. Abercrombie) . . xxxii, 73
THUMB, amputation of portion of, with vessel and nerve by a piece of string (W. H. Battle) . . . . xxxvii, 568
„ recent dislocation of the first phalanx of, forwards (F. S. Eve) xxxi, 216
„ mixed-celled sarcoma of (H. T. Butlin) . . . xxxiii, 323
THYMUS GLAND, cancer of, &c. (F. A. Mahomed) . . xxxiv, 182
„ change in the, in a case of hæmophilia and one of purpura (T. D. Acland) . . . . . xxxvi, 491
THYROID CARTILAGE, chondritis of, in a case of epithelioma of the larynx (F. Semon) . . . . xxxi, 55
„ deformity of (W. A. Lane) . . . . xxxv, 75
„ fracture of (C. A. Ballance) . . . . xxxvii, 114
„ fracture of superior cornua (S. G. Shattock) . . xxxvi, 95
THYROID GLAND, diseases of the, see *Glands, ductless.*
„ absence of, in a case of sporadic cretinism (F. Beach) . xxvii, 316
„ carcinoma of (R. E. Carrington) . . . . xxxvii, 508
„ enlargement of right lobe displacing the trachea and interfering with its form (L. Browne) . . . . xxvii, 291

THYROID GLAND (*continued*)—
„ malignant disease of, from a case of myxœdema (G. Gulliver) . xxxvii, 511
„ primary new growth in (N. Moore) . . . xxxvii, 513
„ removal of, during an attack of dyspnœa in a case of bronchocele (B. Pitts) . . . . . xxxiii, 364
„ infiltrating fibroma (? sarcoma) of the (A. A. Bowlby) . xxxvi, 420
„ specimen of cystic tumour of, successfully removed from the living subject (J. Wood) . . . . xxix, 206
„ malignant tumour of, case of, with double stenosis of the upper air-passages (F. Semon) . . . . xxxiii, 38
„ — microscopical examination of . . . . xxxiii, 47
„ accessory, intracystic papilloma of (B. Pollard) . . xxxvii, 507

THYROTOMY, larynx and trachea three years and nine months after (Pugin Thornton) . . . . . xxvii, 293

TIBIA, abscess in head of (A. P. Gould) . . . xxxiii, 266
„ congenital absence of, from each leg (R. W. Parker) . . xxxiii, 238
„ hypertrophied callus of (B. Pollard) . . . xxxvi, 388
„ primary carcinoma of (G. H. Makins) . . . xxxvi, 409
„ double displacement of, backwards, with deformity of the long bones and arrested development (C. T. Dent) . . xxxiii, 250
„ dwarfing of, following detachment of its lower epiphysis (J. Hutchinson) . . . . . xxxi, 249
„ fracture of, with partial displacement of foot forwards (W. A. Lane) . . . . . xxxvi, 333
„ — — — — backwards (W. A. Lane) . . . xxxvi, 335
„ — comminuted, with impaction of the anterior tibial vessels and nerve, followed by gangrene (F. S. Edwards) . . xxxiv, 222
„ hyperostosis of (W. Cayley) xxix, 172; (T. W. Nunn) xxix, 181.
„ — with curvature of the shaft, osteitis deformans (H. G. Howse) . . . . . xxix, 182
„ hypertrophy of right, in a boy aged 11 years (W. Edmunds) . xxxvi, 387
„ enlarged, with central encysted sequestrum (F. C. Turner) . xxxv, 283
„ myxo-sarcoma of head of (A. R. Anderson) . . xxxi, 309
„ acute necrosis of (G. White) . . . . xxxii, 163
„ osteitis of upper part, with disease of knee-joint (W. Rivington) xxxvi, 346
„ caseating osteo-myelitis in that of a domestic pigeon (S. G. Shattock) . . . . . xxxiii, 435
„ central myeloid sarcoma of the, which produced no expansion of the bone (H. H. Clutton) . . . . xxxv, 327
„ myeloid tumour of the head of (Jer. McCarthy) . . xxxii, 208

TINEA imbricata, on the fungus of (G. Thin) . . . xxxi, 339
„ tonsurans and alopecia areata (W. Tay) . . . xxvi, 209

TIRARD (NESTOR), malformation of the heart . . . xxxii, 41

TISSUES, examination of, in a case of hæmophilia (J. Wickham Legg) . . . . . xxxvi, 488
„ intermuscular, of thigh and skin, lymphadenoma of (S. Coupland) . . . . . xxviii, 126
„ subcutaneous, alveolar sarcoma of (R. J. Godlee) . . xxvi, 183
additional note to ditto . . . xxxiii (S. R.), 38
„ see *Connective tissue.*

TIVY (W. J.), a case of primary cancer of the liver exhibiting many features of interest . . . . xxxv, 227

TOES, foot with nine (F. Mason) . . . . xxx, 583
„ supernumerary and irregular, in a case of congenital absence of tibia (R. W. Parker) . . . . . xxxiii, 238

TOES (*continued*)—
,, two, congenital absence of, and of fibula, and talipes equino-valgus (A. P. Gould) . . . . . xxxii, 152
,, elephantiasis of, in a case of lymphangeioma (S. Jones) . xxvi, 227
,, epithelioma in, following removal of epithelioma of the tongue (R. J. Godlee) . . . . . xxvii, 253
,, first and second, of left foot, congenital hypertrophy of (J. N. C. Davies-Colley) . . . . . xxxiii, 235
,, congenital tumour on end of, in an infant (Jon. Hutchinson) . xxxii, 241

TONGUE and digestive canal, diseases of, see *Digestion, organs of.*
,, tubular adenoma of root and dorsum of (R. Parker) . . xxxii, 238
,, black (G. Stoker) xxxv, 157; (H. A. Lediard) xxxvii, 222.
,, cancer of the, occurring simultaneously on the two sides (J. Hutchinson) . . . . . xxvi, 98
,, dermoid cyst under the; pigmentation of corium (S. Paget) . xxxvii, 225
,, mucous cyst of (W. B. Hadden) . . . . xxxvii, 225
,, EPITHELIOMA of, involving the lower jaw, removed (C. Heath) . xxvii, 144
additional note to ditto . . . xxxiii (S. R.), 39
,, — removal of, followed by epithelioma in chest and toe, without involving glands of neck (R. J. Godlee) . . . xxvii, 253
,, — with secondary growths in the lungs, &c. (R. J. Godlee) . xxxii, 27
,, — following syphilitic gumma (W. M. Baker) . . xxxv, 189
,, — epithelial growths in liver and kidney secondary to (J. Poland) . . . . . xxxvi, 411
,, — excision of the anterior third of, for, followed by gangrene of the lung (H. Royes Bell) . . . . xxxii, 26
,, gumma of, in hereditary syphilis (T. Barlow) . . xxxi, 101
,, hypertrophy of (F. Clarke) . . . . xxvi, 115
,, ichthyosis or psoriasis of the (A. Sangster) . . . xxxiii, 103
,, *tabular statement* of forty-three cases of, from papers by Hulke, Morris, Debove, Weir, Mauriac, and Fairlie Clarke . . xxxiii, 110
,, papilloma of, with nævoid structure at its base (W. W. Wagstaffe) . . . . . xxvi, 107
,, on a peculiar circular, wandering rash on the (A. E. Barker) . xxxi, 353
,, doubtful tumour of, probably papilloma (W. W. Wagstaffe) . xxvi, 105
supplementary report on preceding . . xxxiii (S. R.), 37
,, TUBERCULAR disease of (W. B. Hadden) . . . xxxiv, 135
,, — leprosy of (B. Rake) . . . . xxxvi, 97
,, — lupus of (Fairlie Clarke) . . . . xxvii, 148
,, — ulcers of (Stanley Boyd) xxxiv, 134; (A. A. Bowlby) xxxv, 159; (A. E. Barker) xxxv, 169; (R. J. Godlee) xxxv, 184.
,, — in a man, aged 54, with remarks (F. B. Jessett) . . xxxv, 162
,, — ; acute pulmonary tuberculosis; death (C. J. Symonds) . xxxv, 166
,, — ulceration of (H. H. Taylor) xxxvi, 184; (P. Kidd) xxxvi, 184.
,, two specimens of connective-tissue tumour of the (F. S. Eve) . xxxvii, 223

TONSILS, primary cancer of (L. Browne) . . . xxix, 243
,, chief points of distinction in the clinical history of cancer and syphilis of (L. Browne) . . . . xxx, 409
,, primary epithelioma of; living specimen (L. Browne) . xxx, 407
additional note to ditto . . . xxxiii (S. R.), 47
,, right primary lymphosarcoma of (A. E. Barker) . . xxxvii, 218
,, primary malignant disease of, probably sarcoma (H. H. Clutton) xxxv, 157
,, sarcoma of right (S. West) . . . . xxxiii, 331
,, round-celled sarcoma of (B. Pollard) . . . xxxvii, 221
,, suppuration in region of, in a case of empyema (J. F. Goodhart) . . . . . xxvii, 102

TOOTH (HOWARD H.), case of origin of the aorta from the infundibulum, and of the pulmonary artery from the sinus of the right ventricle . . . . . xxxv, 127
,, diffused lympho-sarcoma of liver . . . xxxvi, 236
TOOTH, see *Teeth*.
TORTICOLLIS in the common fowl (E. Crisp) . . xxvi, 252
,, produced by pressure in the lower part of the spinal column (W. A. Lane) . . . . . xxxvi, 364
TRACHEA, aneurysm of aortic arch rupturing into (H. G. Orlebar) xxxi, 98
,, death from sudden hæmorrhage into, in epithelioma of œsophagus (T. Whipham) . . . . xxvi, 91
,, sudden death from impaction of caseous gland in the perforation of trachea (P. Kidd) . . . . . xxxvi, 104
,, and larynx, three years and nine months after thyrotomy (Pugin Thornton) . . . . . xxvii, 293
,, from a dog dying of measles (W. Squire) . . . xxvii, 340
,, showing absence of thyroid gland and fatty tumours from a case of sporadic cretinism (F. Beach) . . . xxvii, 316
,, and œsophagus, double aortic arch enclosing (J. Curnow) . xxvi, 33
,, fistulous communication between œsophagus and, in epithelioma of œsophagus (T. Whipham) . . . . xxvi, 91
,, constriction of, in case of syphilitic ulceration (G. Gulliver) . xxxvi, 101
,, displacement of, by enlargement of thyroid gland (L. Browne) xxvii, 291
,, foreign body in the (W. B. Hadden) . . . xxxvi, 107
,, membranous inflammation of, in an adult (P. H. Pye-Smith) . xxxi, 30
,, obstruction of the (G. H. Makins) . . . xxxv, 79
,, rupture of the (R. J. Godlee) . . . . xxvi, 13
,, scarring and stenosis of, in nummular aortitis (J. F. Goodhart) xxvi, 30
,, old syphilitic scars in, leading to chronic disease in the lungs (W. Ewart) . . . . . xxxi, 57
,, syphilitic ulceration of the; perforation of superior vena cava (F. C. Turner) . . . . . xxxvii, 117
,, ulceration of, from friction of tracheotomy tube (W. Hale White) . . . . . xxxvi, 101
,, simple ulceration establishing a communication between the, and œsophagus (R. E. Carrington) . . . xxxvi, 98
,, fatal ulcerative perforation of, in nearly impassable stricture of œsophagus (J. Cockle) . . . . xxviii, 123
TRACHEAL MUCOUS MEMBRANE, chronic ulceration and thickening of, from the presence of a rubber tracheotomy tube (P. H. Pye-Smith) . . . . . xxxv, 78
TRACHEITIS, syphilitic ulcerative (A. Q. Silcock) . . xxxvii, 115
,, ENDO-, obliterative in congenital syphilis (R. W. Parker) . xxxvii, 119
TRANSPOSITION of aorta and pulmonary artery (H. Ashby) . xxxiii, 49
,, — — — in a case of malformation of the heart (D. B. Lees) . . . . . xxxi, 58
,, of the viscera in a living subject (D. B. Lees) . . xxviii, 448
TRAUMATIC ANEURYSM, see *Aneurysm*.
TREVAN (F. A.), per *C. B. Lockwood*, chyluria and blood parasite . xxxv, 445
TREVES (FREDERICK), case of villous polyp of the bladder . xxxii, 141
,, osteitis deformans . . . . . xxxii, 167
,, dissection of a congenital hydrocele of the neck . . xxxii, 194
,, vesical calculus from a dog . . . . xxxii, 311
,, congenital coccygeal tumour, attached fœtus . . xxxiii, 285
,, congenital malformation of the skull . . . xxxiv, 228

TREVES (FREDERICK) (*continued*)—
„ a case of supposed actinomycosis . . . . xxxv, 356
„ — *report* of Morbid Growths Committee on the above (Marcus Beck and R. J. Godlee) . . . . xxxv, 362
„ two cases of primary tumour of the soft palate . . xxxvi, 397
„ a case of congenital deformity . . . . xxxvi, 494
TRICEPS, alveolar sarcoma of (recurrence); one lymphatic gland infected (G. Barling) . . . . xxxvi, 414
TRICHOCLASIA, affection of the hair so described (P. H. Pye-Smith) xxx, 439
TRICHORREXIS NODOSA, affection of the hair so described (P. H. Pye-Smith . . . . . xxx, 439
TRICUSPID VALVE, constriction of (S. J. Sharkey) . . xxxvii, 170
„ case of disease of (A. Morison) . . . . xxvii, 83
„ disease of (A. P. Gould) . . . . xxviii, 50
„ septic endocarditis, ? consequent upon previous pneumonia (H. Handford) . . . . . xxxvii, 166
„ tabulated summary of cases of primary incompetency of (B. Fenwick) . . . . . xxxiii, 69
„ case of secondary incompetency of (B. Fenwick) . . xxxiii, 64
„ STENOSIS of (W. S. Greenfield) xxvii, 113; (W. Ewart) xxix, 52; (J. P. Irvine) xxxi, 79; (B. Fenwick) xxxiv, 35; (R. G. Hebb) xxxvi, 145; (R. E. Carrington) xxxii, 75; xxxvii, 171.
„ — two cases of extreme (B. Fenwick) . . . xxxii, 42
„ — tabulated summary of 46 cases (B. Fenwick) . . xxxii, 48
„ — and mitral valve (P. Horrocks) . . . xxxii, 76
„ — with contraction of aortic semilunar valves, in a boy (A. Boyce Barrow) . . . . . xxxii, 74
„ — with concurrent dicease of the aortic valves (R. E. Carrington) xxxii, 75
„ recent vegetations on (F. C. Turner) . . . xxxiv, 36
„ case of warty growth on (H. R. Crocker) . . . xxx, 281
TROCHANTER, bony outgrowth of the great, simulating dorsal dislocation of the hip (H. Morris) . . . xxxi, 214
TROPICAL ABSCESS, see *Abscess*.
TUBERCULOSIS [AND TUBERCLE], a preliminary note of some experiments on the etiology of (D. Williams) . . xxxv, 413
„ bovine, in an eland (C. Creighton) . . . xxxiii, 428
„ — in a nil-ghau [Antilope picta] (C. Creighton) . . xxxiii, 426
„ in twenty-one pheasants (E. Crisp) . . . xxvi, 249
„ in birds (J. B. Sutton) . . . . . xxxv, 477
„ bacilli of, found in contents of cavities and not in lung tissue (S. West) . . . . . xxxiv, 26
„ ulceration of bladder (E. H. Fenwick) . . . xxxvii, 308
„ tubercular exfoliating cystitis (E. H. Fenwick) . . xxxvii, 310
„ tubercular disease involving ascending parietal and frontal convolutions of left side and the adjoining parts of first and second transverse frontal, and extending into the white matter beneath (W. M. Ord) . . . . . xxxvii, 46
„ tuberculous growth of the dura mater, with affection of the subjacent vertebra (W. Hale White) . . . xxxvii, 97
„ tubercular mass attached to dura mater (H. Sainsbury) . xxxv, 9
„ fatal hæmoptysis associated with (F. Robinson) . . xxviii, 33
„ in the wall of the heart (R. G. Hebb) . . . xxxv, 123
„ tubercular disease of the elbow-joint (G. H. Makins) . . xxxii, 189
„ — of synovial membranes and of joints (John Croft) . xxxii, 174
„ — of synovial membranes and of joints, opinions of various authors on . . . . . xxxii, 184–188

TUBERCULOSIS [AND TUBERCLE] (*continued*)—
„ of kidney, see *Kidney*.
„ tubercular vomicæ in the liver (W. H. White) . . xxxv, 217
„ of the liver in an adult (N. Moore) . . . xxxiv, 133
„ and cylindrical epithelioma in same section of liver (N. Dalton) . . . . . xxxvi, 235
„ in liver and kidneys, with tubercular phthisis, &c. (J. F. Goodhart) . . . . . xxvii, 196
„ of the lung, two cases, spreading from yellow elastic nodules in the lung (gummata?) (J. F. Goodhart) . . . xxx, 233
„ acute pulmonary, with tubercular ulceration of the tongue (C. J. Symonds) . . . . . xxxv, 166
„ of the lungs and kidneys, in a case of multiple tumours of the brain (J. P. Irvine) . . . . . xxix, 11
„ two cases of, associated with lymphadenoma (W. H. Dickinson) . . . . . xxix, 373
„ of great omentum (F. S. Eve) . . . . xxxvii, 496
„ of the pancreas (T. Barlow) . . . . xxvii, 173
„ tubercular disease of the tongue (W. B. Hadden) . . xxxiv, 135
„ — ulceration of the tongue, see *Ulceration*.
„ of urinary tract (E. H. Fenwick) . . . xxxvii, 320
„ of uterus and Fallopian tube (P. Kidd) . . . xxxvii, 357
„ tubercular endometritis and salpyngitis, associated with accumulation of tubercular matter in the body of the uterus and Fallopian tubes of a young child (A. Q. Silcock) . . xxxvi, 303
„ acute, pleurisy, &c., following caseous enlargement of bronchial glands, &c., in a child (Sir D. Duckworth) . . xxvi, 246
„ caseous, of bronchial glands invading the lung, case of (J. F. Goodhart) . . . . . xxix, 322
„ caseous, deposit of, in the floor of the fourth ventricle of the brain (W. C. Chaffey) . . . . . xxxvii, 63
„ general, case of (J. F. Goodhart) . . . . xxix, 322
„ — portion of the spleen from a case of (F. C. Turner) . xxvii, 285
„ — in case of caseous pneumonia simulating empyema (H. T. Lanchester and J. M. Hobson) . . . . xxxvi, 115
„ miliary, in mucous membrane of the bladder (W. Ewart) . xxxi, 190
„ — of bladder (E. H. Fenwick) . . . . xxxvii, 308
„ — of the lungs in an infant aged three months (E. Crisp) . . . . . xxix, 34
„ — — with caseous bronchial glands, after scarlatina with nephritis; tubercular meningitis (F. C. Turner) . . xxxv, 101
„ — in branches of the pulmonary artery (F. C. Turner) , xxxvii, 139
„ yellow, in suprarenal body (W. B. Hadden) . . xxxvii, 514
„ leprosy, see *Leprosy*.
„ ulceration, see *Ulceration*.
TUCKWELL (H. M.) case of moveable kidney . . . xxvii, 474
TUMOURS, see *Morbid Growths*.
„ found loose in abdominal cavity (F. S. Eve) . . xxxi, 311
„ and hyperostosis of bones, two cases (J. F. Goodhart) . xxix, 175
„ cerebral, hæmorrhage from a (J. A. Ormerod) . . xxxiii, 11
„ — ; sarcoma of temporo-sphenoidal lobe (J. A. Ormerod) . xxxv, 27
„ of breast, connection with disease of nipple (G. Thin) . xxxii, 218
„ mammary and thoracic, in commencing symmetrical (senile) gangrene in the upper limbs of a female (B. O'Connor) . xxxv, 150
„ of the clavicle (W. J. Walsham) . . . . xxvii, 222
„ coccygeal, congenital, with attached fœtus (F. Treves) . xxxiii, 285
„ of dura mater, pressing upon the cord in the cervical region (H. A. Lediard) . . . . . xxxiii, 25

TUMOURS (*continued*)—
,, of face, plexiform sarcoma (J. McCarthy) . . . xxxi, 256
additional note on ditto . . . xxxiii (S. R.), 52
,, of the femur (J. Hutchinson) . . . . xxvii, 265
,, of finger (E. H. Jacob) . . . . xxxvii, 466
,, two examples of, in the common fowl (E. Crisp) . . xxvi, 251
,, cardiac, in the cavity of the left ventricle (J. B. Yeo) . xxvi, 52
,, of humerus (M. Sheild) . . . . xxxvi, 395
,, INTRACRANIAL, six cases (J. F. Goodhart) . . . xxxvii, 14
,, — four cases (F. Taylor) . . . . xxxvii, 25
,, — two cases (R. Saundby) . . . . xxxvii, 35
,, — gliomatous, two cases (F. C. Turner) . . . xxxvii, 29
,, — gumma, in and beneath upper part of ascending parietal convolution and parietal lobe, in right side, with adhesion of thickened dura mater (W. M. Ord) . . . xxxvii, 42
,, — tubercular disease, involving ascending parietal and frontal convolutions of left side and the adjoining parts of first and second transverse frontal, and extending into the white matter beneath (W. M. Ord) . . . . . xxxvii, 46
,, — involving the first left frontal convolution (S. Taylor) . xxxvii, 47
,, — sarcoma with myxomatous degeneration, involving the whole of the central parts of the left temporo-sphenoidal lobe, but not reaching the surface; absence of characteristic symptoms till shortly before death (S. West) . . . xxxvii, 48
,, — glioma of optic thalamus (G. Ogilvie) . . . xxxvii, 53
,, — tumour in the third ventricle (J. P. Richards) . . xxxvii, 50
,, — multiple sarcomata in the cerebral hemispheres and pons Varolii, with entire absence of cerebral symptoms (D'Arcy Power) . . . . . xxxvii, 54
,, — psammoma, involving the superior frontal gyrus of the right side (D'Arcy Power) . . . . . xxxvii, 55
,, — angio-sarcoma of left choroid plexus . . . xxxvii, 56
,, — simple cyst occurring in the right lateral ventricle (D'Arcy Power) . . . . . xxxvii, 57
,, — of base, showing the structure of skin and subcutaneous tissue (H. Sainsbury) . . . . . xxxvii, 57
,, — sarcoma, involving the left fifth nerve near its origin; multiple sarcomata of the body (D'Arcy Power) . . xxxvii, 62
,, — caseous tubercle, deposit of, in the floor of the fourth ventricle of the (W. C. Chaffey) . . . . xxxvii, 63
,, — primary carcinoma of the cerebellum; left lateral hemisphere (D'Arcy Power) . . . . xxxvii, 66
,, — primary round-celled sarcoma, involving the inferior vermiform process of the cerebellum (D'Arcy Power) . . xxxvii, 66, 67
,, — thinning of bones of skull from pressure produced by (W. Hale White) . . . . . xxxvii, 360
,, — cystic, overlying and compressing left cerebral hemisphere . xxxvii, 6
,, — tables drawn up by a Special Committee, from the specimens of intracranial tumours exhibited at the meetings of the Society, February 2nd and 16th, 1886. . . . xxxvii, 68
,, labial, three cases of (J. F. Goodhart) . . . xxviii, 213
,, of the lung, three cases (S. West) . . . xxxv, 84
,, mediastinal, cases of (S. West) . . . . xxxvii, 141
,, — invading the right lung and occluding its bronchi (R. D. Powell) . . . . . xxx, 249
,, — rapid growth; sudden death (S. West) . . . xxxiv, 233
,, — in which the pneumogastric nerve was involved (S. West) . . . . . xxxvi, 416

TUMOURS (*continued*)—
,, or striped muscle and sarcoma tissue, connected with the kidneys (F. S. Eve) . . . . . xxxiii, 312
,, of the neck, congenital (S. G. Shattock) . . . xxxiii, 289
,, of nerves, cases exhibited at the Pathological Society (1850–75) xxviii, 30
,, of optic tract, from a case of diabetes insipidus (N. Moore) . xxxii, 5
,, of the orbit, congenital—complete exophthalmos in a child two days old; removal of eye (G. Lawson) . . . xxxv, 379
,, of ovaries, see *Ovaries.*
,, involving the hard and soft palate, chiefly on the left side; removal; recovery (Sir W. Mac Cormac) . . . xxxvii, 485
,, congenital, of perinæum (G. R. Turner) . . . xxxvi, 417
,, removed from the petrous portion of the temporal bone (T. F. Chavasse) . . . . . xxxv, 320
,, of pituitary body (F. Taylor) xxxv, 35; (A. A. Bowlby) xxxvi, 35.
,, prostatic, removed in the operation of lithotomy; recovery (T. Bryant) . . . . . xxix, 164
,, renal, chiefly consisting of cholesterin (N. Moore) . . xxxvi, 272
,, of the scapula (J. Wood) . . . . xxvi, 170
,, of the sciatic nerve (D. Balding) . . . . xxvii, 23
,, primary, of soft palate (F. Treves) . . . xxxvi, 397
,, of spermatic cord from a child four years of age (W. J. Walsham) . . . . . xxxi, 303
,, [glioma] of the spinal cord and medulla oblongata (T. T. Whipham) . . . . . xxxii, 8
,, subcutaneous pulsating, following simple fracture of skull in infants (R. J. Godlee) . . . . xxxvi, 313
,, of the thalamus (P. H. Pye-Smith) . . . xxxv, 31
,, intra-thoracic, case of (B. Fenwick) . . . xxxiii, 296
,, of thyroid (N. Moore) . . . . . xxxvii, 513
,, doubtful, of the tongue (W. W. Wagstaffe) . . xxvi, 105
,, of the wrist (R. Barwell) . . . . xxvi, 188
additional note to ditto . . . xxxiii (S. R.), 38
,, removed from the zygomatic fossa (J. Wood) . . xxvi, 190
,, calcareous, of brain (F. S. Eve) . . . . xxxiii, 14
,, CARTILAGINOUS, of arm (W. H. Cripps) . . . xxxi, 287
,, — in the bones of fingers and metacarpus (Jonathan Hutchinson) . . . . . xxxii, 241
,, — recurrent, of the head and neck [lower jaw] (Geo. Lawson) xxxiv, 261
,, colloid, see *Myxo-sarcoma, Colloid cancer.*
,, CONGENITAL, at the extremity of the finger of an infant (Jonathan Hutchinson) . . . . . xxxii, 241
,, — sacral (S. G. Shattock) . . . . xxxii, 197
,, — containing fœtal structures, from the sacrum of a child (C. Macnamara) . . . . . xxxii, 199
,, — on end of toe of an infant (Jonathan Hutchinson) . xxxii, 241
,, connective-tissue, of tongue, two specimens (F. S. Eve) . xxxvii, 223
,, — of the scalp containing cartilage-like bodies (C. B. Lockwood) . . . . . xxxv, 340
,, cystic, of the thyroid gland successfully removed from the living subject (J. Wood) . . . . xxix, 206
,, DERMOID, from the rectum (H. Port) . . . xxxi, 307
,, — growing from soft palate on base of skull (W. Hale White) . . . . . xxxii, 201
,, — pedunculated, from the sigmoid flexure (F. A. Floyer) . xxxvii, 252
,, — see *Ovaries.*
,, peculiar epithelial, of skin near rectum (H. H. Clutton) . xxxvii, 479

TUMOURS (*continued*)—
,, FATTY, of abdomen, showing fibrous and osseous changes (J. Dreschfeld) . . . . . xxxi, 287
,, — removed from right arytæno-epiglottidean fold (Sydney Jones) xxxii, 243
,, — removed from the inguinal canal during the operation for hernia (H. T. Butlin) . . . . . xxvi, 186
,, — from a child, containing striated muscular fibres (H. T. Butlin) xxviii, 221
,, — congenital, from sole of foot and palm of hand (C. B. Lockwood) . . . . . xxxvii, 450
additional note to ditto . . . xxxiii (S. R.), 42
,, — from the pectoral muscle of a hen (E. Crisp) . . xxvii, 339
,, — behind the pharynx (F. Taylor) . . . xxviii, 216
,, — from beneath scalp (Sydney Jones) . . . xxxii, 243
,, — discontinuous, of the right axillary region (C. F. Maunder) xxvii, 251
,, — pedunculated, from the anterior superior spine of the ilium (W. J. Walsham) . . . . . xxxi, 310
,, — polypoid, just within the neck of invagination (F. C. Turner) . . . . . xxxv, 212
,, fibro-cellular, from the interior of the knee-joint (R. J. Godlee) xxxii, 207
,, FIBRO-CYSTIC, of neck (J. F. West) . . . xxvi, 180
,, — microscopical examination of ditto (O. Leeson) . . xxvi, 182
additional note to ditto . . . xxxiii (S. R.), 38
,, — congenital, of the cheek, nævoid ? (J. Hutchinson) . xxxii, 240
,, — of uterus (W. A. Meredith) . . . . xxxii, 151
,, — large multilocular, of uterus (W. A. Meredith) . . xxxii, 145
,, fibro-sarcomatous, congenital, of back (N. Davies-Colley) . xxxv, 382
,, FIBROID, of uterus, removal of uterus by section through cervix (Sydney Jones) . . . . . xxxiii, 221
,, — recurrent, of leg, sequel to J. Swift Walker's case of (Spencer Watson) . . . . . xxvii, 257
,, — — of the scapula; removal (C. Heath) . . xxx, 405
,, — calcified, of uterus (N. Moore) . . . xxxii, 145
,, — see *Ovarian.*
,, gaseous abdominal, in a case of cancer of the sigmoid flexure (W. H. Dickinson) . . . . . xxxiii, 161
,, hydatid, see *Myxo-sarcoma.*
,, lymphadenomatous, of scalp and neck (W. Morrant Baker) . xxx, 417
additional note on ditto . . . xxxiii (S. R.), 48
,, lympho-sarcomatous, of the neck (A. E. Durham) . . xxxiv, 245
,, malignant, of forearm (C. B. Lockwood) . . . xxxvi, 408
,, — of the thyroid gland, double stenosis of the upper air passages (F. Semon) . . . . . xxxiii, 38
,, multilocular cystic of spleen, removed by abdominal section (splenectomy) (J. K. Thornton) . . . xxxv, 385
,, MULTIPLE melanotic (Sydney Jones) . . . xxviii, 219
additional note to ditto . . . xxxiii (S. R.), 41
,, — of the brain, with tuberculosis of lungs and kidneys, &c. (J. P. Irvine) . . . . . xxix, 11
,, — cerebral, a case of (W. H. Kesteven) . . . xxxv, 24
,, — in the foot, apparently connected with the sweat-glands (J. W. Hulke) . . . . . xxxv, 335
,, — (lymphoid ?) case in which some disappeared under observation (Jas. Gairdner and Jos. Coats) . . . xxx, 387
,, — see *Sarcoma.*
,, myeloid, of the head of the tibia (Jeremiah McCarthy) . xxxii, 208
,, osseous, of superior maxilla (B. Edwards) . . . xxx, 358
,, two cases of ossification in, not connected with bone (A. E. Durham) . . . . . xxxv, 378

TUMOURS (*continued*)—
,, polypoid of the left ventricle (P. Kidd) . . . xxxv, 123
,, pulsating, of left parietal bone, right clavicle and both femora, with hypertrophy of the heart (H. Morris) . . xxxi, 259
,, RECURRENT, of breast, removed seven years after first operation (T. W. Nunn) . . . . . xxxi, 276
,, — mammary; spindle-celled sarcoma; sixth removal (John Gay) . . . . . xxxi, 272
additional note to ditto . . . xxxiii (S. R.), 53
,, — nearly four years after excision of the eye for sarcoma of sclerotic (see vol. xxvii, p. 227) (E. Nettleship) . . xxix, 234
,, — of sciatic nerve, mediastinum and pleura (D. Balding) . xxviii, 23
,, sarcomatous, see *Sarcoma.*
,, sebaceous, in the horse (G. Thin) . . . xxx, 588
,, solid, of left ovary, and slightly enlarged right ovary (H. Taylor) xxix, 168
,, syphilitic (?), of left anterior cerebral artery, producing thrombosis and hemiplegia (W. S. Greenfield) . . . xxvii, 5
,, ? tubercular, of larynx (P. Kidd) . . . xxxv, 189
,, villous, of bladder (S. Boyd) . . . . xxxiii, 220
,, warty, growing in the interior of a sebaceous cyst (H. T. Butlin) xxvii, 273
additional note on ditto . . . xxxiii (S. R.), 40
,, woody, see *Xyloma.*
,, see *Cancerous tumours, Cysts, Carcinoma, Epithelioma, Lymphoma, Myxoma, Sarcoma,* &c.

TURNER (F. CHARLEWOOD), portion of the spleen from a case of general tuberculosis . . . . . xxvii, 285
,, a specimen of tænia mediocanellata . . . xxvii, 327
,, portion of the spinal cord from a case of acute anterior poliomyelitis in a child, fatal within six weeks from the onset . xxx, 202
,, remarks in the discussion on lardaceous disease . . xxx, 517
,, two cases of intestinal obstruction . . . xxxii, 82
,, specimen shown in the discussion on rickets . . xxxii, 390
,, membranous laryngitis, coming on during convalescence from scarlatina, with albuminuria, no infection from diphtheria . xxxiii, 36
,, arteries of the brain from cases of cerebral hæmorrhage . xxxiii, 96
,, abscess in each lobe of liver, ? traumatic; extensive ulceration of the colon, secondary . . . . xxxiii, 177
,, lobulated lamellar fibroma on the pleura . . . xxxiv, 19
,, malformed heart, consisting of two cavities . . xxxiv, 32
,, stenosis of the mitral orifice, recent vegetations on the mitral, aortic, and tricuspid valves; sacculated fibrinous coagulum loose in the left auricle . . . . xxxiv, 36
,, lardaceous disease of the liver, the infiltration appearing to follow the course of the capillaries within the lobules of the organ . . . . . xxxiv, 131
,, tænia elliptica . . . . . xxxiv, 306
,, ascaris mystax vel alata . . . . xxxiv, 307
,, a calvaria, showing the effects of fracture from a pistol-shot (suicidal) from the body of a man, aged 58 . . xxxv, 10
,, cyst in pia mater, deformity of brain . . . xxxv, 22
,, spinal cords from two cases of cerebro-spinal meningitis . xxxv, 63
,, arteries of the brain from two cases of cerebral hæmorrhage, miliary aneurysms, &c. . . . . xxxv, 65
,, aneurysm from the base of the brain from cases of meningeal hæmorrhage . . . . . xxxv, 71
,, miliary tuberculosis of the lung with caseous bronchial glands, after scarlatina with nephritis; tubercular meningitis . xxxv, 101

TURNER (F. CHARLEWOOD) (*continued*)—
„ heart with atheromatous aorta; extreme contraction of the orifices of the coronary arteries; sudden death . . xxxv, 108
„ stenosis of the mitral valve; necrosis of the endocardium over the auricular surface of its larger curtain . . . xxxv, 109
„ ulceration of the pylorus; a small pouch in the mucous membrane . . . . . xxxv, 200
„ duodenal ulcer; fatal hæmorrhage; pouching of duodenum (two cases) . . . . . xxxv, 200, 201
„ ulceration of ileum and stomach from a case of typhoid fever . . . . . xxxv, 208
„ intussusception of the small intestine; a polypoid fatty tumour just within the neck of the invagination . . . xxxv, 212
„ cirrhosis of the liver, with liver-cells and fragments of hepatic tissue in branches of the portal vein, from laceration . xxxv, 222
„ enlarged tibia, with central encysted sequestrum . . xxxv, 283
„ syphilitic (?) and lardaceous disease of the suprarenal body . xxxv, 393
„ enlarged suprarenal bodies; fatty infiltration, with fibroid degeneration . . . . . xxxv, 395
„ hæmatoma of the dura mater . . . . xxxvi, 16
„ sarcomatous growth in the fourth ventricle of the brain; secondary nodules of growth on the posterior surface of the spinal cord . . . . . xxxvi, 21
„ spindle-cell sarcoma of the pineal body, containing glandular and carcinomatous structures . . . . xxxvi, 27
„ sclerosis of the posterior columns of the spinal cord in an early stage, with recent interstitial exudation . . . xxxvi, 44
„ fracture of hyoid (simple); suppuration in the neck communicating with it . . . . . xxxvi, 94
„ fibrous thickening and ulceration of the aortic valve; aneurysmal pouching and perforating ulceration of the aorta . xxxvi, 141
„ ulcerative aortic valvulitis, with circumscribed ulcerative endocarditis and atheroma of the aorta . . . xxxvi, 143
„ fibrous and calcareous degeneration with stenosis of mitral and aortic valves; ulceration of the angles of the mitral slit . xxxvi, 144
„ an intramural pouch in one sinus of Valsalva; abnormal coronary arteries . . . . . xxxvi, 146
„ aneurysm of the ascending aorta communicating with the superior vena cava . . . . . xxxvi, 148
„ aneurysm of the aorta opening into the œsophagus . . xxxvi, 150
„ aneurysm of the splenic artery . . . . xxxvi, 151
„ rupture of the aorta; dissecting aneurysm; perforation of the pericardium . . . . . xxxvi, 152
„ perforation of the aorta; syphilitic aortitis . . xxxvi, 156
„ congenital stenosis of the lower extremity of the œsophagus . xxxvi, 185
„ circumscribed superficial slough in the stomach . . xxxvi, 191
„ dysenteric abscesses in the liver . . . . xxxvi, 229
„ a kidney from a case of phthisis, showing modification of the apices of the pyramids . . . . xxxvi, 268
„ malignant growth in the right kidney invading inferior vena cava . . . . . xxxvi, 275
„ traumatic aneurysm of a branch of the renal artery . . xxxvi, 277
„ circumscribed hyperplasia of both adrenals . . . xxxvi, 459
„ medullary sarcoma of both suprarenal bodies; horseshoe kidney . . . . . xxxvi, 464
„ two cases of gliomatous tumours of the brain . . xxxvii, 29
„ syphilitic ulceration of the trachea; perforation of the superior vena cava; abnormal vascular supply to the kidneys . xxxvii, 117

TURNER (F. CHARLEWOOD) (*continued*)—
„ thrombi in branches of the pulmonary artery; pulmonary arteritis; septicæmia . . . . . xxxvii, 134
„ miliary tubercles in branches of the pulmonary artery . xxxvii, 139
„ ulcerative aortitis; (1) mycotic, and (2) septicæmic . . xxxvii, 174
„ multiple hæmorrhagic nodules in wall of jejunum; septicæmia. xxxvii, 242
„ hepatic cells in the blood of the hepatic and portal venules; septicæmia after compound fracture of the skull . . xxxvii, 262
„ conjoined kidneys, the left transposed; unicorn uterus with right ovary . . . . . xxxvii, 284
„ necrosis with softening in pyramids of the kidneys; recent pericarditis . . . . . xxxvii, 290
„ *report* on Mr. Lockwood's specimen of growth from the scalp . xxxv, 341
„ — on Mr. Pecke Richards's case of tumour in the third ventricle of the brain . . . . . xxxvii, 51
„ see *Morison* and Turner, symmetrical cysts in the cerebrum.
„ see *Sutton, H. G.*
TURNER (G. R.), congenital tumour of the perinæum . . xxxvi, 417
TYPHLITIS in fatal case of relapse of enteric fever (J. J. Pringle) xxxvi, 196
TYPHOID FEVER, hæmorrhage in, followed by fatty degeneration of the heart (J. F. Goodhart) . . . . xxxi, 71
„ *table* of eighteen cases (with the morbid appearances), examined in St. Bartholomew's Hospital in the epidemic, September—December, 1881 (N. Moore) . . . . xxxiii, 152
„ of ninety-five cases of, examined *post mortem* at St. Bartholomew's Hospital, September, 1867, to September, 1881 (N. Moore) . . . . . xxxiii, 155
„ two cases of laryngeal disease occurring in (S. J. Sharkey) . xxxvii, 114
„ NECROSIS of the arytænoid cartilages in, two cases (Fred. S. Eve) . . . . . xxxi, 35
„ — of epiglottis and right arytænoid cartilage in (S. West) . xxxiii, 37
„ — — from a case of (N. Moore) . . . xxxiii, 38
„ — of upper jaw after (A. Money) . . . xxxv, 275
„ ULCERATION of ileum and stomach in (F. C. Turner) . xxxv, 208
„ — of vermiform appendix in (N. Moore) . . . xxxiv, 113
„ — of large intestine with perforation (S. West) . . xxxiv, 114
„ — perforated ulcer in upper part of descending colon, from a case of (N. Moore) . . . . . xxxiii, 150
„ in animals (J. B. Sutton) . . . . xxxvi, 527
„ see *Enteric fever.*
TYPHOID, pig, experimental and anatomical inquiry into the so-called (E. Klein) . . . . . xxviii, 440
TYSON (W. JOSEPH), simple stricture of pylorus, dilatation of stomach, fibroid of uterus . . . . xxxiii, 142
„ — *report* of Morbid Growths Committee on ditto (M. Beck and J. Godlee) . . . . . xxxiii, 143

ULCERATION [AND ULCERS] of aorta from friction of growths on segments of the aortic valve (J. P. Irvine) . . xxviii, 68
„ of aortic valve and perforating ulceration of aorta (F. C. Turner) . . . . . xxxvi, 141
„ of bladder after fracture of spine (E. H. Fenwick) . . xxxvii, 308
„ of the bowel as a consequence of renal disease (W. H. Dickinson) xxix, 117
„ of right bronchus penetrating the pulmonary artery (N. Moore) xxxii, 33
„ bronchial, fatal hæmoptysis from (P. Kidd) . . xxxvi, 102
„ secondary, of colon, in abscess of the liver (F. C. Turner) . xxxiii, 177

ULCERATION [AND ULCERS] (*continued*)—
,, deep, of cranium (N. Moore) . . . . xxxiv, 209
,, of duodenum, extension into the portal vein, hæmorrhage (S. O. Habershon) . . . . . xxvii, 155
,, — simple (N. Moore) xxxi, 108; xxxiv, 98.
,, — fatal hæmorrhage; pouching of duodenum (F. C. Turner) xxxv, 200, 201
,, — into, in case of caries of lumbar spine (J. N. C. Davies-Colley) . . . . . xxxvii, 561
,, of the angles of the mitral slit (F. C. Turner) . . xxxvi, 144
,, of ventricular septum and erosion of cusp of the valve (E. H. Greenhow) . . . . . xxxi, 73
,, of ileum and stomach from a case of typhoid fever (F. C. Turner) . . . . . xxxv, 208
,, of INTESTINES, severe, in a case of thrombosis of the superior mesenteric artery (H. G. Howse) . . . xxix, 101
,, — from without (J. F. Goodhart) . . . xxxvi, 205
,, — of large, in enteric fever (Steph. Mackenzie) . . xxxiii, 161
,, — — in enteric fever (S. Coupland) . . . xxxv, 208
,, — — with perforation in typhoid fever (S. West) . . xxxiv, 114
,, — — and small, in enteric fever (J. Curnow) . . xxxiv, 116
,, — in leucocythæmia (W. B. Hadden) . . . xxxvi, 206
,, — in paraplegia (T. D. Acland) . . . . xxxvi, 56
,, — of small, producing multiple strictures (S. J. Sharkey) . xxxv, 204
,, of the LARYNX (L. Browne and G. Smith) . . . xxvii, 49
,, — extreme, in a case of enteric fever (C. H. Fagge) . xxvii, 40
,, — in tubercular phthisis (J. F. Goodhart) . . xxvii, 196
,, — from a case of measles and a case of scarlet fever (N. Moore) xxxiv, 22
,, — due to congenital syphilis (W. A. Sturge) . . xxxi, 39
,, — with perforation, from a case of anæsthetic leprosy (B. N. Rake) . . . . . xxxvii, 543
,, of leg, epithelioma, arising in (C. J. Symonds) . . xxxii, 244
,, ulcerating and sloughing sarcomata, multiple, specially in the limbs (A. E. Durham) . . . . . xxxiv, 243
,, a form of, simulating leprosy (B. N. Rake) . . xxxvii, 544
,, of the pylorus: a small pouch of, in the mucous membrane (F. C. Turner) . . . . . xxxv, 200
,, of the STOMACH, case of (W. H. Kesteven) . . xxxiii, 141
,, — simple (N. Moore) . . . . xxxi, 106–107
,, — statistics of, at St. Bartholomew's Hospital, 1867–79 (N. Moore) . . . . . xxxi, 109
,, — and duodenum (N. Moore) . . . . xxxi, 106
,, — with secondary inflammatory induration of pancreas (W. H. White) . . . . . xxxvi, 192
,, — from sulphuric acid taken by mistake (T. B. Peacock) . xxvii, 143
,, — of lower curvature of, aneurysm of the coronary artery in (R. D. Powell) . . . . . xxix, 133
,, — associated with general degeneration of the arteries (N. Moore) . . . . . xxxiv, 94
,, of trachea from friction of tracheotomy tube (W. Hale White) xxxvi, 101
,, simple, establishing a communication between the trachea and œsophagus; purulent bronchitis; sloughing broncho-pneumonia (R. E. Carrington) . . . . . xxxvi, 98
,, of vermiform appendix in typhoid fever (N. Moore) . . xxxiv, 113
,, acute, of the colon (W. H. Allchin) . . . xxxvi, 199
,, cancerous, of forty-three years' duration (G. Thin) . . xxix, 237
additional note to ditto . . . xxxiii (S. R.), 44
,, — of the face (E. Bellamy and A. Sangster) . . xxx, 371
additional note to ditto . . . xxxiii (S. R.), 46

ULCERATION [AND ULCERS] (*continued*)—
,, epithelial, in the leg, with unusual history (Jon. Hutchinson) . xxxii, 230
,, multiple, of the stomach (W. S. Greenfield) . . xxvii, 168
,, PERFORATING, in upper part of descending colon, from a case of typhoid fever (N. Moore) . . . . xxxiii, 150
,, — of the foot, three cases (F. S. Eve) . . . xxxiii, 283
,, — — in animals (J. B. Sutton) . . . xxxvii, 588
,, — — deformity of the feet from (C. T. Dent) . . xxxv, 448
,, — — in a patient affected with remarkable degenerative changes in the spinal cord and nerves (A. J. Pepper and A. Q. Silcock) . . . . . xxxvi, 63
,, — of the ileum, from obstruction after ovariotomy (A. Doran) xxx, 298
,, — of small intestine, from a case of strangulated hernia (W. M. Baker) . . . . . xxvii, 165
,, — of the stomach (J. Wilton) xxvii, 156; (W. G. Bott) xxvii, 170.
,, — — fatal hæmatemesis thirty hours after birth (J. F. Goodhart) . . . . . xxxii, 79
,, RODENT (T. Fox and T. C. Fox) . . . . xxx, 360
additional note to ditto . . . xxxiii (S. R.), 45
,, — of the scalp, pathological histology of (G. Thin) . . xxix, 241
,, — further illustrations of the histology of (G. Thin) . xxx, 373
additional note to ditto . . . xxxiii (S. R.), 46
,, — — sequel to the case described in vol. xxix (G. Thin), xxxiii (S. R.), 44, and xxxvi, 469.
,, spreading, in a case of lympho-sarcoma of the back (J. N. C. Davies-Colley) . . . . . xxxiv, 258
,, syphilitic, see *Syphilitic.*
,, TUBERCULAR, of bladder (E. H. Fenwick) . . . xxxvii, 308
,, — of pharynx (P. Kidd) . . . . xxxv, 189
,, — of the TONGUE (Stanley Boyd) xxxiv, 134; (H. H. Taylor) xxxvi, 184; (P. Kidd) xxxvi, 184; (A. A. Bowlby) xxxv, 159; (A. E. Barker) xxxv, 169; (R. J. Godlee) xxxv, 184.
,, — — in a man aged 54, with remarks (F. B. Jessett) . xxxv, 162
,, — — acute pulmonary tuberculosis; death (C. J. Symonds) . xxxv, 166
,, — of large intestine (A. Q. Silcock) . . . xxxv, 211
,, — perforating, of intestine (W. Hale White) . . xxxvi, 198

ULCERATIVE aortic valvulitis, with circumscribed ulcerative endocarditis and atheroma of the aorta (F. C. Turner) . xxxvi, 143
,, aortitis, mycotic and septicæmic (F. C. Turner) . . xxxvii, 174
,, endocarditis, right-sided (W. B. Hadden) . . xxxvii, 165, 166
,, — see *Endocarditis.*

ULNA, caries of, in tertiary syphilis (P. H. Pye-Smith) . . xxviii, 334
,, united fracture of right, from a case of locomotor ataxy (W. B. Hadden) . . . . . xxxi, 245
,, osteitis of, in connection with inherited syphilis (J. Hutchinson) . . . . . xxxi, 248

ULNAR NERVE, see *Nerve.*

UMBILICUS connected by band with mesentery, intestinal obstruction from (F. A. Mahomed) . . . . xxvi, 117
,, congenital mucous polypus of (A. P. Gould) . . xxxii, 204

UNDEFENDED SPACE, aneurysm of (F. Taylor) . . xxxvii, 152

URÆMIA, death from, in a case of aneurysm of the abdominal aorta (H. A. Lediard) . . . . . xxx, 288

URÆMIC CONVULSIONS in a case of syphilitic tubercle of the lung (J. F. Goodhart) . . . . xxx, 233

URETERS, atresia of vesical orifice of left (congenital?) (E. H. Fenwick) . . . . . xxxvii, 300
„ compression of, by aneurysm of abdominal aorta (W. H. Dickinson) . . . . . xxvi, 76
„ cystic degeneration of, during intra-uterine life (W. Ewart) . xxxi, 187
„ dilatation of, in case of extreme prolapse of uterus, &c. (A. E. Barker) . . . . . xxxiv, 181
„ impaction of large calculus in each, causing dilatation of the ureters and abscesses in the kidneys; removal of calculus from right ureter; death (from uræmia?) (C. J. Cullingworth) . xxxvi, 278
„ obliteration of left, by omentum adherent to brim of pelvis (S. West) . . . . . xxxiii, 203
„ obstructed by cancer of bladder (A. M. Sheild) . . xxxvii, 315
„ obstruction of, by a gumma (W. B. Hadden) . . xxxvii, 301
„ valvular obstruction of, pyonephrosis (H. Sainsbury) . . xxxvii, 296
„ protrusion of orifice of, through meatus urinarius in a female child (N. Davies-Colley) . . . . xxx, 310
„ short, with misplaced kidney (W. B. Hadden) . . xxxvi, 283
„ two complete, on either side of the body (W. Ewart) . . xxxi, 188

URETHRA of oxen, calculous deposit in, producing rupture of the bladder (E. Crisp) . . . . . xxviii, 453
„ prostatic, calculus impacted in; tuberculosis of urinary tract (E. H. Fenwick) . . . . . xxxvii, 320
„ — compound diverticulum in connection with (W. A. Lane) . xxxvi, 288

URETHRAL CALCULUS (R. G. Hebb) . . . xxxvi, 290

URETHRO-VAGINAL SEPTUM, calculus embedded in the (R. Barnes) . . . . . xxxv, 238

URINARY ORGANS, diseases, &c., of, xxvi, 128–138; xxvii, 204–209; xxviii, 159–177; xxix, 151–162; xxx, 310–331; xxxi, 148–192; xxxii, 139–152; xxxiii, 195–221; xxxiv, 138–184; xxxv, 235–251; xxxvi, 262–312; xxxvii, 284–359.

URINARY TRACT, tuberculosis of (E. H. Fenwick) . . xxxvii, 320

URINE, chylous (W. H. Dickinson) . . . . xxix, 391
„ — case in which the fatty principles were in part crystallisable and the presence of sugar determined (A. Morison) . . xxix, 394
„ dark-coloured, in atrophy of suprarenal capsules (R. Saundby) . xxxvi, 440
„ chemical examination of, in cases of pyæmia . . xxx, 48
„ examination of, in insane persons, see *Diabetes* (Hale White in discussion on) . . . . . xxxiv, 348
„ tests for albumen in (C. H. Ralfe) . . . xxxiv, 143
„ quantitative estimation of sugar in, Duhomme's method . xxxiv, 395

UTERUS, cancer of, associated with intramural myomata, &c. (R. G. Hebb) . . . . . xxxvi, 307
„ catarrhal inflammation of, in a Malayan bear (J. Hutchinson, jun.) . . . . . xxxv, 484
„ arrest of development of left side of the (R. E. Carrington) . xxxv, 237
„ fibro-cyst of (W. A. Meredith) . . . . xxxii, 151
„ large multilocular fibro-cystic tumour of (W. A. Meredith) . xxxii, 145
„ calcified fibroid of (N. Moore) . . . . xxxii, 145
„ removed for large fibroid by section through cervix (Sydney Jones) . . . . . xxxiii, 221
„ fibroid of, in a case of stricture of pylorus (W. J. Tyson) . xxxiii, 142
„ fibro-myoma of, becoming sarcomatous, with secondary growths in pleura, heart, and kidney (D. W. Finlay) . . xxxiv, 177
„ — colloid cancer of (W. Roger Williams) . . . xxxvii, 354

UTERUS (*continued*)—
,, pigmentation of cervix (R. Barnes) . . . xxxiv, 176
,, extreme prolapse of, beneath the pubic arch, obstruction, &c. (A. E. Barker) . . . . . xxxiv, 181
,, retroflexion of, in a baboon (J. B. Sutton) . . . xxxiv, 326
,, septus cum vaginâ duplici (W. J. Walsham) . . xxxi, 191
,, tubercular matter in, in a young child (A. Q. Silcock) . xxxvi, 303
,, tuberculosis of (P. Kidd) . . . . xxxvii, 357
,, unicorn, with right ovary (F. C. Turner) . . . xxxvii, 284

UVULA, sloughing, in a case of acute enteritis (J. F. Goodhart) . xxvi, 84

VACCINIA, the organism characteristic of (R. J. Godlee) . xxviii, 397
VACCINE CONTAGIUM, experiments and observations on (P. M. Braidwood and F. Vacher) . . . . xxviii, 409
VACHER (F.), see *Braidwood.*
VACUOLATION of liver and kidneys in a case of cancer (F. A. Mahomed) . . . . . xxxiv, 182
VAGAL NUCLEUS, implication of, in hæmorrhage in medulla oblongata, causing sudden death (W. Hale White) . . xxxiii, 15
VAGINA, extreme prolapse of, beneath the pubic arch, obstruction, &c. (A. E. Barker) . . . . . xxxiv, 181
,, vesico-vaginal calculi (H. H. Clutton) . . . xxxvi, 308
,, duplex et uterus septus (W. J. Walsham) . . . xxxi, 191
VALSALVA, pouch of, aneurysm of, rupturing into right ventricle (S. West) . . . . . xxxvii, 160
VALVES of the heart, calcareous atheroma of, causing extreme stenosis of aortic opening (I. Owen) . . . xxxiii, 72
,, vegetations on, in a case of acute fatty degeneration of the heart (S. West) . . . . . xxxiii, 74
,, see *Aortic, Ileo-cæcal, Mitral, Pulmonary, Tricuspid.*

VARICELLA GANGRÆNOSA, case of (J. Abercrombie) . . xxxi, 333
,, specimens from a case of (J. F. Payne) . . . xxxvi, 471
VARICOSE condition of the lymphatics of the pleura in a case of Addison's disease (E. H. Greenhow) . . . xxviii, 231
VARIOLOUS CONTAGIUM, experiments and observations on (P. M. Braidwood and F. Vacher) . . . . xxviii, 409
VARIX, dissecting, of the left femoral vain (C. H. Fagge) . xxvii, 137
VASCULAR growth in the neck and upper part of chest (J. S. Wilkinson) . . . . . xxvi, 196
,, mechanism, diseases of, in animals (J. B. Sutton) . . xxxvii, 572
,, supply to kidneys, abnormal (F. C. Turner) . . xxxvii, 117
,, system, diseases, &c., of, xxvi, 16–80; xxvii, 59–142; xxviii, 43–119; xxix, 43–112; xxx, 258–296; xxxi, 58–100; xxxii, 35–78; xxxiii, 49–102; xxxiv, 29–78.

VEGETABLES, diseases of . . . xxxv, 489; xxxvii, 593–594
VEGETATIONS on aortic valves in case of ulcerative endocarditis (S. Coupland) . . . . . xxvii, 73
,, recent, on mitral, aortic, and tricuspid valves (F. C. Turner) . xxxiv, 36
,, on mitral valve in case of rheumatic subcutaneous nodules (F. G. D. Drewitt) . . . . . xxxvii, 168
VEINS, cerebral, congenital malformation of, in a case of ramifying cyst in the brain (Wm. Ewart) . . . . xxxi, 1

VEINS (*continued*)—
,, progressive thrombosis of those of one lower extremity, with consecutive embolism of the pulmonary artery (R. Lyell) . xxx, 294
,, femoral, thrombosis of and pulmonary embolism in a case of fracture of metatarsal bones of right foot; death (Stanley Boyd) . . . . . xxxiii, 93
,, — left, dissecting varix of (C. H. Fagge) . . . xxvii, 137
,, iliac, thrombosis of both (J. W. Legg) . . . xxvii, 104
,, — — causing (?) gangrene of the corpora cavernosa and spongiosum penis (J. Gay) . . . . xxx, 323
,, innominate, thrombosis of, contiguous with a pulmonary cavity (W. W. Smith) . . . . . xxxii, 70
,, superior mesenteric and portal, acute thrombosis of, with rapidly fatal collapse (C. H. Fagge) . . . xxvii, 124
,, mesenteric, and artery, obstruction of, followed by intestinal and peritoneal hæmorrhage, fatal (F. Taylor) . . xxxii, 61
,, dilated œsophageal, giving rise to fatal hæmorrhage in cirrhosis of liver (W. B. Hadden) . . . . xxxiii, 190
,, — and enlarged follicles in a case of cirrhosis of liver (W. B. Hadden) . . . . . xxxiii, 190
,, portal, cancerous polypi of, in cancer of liver (J. W. Legg) . xxvii, 189
,, — ulceration of duodenum extending into (S. O. Habershon) . xxvii, 155
,, pulmonary, malformation of (W. C. Chaffey) . . xxxvi, 183
,, right uterine, thrombosis of, following delivery (G. N. Pitt) . . . . . xxxvi, 265
,, suppurative phlebitis of the vesical, iliac, and femoral, on the left side, following cystitis (W. J. Walsham) . . xxx, 321

VENA CAVA, aneurysm of aorta opening into (P. H. Pye-Smith) . xxxi, 85
,, double, case of, the vessel of the left side being the larger (S. G. Shattock) . . . . . xxxv, 130
,, perforation of, in case of syphilitic ulceration of the trachea (F. C. Turner) . . . . . xxxvii, 117
,, INFERIOR, left (W. H. White) . . . . xxxv, 131
,, — thrombosis of (J. W. Legg) . . . . xxvii, 104
,, — — in case of primary sarcoma of left suprarenal capsule (T. C. Fox) . . . . . xxxvi, 460
,, — — malignant growth in the right kidney invading (F. C. Turner) . . . . . xxxvi, 275
,, SUPERIOR, obliteration of, malformation of pulmonary valve, &c. (S. O. Habershon) . . . . xxvii, 79
,, — occlusion of (A. W. Stocks) . . . . xxvii, 118
,, — persistence of left, with absence of right (W. S. Greenfield) . . . . . xxvii, 120
,, — obliteration of right and persistence of left (S. Mackenzie) . xxxi, 63
,, — persistent left (W. J. Walsham) . . . xxxi, 99
,, — impervious band uniting left auricle to the (C. B. Lockwood) xxxvii, 147
,, see *Thrombosis* of.

VENNING (EDGCOMBE), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 424

VENTRICLE of the heart, aneurysms of left (J. W. Legg) xxix, 54; (A. Haig) xxxvii, 147.
,, lateral, aneurysm of middle cerebral artery rupturing into (S. West) . . . . . xxxii, 69
,, right, congenital atresia of, ductus arteriosus patent (J. Abercrombie) . . . . . xxxiv, 78
,, aneurysm at base of left (T. Barlow) . . . xxvi, 65
,, old laminated clots lining the (J. S. Bristowe) . . xxxvii, 193

VENTRICLE (*continued*)
,, left, *ante-mortem* coagula in, in a case of dilatation of the heart (J. F. Goodhart) . . . . . xxix, 78
,, diminutive, right, in a case of cyanosis (R. C. Lucas) . xxvi, 26
,, fibroid disease of wall of, &c., embolism of branches of renal artery (W. S. Greenfield) . . . . xxvi, 58
,, fibrous structures resembling valves in left (N. Moore) . xxxiv, 29
,, hypertrophy, with dilatation of right (S. Coupland) . . xxvi, 22
,, perforation of left, by ulcerative endocarditis (S. Mackenzie) . xxxiii, 61
,, rupture into right, from aneurysm of pouch of Valsalva (S. West) . . . . . xxxvii, 160
,, stenosis of conus arteriosus of right (T. B. Peacock) . . xxvii, 131
,, cardiac tumour in the cavity of left (J. B. Yeo) . . xxvi, 52
,, small polypoid tumour of the left (P. Kidd) . . xxxv, 123
,, coagulation of blood in left, in case of fibroid disease (W. S. Greenfield) . . . . . xxvi, 58
,, of the brain, see *Brain.*
,, see also *Heart; Septum ventriculorum.*

VERMIFORM APPENDIX, see *Appendix.*

VERTEBRÆ, malignant disease of, simulated by malignant disease of stomach (J. S. Bristowe) . . . . xxxvii, 193
,, synostosis of (N. Davies-Colley) . . . . xxxvi, 359
,, — of ribs to (C. H. Fagge) . . . . xxviii, 201
,, — of the arches and articular processes (C. H. Fagge) . xxviii, 201
,, tuberculous growth of the dura mater, with affection of the subjacent vertebra (W. Hale White) . . . xxxvii, 97
,, cervical, caries of (dachshund) (H. A. Lediard) . . xxxv, 274
,, — anchylosis of second and third (J. Hutchinson, jun.) . xxxv, 298
,, dorsal, ununited fractures of transverse and spinous processes of (W. A. Lane) . . . . . xxxv, 262
,, fifth lumbar, displacement backwards by pressure in lower part of the column (W. A. Lane) . . . . xxxvi, 364

VESICULÆ SEMINALES, disease of, causing dilatation and atrophy of the kidneys of a boar pig (Jon. Hutchinson) . . xxxii, 312

VESSELS, small, observations on the changes in meningitis in the (C. Handfield Jones) . . . . . xxxvii, 203
,, see *Arteries, Veins.*

VILLOUS GROWTH of bladder (E. H. Fenwick) . . xxxvii, 312

VISCERA from case of tuberculated leprosy associated with syphilis (B. N. Rake) . . . . . xxxvii, 545
,, amyloid, in a case of old spinal disease (J. F. Goodhart) . xxix, 78
,, transposition of, in a living subject (D. B. Lees) . . xxviii, 448
,, abdominal, hernia of some, into left pleura (W. Ewart) . xxxi, 146
,, see *Syphilis* (visceral).

VITREOUS BODY, bile-stained (R. E. Carrington) . . xxxv, 231

VOCAL CORDS, bilateral paralysis of, caused by aneurysm of aorta (T. T. Whipham) . . . . . xxxiii, 82

VOLKMANN, (R.), opinions on synovial tubercular disease . xxxii, 184

VOLVULUS of the ileum (W. H. Cripps) . . . xxxi, 111
,, of small intestine, due to a complete Meckel's diverticulum (S. Coupland) . . . . . xxxi, 144

VOMER, congenital syphilitic necrosis of (F. Churchill) . . xxxvii, 372

VOMICÆ, see *Tubercular vomicæ.*

WAGSTAFFE (W. W.), doubtful tumour of tongue, probably papilloma . . . . . xxvi, 105
,, papilloma of the tongue, with nævoid structure at its base . xxvi, 107
additional notes to two preceding cases . xxxiii (S. R.), 37
,, elephantiasis, with enormous discharge of milky fluid, hydatid tumour of the groin . . . . . xxvi, 215
additional note to ditto . . . xxxiii (S. R.), 38
,, remarks in the discussion on the germ theory of disease . xxvi, 320
,, scirrhus of the male breasts, with secondary disease of glands . xxvii, 234
additional note to ditto . . . xxxiii (S. R.), 40
,, table of cases of cancer of the male breast . . . xxvii, 246
,, nine cases of cancer of male breast recorded since 1857, and twelve not previously reported . . . . xxvii, 239
,, renal calculi hitherto presumed to be composed of carbonate of lime (supplementary note) . . . . xxviii, 176
,, — *report* on, by Chemical Committee (W. H. Dickinson and C. H. Ralfe) . . . . . xxviii, 176
,, aneurysm of the aorta bursting into the pericardium, popliteal aneurysm cured four months previously (with abstract of cases in the 'New York Pathological Transactions') . . xxix, 72
,, congenital dermoid cysts occurring in the branchial and other clefts . . . . . xxix, 194
,, table of cases of dermoid cyst found in unusual position on the face . . . . . xxix, 203
,, *report* on Dr. J. B. Yeo's case of cardiac tumour . . xxvi, 53
,, — on Mr. R. Barwell's specimen of tumour of the wrist . xxvi, 189
,, — on Mr. C. F. Maunder's scirrhous tumour of the breast in a male . . . . . xxvii, 252

WALDEYER on parenchymatous cancer of the breast, &c., reference to xxxii, 224

WALKER (J. SWIFT), recurrent fibroid of leg, sequel, see *Watson* (*Spencer*) . . . . . .

WALSHAM (W. J.), fibroma of the ovary . . . xxvii, 216
,, tumour of the clavicle . . . . . xxvii, 222
,, — *report* on, by the Committee on Morbid Growths (C. H. Fagge and J. F. Goodhart) . . . . xxvii, 224
,, unobliterated ductus arteriosus without other malformation of the heart and great vessels . . . . xxviii, 43
,, suppurative phlebitis of the vesical, iliac, and femoral veins of the left side, following cystitis . . . . xxx, 321
,, small round-celled sarcoma of the upper jaw . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
,, persistent left superior vena cava . . . xxxi, 99
,, uterus septus cum vaginâ duplici . . . xxxi, 191
,, myxo-sarcoma of the spermatic cord, removed from a child thirteen months old . . . . . xxxi, 299
,, tumour of the spermatic cord, from a child four years of age . xxxi, 303
,, horny growth from the lower eyelid of an old woman . xxxi, 306
,, pedunculated fatty tumour from the anterior superior spine of the ileum . . . . . xxxi, 310
,, a vesical calculus, weighing half an ounce, from a child three years old . . . . . xxxv, 238
,, see *Anderson; Marshall* (*L. W.*).

WALTERS (J.), scirrhus of the diaphragm . . . xxviii, 218
,, — *report* on, by the Committee on Morbid Growths (H. T. Butlin and J. F. Goodhart) . . . . xxviii, 219

WARREN (C.), case of rodent ulcer, reference to (G. Thin) . xxx, 386

WARTS, congenital unilateral development of (W. Bruce Clark) . xxxvi, 468

WARTY growth on tricuspid valves, case of (H. R. Crocker) . xxx, 281
,, tumour growing in the interior of a sebaceous cyst (H. T. Butlin) , ... xxvii, 273

WATSON (W. SPENCER), sequel to J. Swift Walker's case of recurrent fibroid tumour [sarcoma] of the front of the leg (in vols. xxii and xxiv of the 'Transactions') . . . xxvii, 257
,, melanotic sarcoma of the choroid, no recurrence of disease fourteen months after removal of the eye . . . xxviii, 210
additional note to ditto . . . xxxiii (S. R.), 41
,, specimen of colloid cancer of the breast . . . xxix, 218
additional note to ditto . . . xxxiii (S. R.), 43
,, case of fleshy polypus (round-celled sarcoma) involving the antrum, orbit, and nostril . . . . xxix, 223
,, specimen of melanotic sarcoma of the eyeball . . xxx, 410
additional note to ditto . . . xxxiii (S. R.), 47
,, remarks in the discussion on rickets . . . xxxii, 378

WAY (JOHN), intestinal obstruction from scirrhous disease of rectum with rupture of cæcum . . . . xxvi, 104

WEST (J. F.), per *John Croft*, fibro-cystic tumour of neck . xxvi, 180
,, — *report* of microscopical examination of tumour by O. Leeson xxvi, 182
additional note to ditto . . . xxxiii (S. R.), 38

WEST (SAMUEL), case of aneurysm of a branch of the pulmonary artery; death from hæmorrhage . . . xxix, 41
,, case of thrombosis of the vena portæ, leading to cirrhosis of the liver after thrombosis of the vena cava, &c. . . xxix, 107
,, a peculiar degeneration of the lung of uncertain nature . xxx, 220
,, two cases of pneumothorax of the right side . . xxx, 236
,, primary sarcoma of the suprarenal capsule, with secondary growth in the lung . . . . . xxx, 419
,, two cases of complete excavation of one lung, death in one from exhaustion, in the other from rupture of an aneurysm of the pulmonary artery . . . . . xxxi, 50
,, blood-casts of the bronchi . . . . xxxi, 53
,, a case of acute atrophy of the liver . . . xxxi, 116
,, chronic excavation of the lung, terminating in localised pneumothorax, with extensive opening into the lung . . xxxii, 21
,, aneurysm of the left posterior communicating artery . xxxii, 66
,, aneurysm of the pulmonary artery . . . xxxii, 67
,, aneurysm of middle cerebral artery in a boy of twelve, rupturing into descending cornu of the lateral ventricle . . xxxii, 69
,, cancer of right pleura, following cancer of the right mamma successfully removed two years before . . . xxxii, 227
,, for *Lawrence Humphry*, aneurysmal dilatation and rupture of aortic valve . . . . . xxxii, 77
,, necrosis of epiglottis and right arytænoid cartilage in typhoid fever . . . . . xxxiii, 37
,, case of simple hypertrophy of the heart . . . xxxiii, 72
,, case of acute fatty degeneration of the heart after rheumatic fever; vegetations on valves, rupture of chordæ tendineæ . xxxiii, 74
,, case of peculiar pulsation in the hepatic region . . xxxiii, 184
,, obliteration of left ureter by omentum adherent to brim of pelvis, atrophy of left kidney, and hypertrophy of right . xxxiii, 203
,, right tubal fœtation, corpus luteum in left ovary . . xxxiii, 218
,, sarcoma of the right tonsil . . . xxxiii, 331

WEST (SAMUEL) (*continued*)—
„ the bacilli of tubercle found in contents of cavities and not in lung tissue . . . . . xxxiv, 26
„ aneurysm of the middle part of the arch of the aorta; death from embolism of the aorta detached from the left ventricle . xxxiv, 62
„ aneurysm of the aorta, rupturing into the pulmonary artery . xxxiv, 64
„ dissecting aneurysm of the first part of the arch of the aorta . xxxiv, 65
„ complete obliteration of one coronary artery; sudden death; on the anastomosis of the coronary arteries . . xxxiv, 66
„ typhoid fever, ulceration of large intestine with perforation . xxxiv, 114
„ sarcoma of prostate and bladder, of very rapid development . xxxiv, 145
„ mediastinal tumour, rapid growth; sudden death . . xxxiv, 233
„ three cases of tumour of the lung . . . xxxv, 84
„ two cases of pulmonary aneurysm of large size, with profuse recurrent hæmoptysis for twelve and forty-five days respectively, with remarks upon pulmonary aneurysms in general . xxxv, 93
„ case of purulent pericarditis treated by incision in the course of pyæmia . . . . . xxxv, 104
„ cases of complete obliteration of one coronary artery, with remarks upon the coronary circulation . . . xxxv, 110
„ extensive fibrotic disease of the heart . . . xxxv, 119
„ stomach from a case of carbolic acid poisoning . . xxxv, 192
„ aneurysm of the splenic artery in the floor of a gastric ulcer; death from hæmatemesis . . . . xxxvi, 193
„ mediastinal tumour, in which the pneumogastric nerve was involved . . . . . xxxvi, 416
„ tumour (sarcoma with myxomatous degeneration) involving the whole of the central parts of the left temporo-sphenoidal lobe, but not reaching the surface; absence of characteristic symptoms till shortly before death . . . . xxxvii, 48
„ cases of mediastinal tumour . . . . xxxvii, 141
„ some aneurysms of the heart, many of the cases exhibiting the effects of erosion . . . . . xxxvii, 154
„ (1) aneurysm of the aortic valves, three cases; (2) aneurysm of pouch of Valsalva rupturing into right ventricle . . xxxvii, 160
„ suppuration in and round gall-bladder due to calculi; pus in hepatic veins; infarcts in lungs. . . . xxxvii, 281
WHARRY (R.), note of Case 3 in Dr. Gowers's paper on hydrophobia . . . . . xxviii, 20
WHATELY (G. F.), per *W. Cayley*, hydatids of the gall-bladder evacuated by the bowel . . . . xxvi, 127
„ per ditto, renal calculus discharged through a fistulous opening in the loin . . . . . xxvi, 128
„ — *report* on, by Chemical Committee (G. Harley and C. H. Ralfe) . . . . . xxvi, 128
WHIPHAM (THOMAS T.), epithelioma of the œsophagus, fistulous communication between that and trachea, death from hæmorrhage into trachea . . . . . xxvi, 91
„ splenic leukæmia with carcinoma . . . xxix, 313
„ tumour [glioma] of the spinal cord and medulla oblongata, dilatation of the lymphatics and syringomyelus . . xxxii, 8
„ aneurysm of the aorta pressing upon the left recurrent laryngeal nerve and cardiac plexus, and causing bilateral paralysis of the vocal cords . . . . . xxxiii, 82
WHITE (GREGORY), see *Baker* (*W. M.*).
WHITE (W. HALE), dermoid tumour probably growing from soft palate or base of skull . . . . xxxii, 201

WHITE (W. HALE) (*continued*)—
,, note of cases of chronic hydrocephalus in the Evelina Hospital . . . . . xxxiii, 1
,, hyperæmia and hæmorrhages in the medulla oblongata causing sudden death, owing to implication of the vagal nucleus . . . . . xxxiii, 15
,, case of sulphuric acid poisoning, with intense inflammation of the transverse colon . . . . . xxxiv, 96
,, sacculated bladder in a female . . . . xxxiv, 146
,, peculiar bony outgrowth from the fibula . . . xxxiv, 227
,, remarks in discussion on diabetes [condition of nervous system in diabetes, *post-mortems* of cases at Guy's, and examination of urine in insane persons] . . . . xxxiv, 348
,, a case of insular sclerosis . . . . xxxv, 15
,, case of fibroid disease of the heart causing sudden death . xxxv, 114
,, left inferior vena cava . . . . . xxxv, 131
,, aneurysm of the thoracic aorta in a woman . . xxxv, 133
,, hour-glass constriction of the stomach . . . xxxv, 196
,, a case of true cystic degeneration of the liver in association with yellow fever, together with two cases of tubercular vomicæ in that organ . . . . . xxxv, 217
,, a case of Charcot's disease affecting both hip-joints . . xxxv, 312
,, bones of the right upper extremity from a case of old hemiplegic rigidity . . . . . xxxv, 316
,, malignant growth infiltrating the whole of the wall of the female bladder . . . . . xxxv, 241
,, a myo-neuroma of the pituitary body . . . xxxvi, 37
,, on the sympathetic system in diabetes mellitus . . xxxvi, 67
,, ulceration of trachea from friction of tracheotomy tube . xxxvi, 101
,, enormous hypertrophy of a rheumatic heart . . xxxvi, 126
,, laceration of aorta . . . . . xxxvi, 158
,, a case of co-arctation of the aorta . . . xxxvi, 178
,, patent ductus arteriosus . . . . xxxvi, 182
,, ulcer of stomach with secondary inflammatory induration of pancreas . . . . . xxxvi, 192
,, perforating tubercular ulceration of intestine . . xxxvi, 198
,, grain of corn from cæcum causing perityphlitis and intestinal strangulation . . . . . xxxvi, 210
,, sacculi of the large intestine . . . . xxxvi, 215
,, hypertrophic cirrhosis of liver in a child . . . xxxvi, 234
,, primary encephaloid disease of the liver . . . xxxvi, 251
,, hydatid of left lobe of liver in process of cure, opening into duodenum, large suppurating cavity in right lobe . . xxxvi, 252
,, congenital disease of both kidneys . . . xxxvi, 262
,, a peculiar form of acute nephritis . . . xxxvi, 262
,, large renal calculus almost pure triple phosphate . . xxxvi, 276
,, a cryptorchid . . . . . xxxvi, 312
,, sarcoma of suprarenal capsule . . . . xxxvi, 464
,, the pathological histology of hydrophobia . . . xxxvii, 1
,, hæmorrhage into the sheath of the optic nerves . . xxxvii, 5
,, tuberculous growth of the dura mater, with affection of the subjacent vertebra . . . . . xxxvii, 97
,, peripheral neuritis, myelitis, syphilitic pachymeningitis and ostitis . . . . . xxxvii, 107
,, case of a liver constricted by a band, one half being cirrhotic, the other half being fatty and, in a *post-mortem*, spongy condition . . . . . xxxvii, 263
,, a case of primary melanotic carcinoma of the liver . . xxxvii, 272

WHITE (W. HALE) (*continued*)—
,, a case of a gall-bladder containing gall-stones which had a fistulous communication with the duodenum, and set up inflammatory thickening of pylorus . . . . xxxvii, 280
,, on thinning of the bones of the skull from pressure produced by intracranial tumours . . . . . xxxvii, 360
,, on a peculiar condition of the bones of the skull of an infant (trabeculated skull) . . . . . xxxvii, 361
,, hæmorrhage into the long bones in a case of purpura hæmorrhagica xxxvii, 368
,, and WALTER EDMUNDS, amputation, changes in nerves . xxxiv, 16
,, see *Savage* and *White*, cystic degeneration of the liver.
,, see *Savage* and *White*, on causes of holes in the brain.

WHITE SWELLING of knee, granulation tissue from (R. J. Godlee) xxviii, 449

WILKES (W. D.), per *S. Wilks*, gall-stones causing intestinal obstruction . . . . . xxxvi, 218

WILKINSON (J. S.), vascular growth in the neck and upper part of chest . . . . . xxvi, 196
,, — *report* on, by the Committee on Morbid Growths (J. F. Payne and W. S. Church) . . . . xxvi, 198

WILKS (SAMUEL), remarks in the discussion on the pathology of syphilis . . . . . xxvii, 373
,, softening of syphiloma of liver . . . . xxix, 135
,, lymphadenoma and leukæmia . . . . xxix, 269
,, first description in English of piedra in 1859, referred to . xxx, 439
,, an ear of grass, probably swallowed, discharged through the back xxxiii, 423
,, remarks in discussion on diabetes . . . xxxiv, 328
,, see *Jones, Handfield*, on morbid conditions of cerebral arteries.
,, — *Wilkes* (*W. D.*), gall-stones causing intestinal obstruction.
,, — *Kidneys* (*report* on moveable).

WILLCOCKS (F.), a case of hypospadias (mistaken sex) . . xxxvi, 309

WILLIAMS (DAWSON), case of myo-sarcoma of the kidney, probably congenital . . . . . xxxiii, 317
,, — *report* of the Morbid Growths Committee on ditto (M. Beck and R. J. Godlee) . . . . . xxxiii, 319
,, remarks in discussion on diabetes [cases from records of Univ. Coll. Hospital, deaths from Registrar-General's returns] . xxxiv, 374
,, a preliminary note of some experiments on the etiology of tuberculosis. . . . . xxxv, 413

WILLIAMS (JOHN), examination of Dr. Graily Hewitt's case of ovarian cyst with muscular envelope . . . xxvi, 142
,, lardaceous reaction in the dysmenorrheal membrane . . xxvii, 322
,, see *Kidneys* (*report* on moveable).

WILLIAMS (W. ROGER), calculus formed on a shell embedded near the neck of the bladder . . . . xxxiii, 204
,, medullary sarcoma of the bladder . . . xxxiii, 328
,, sarcoma of a diverticulum of the bladder . . . xxxiv, 152
,, villous sarcoma of the bladder . . . . xxxiv, 156
,, — *report* on ditto by Morbid Growths Committee (J. F. Goodhart and H. T. Butlin) . . . . xxxiv, 156
,, case of testicle in the perinæum, with congenital inguinal hernia and acute hydrocele . . . . xxxiv, 168
,, calcified round-celled sarcoma of the bones of the leg . xxxiv, 267
,, acne-keloid . . . . . xxxv, 397
,, congenital absence of femora . . . . xxxv, 317
,, epithelioma of the external ear . . . . xxxv, 331
,, colloid cancer of a uterine fibro-myoma . . . xxxvii, 354

WILTON (JOHN), per *J. G. Thorowgood*, perforating ulcer of the stomach . . . . . xxvii, 156
,, per *J. G. Thorowgood*, intestinal concretion [from vermiform appendix] discharged through abscess in back . . xxviii, 129
,, — *report* on, by Chemical Committee (J. B. Sanderson and C. H. Ralfe) . . . . . xxviii, 130
WOOD (JOHN), tumour of the scapula . . . xxvi, 170
,, — *report* on, by the Committee on Morbid Growths (M. Beck and H. Arnott) . . . . . xxvi, 172
,, tumour removed from the zygomatic fossa . . . xxvi, 190
,, — *report* on, by the Committee on Morbid Growths (H. Arnott and M. Beck) . . . . . xxvi, 192
,, remarks in the discussion on the pathology of syphilis . xxvii, 421
,, specimen of cystic tumour of the thyroid gland successfully removed from the living subject . . . xxix, 206
,, per *Royes Bell*, molluscum fibrosum . . . xxx, 458
additional note to ditto . . . xxxiii (S. R.), 48
,, see *Lautour*.
,, *report* on Dr. F. A. Mahomed's case of intestinal obstruction by an abnormal band . . . . . xxvi, 119
WORMS, see *Nematode*.
WOUND, penetrating, of the heart, involving transfixion of both ventricles, but not causing death for several minutes (J. P. H. Boileau) . . . . . xxx, 278
WRIST, tumour of the (R. Barwell) . . . . xxvi, 188
additional note to ditto . . . xxxiii (S. R.), 38

XANTHELASMA in a case of icterus gravis, lasting seven years (W. F. Smith) . . . . . xxviii, 236
,, congenital, two cases, living specimens (Stephen Mackenzie) . xxxiii, 370
,, or xanthoma multiplex, case of (James Startin) . . xxxiii, 373
,, — *report* on Mr. Startin and Dr. Stephen Mackenzie's cases of xxxiii, 376
,, *table* of (23) cases of xanthoma multiplex in adults, accompanied by jaundice . . . . . xxxiii, 381
,, *table* of (5) cases of ditto where there was no jaundice . xxxiii, 383
,, *table* of (8) cases of ditto, either congenital or commencing under puberty . . . . . xxxiii, 383
,, disappearance of the patches (J. W. Legg) . . . xxxi, 329
additional note to ditto . . . xxxiii (S. R.), 54
XANTHOMA MULTIPLEX, see *Xanthelasma*.
,, palpebrarum, congenital, case of (T. Barlow) . . xxxv, 405
,, planum et tuberosum, see *Xanthelasma*.
,, tuberosum, case of so-called (M. Morris) . . . xxxiv, 278
XANTHOPSIA (R. E. Carrington) . . . . xxxv, 231
XYLOMA, or woody tumour on branch of pine (S. G. Shattock) . xxxvii, 593

YELLOW FEVER, true cystic degeneration of liver in a case of; together with two cases of tubercular vomicæ in that organ (W. H. White) . . . . . xxxv, 217
,, micro-photographs of the blood in (W. Squire) . . xxxi, 380
YEO (J. BURNEY), cardiac tumour in the cavity of the left ventricle xxvi, 52
,, — *report* on, by the Committee on Morbid Growths (W. Moxon and W. W. Wagstaffe) . . . . xxvi, 53
,, case of double aneurysm of the aorta, sudden death from rupture into the œsophagus . . . . . xxvi, 61

YEO (J. BURNEY) (*continued*)—
„ disease of aorta, with malformation of pulmonary artery . xxvii, 138
„ aneurysm of inferior mesenteric artery compressing both renal arteries, death from renal coma . . . . xxviii, 94
„ case of rupture of the aortic valves . . . xxix, 62

ZANCAROL (GEORGE), per *J. Cavafy*, specimen of Bilharzia hæmatobia with ova in the tissues of the bladder and large intestine . . . . . xxxiii, 410
ZYGOMATIC FOSSA, tumour removed from (J. Wood) . . xxvi, 190

INDEX TO ILLUSTRATIONS.

VOLS. XXVI TO XXXVII.

PLATES.

ACNE-KELOID (W. M. Baker) xxxiii, XX, 1; (W. R. Williams) xxxv, XXI, 2.

ACTINOMYCOSIS HOMINIS (S. G. Shattock) xxxvi, X; (T. D. Acland) xxxvii, XXV.

,, — supposed (F. Treves) xxxv, XIX.

ADDISON'S DISEASE (J. F. Goodhart) xxx, XXVII, 1, 2; (D. J. Leech) ib., ib., 3, 4.

ADENOID DISEASE of rectum (W. H. Cripps) xxxii, VII—XVI.

ADENOID TUMOUR removed during lithotomy (T. Bryant) xxix, V, 1.

ADENOMA HEPATIS (F. A. Mahomed) xxviii, VIII, 1, 2.

,, of ovary (F. S. Eve) xxxvii, X, 3.

,, of palate (J. Hutchinson) xxxvii, XIX, 1.

,, of scalp (S. G. Shattock) xxxiii, XIII, 6.

,, of skin (F. S. Eve) xxxiii, II, 3.

ADENOSARCOMA of kidney (F. T. Paul) xxxvii, XI, 1, 3.

,, of ovary (F. S. Eve) xxxvii, XI, 3.

,, of pineal body (F. C. Turner) xxxvi, I, 1, 2.

,, of thigh (F. S. Eve), xxxv, XV, 3.

ADRENALS, atrophy of (W. B. Hadden) xxxvi, XVI, 1.

,, infiltrating growth in (N. Dalton) xxxvi, I, 3, 4.

AIR-PASSAGES, stenosis of (F. Semon) xxxiii, IV.

ALOPECIA AREATA (W. Tay) xxvi, XI, 4.

ALVEOLAR SARCOMA of skull (H. H. Clutton) xxxiv, XIV.

,, — of subcutaneous tissue (R. J. Godlee) xxvi, XI, 1, 2.

,, — of thumb (H. T. Butlin) xxxiii, XVIII, 3, 4.

ANEURYSM by anastomosis on pinna of ear (F. S. Eve) xxxi, III and XVIII, 3.

,, of aorta bursting into pericardium (W. W. Wagstaffe) xxix, IV, 1, 2.

,, of cerebral arteries, miliary (F. C. Turner) xxxiii, IV*; xxxv, III, 3; IV.

,, popliteal (W. W. Wagstaffe) xxix, IV, 3.

ANIMALS, bone disease in (J. B. Sutton) xxxv, XXXIV.

ANTELOPE, nematode parasites in lungs of (H. Gibbes) xxxv, XXXVI.

ANTHRAX of face (J. N. Davies-Colley) xxxiv, XVII, 2; XVIII, 3; (T. Bryant) ib. XVII, 3.

,, intestinal (T. Bryant and F. A. Mahomed) xxxiv, XIX.

AORTA, aneurysm of, bursting into pericardium (W. W. Wagstaffe) xxix IV, 1, 2.

AORTIC VALVES, congenital disease of (T. B. Peacock) xxx, XVI B, 3.

AORTITIS, ulcerative (F. C. Turner) xxxvii, VI, 3; VII.

AREA CELSI (Sir Dyce Duckworth) xxxiii, XXI.

ARM, cartilaginous tumour of (W. H. Cripps) xxxi, XVIII, 1, 2.

ARTERIES, cerebral, clots in (J. H. Jones) xxxv, VII, 1–4.
„ — aneurysms on (F. C. Turner) xxxiii, IV* ; xxxv, III, 3 ; IV.
„ — syphilitic disease of (W. S. Greenfield) xxviii, XIII ; xxix, I, 1, 2 ; (T. Barlow, A. Davidson, W. R. Gowers) xxviii, XV, XVI ; (W. Anderson) xxxii, IV, V, 1, 2 ; (S. J. Sharkey) xxxiv, VII, 1.
„ calcification in (F. T. Paul) xxxvii, VIII.

ARTERITIS, suppurative (C. J. Symonds) xxxv, VIII.

ARTERIO-CAPILLARY FIBROSIS, changes in spinal cord and vessels (Sir W. W. Gull and H. G. Sutton) xxviii, XIX—XXXI.

ARRESTED DEVELOPMENT of bones of forearm (A. Doran) xxvii, XIV.

ARTHRITIS, suppurative, in infants (J. Poland) xxxv, XVIII.

ASTRAGALUS, fracture of (H. Morris) xxxii, XVIII.
„ — with dislocation (Sir W. Mac Cormac) xxvi, X.

ASYMMETRY, case of (A. P. Gould) xxxiii, X, XI.

ATAXY, locomotor, spinal cord in (W. B. Hadden) xxxvii, III.

ATHEROMA of cerebral vessels (J. H. Jones) xxxiv, IV.

ATRESIA of rectum (R. W. Parker) xxxv, XI, 1.

ATROPHY of adrenals (W. B. Hadden) xxxvi, XVI, 1.
„ of liver (R. E. Carrington) xxxvi, VII.
„ — acute yellow (W. Cayley) xxxiv, V, 1 ; VI, VII, 3.
„ and stricture of stomach (S. J. Sharkey) xxxv, X.

AXILLARY ARTERY, ruptured (H. G. Howse) xxviii, VI, 1, 2.

BACILLI of leprosy (G. Thin) xxxiv, XXII, 1-4.

BACK, lymphosarcomatous ulceration of (F. Taylor) xxxiv, XVI, 2 ; XXIII, 2 ; (J. N. Davies-Colley) ib., XVII, 1 ; XVIII, 1, 2.

BEADED HAIRS (J. F. Payne) xxxvii, XXIV, 3–6.

BILHARZIA HÆMATOBIA (G. Zancarol) xxxiii, XXVI.

BIRDS, tuberculosis in (J. B. Sutton and H. Gibbes) xxxv, XXXV.

BLADDER, hard carcinoma of (H. T. Butlin) xxviii, VIII, 3.
„ sarcoma of (W. R. Williams) xxxiii, XIX ; (F. S. Eve) xxxvi, XI.

BLOOD CYST, anomalous form of (R. J. Godlee) xxvii, XI, 1, 2.
„ in a sarcoma (R. J. Godlee) xxvi, XIV, 1, 2.

BONE disease in animals (J. B. Sutton) xxxv, XXXIV.
„ lesions, syphilitic (R. W. Parker) xxxi, X.

BRAIN, cystic disease of (B. G. Morison and F. C. Turner) xxxv, I, III, 1.
„ of cretinous fœtus (T. Barlow) xxxv, XXXIII, 1.
„ diffuse sclerosis of (H. Ashby) xxxvii, I.
„ holes in the (H. Savage and W. Hale White) xxxiv, I.
„ tumour of third ventricle of (J. P. Richards) xxxvii, II, 1.

BRANCHIAL FISSURE, papilloma in line of (H. H. Clutton) xxxv, XXV.

BREAST, cancerous tumour of (G. Thin) xxxi, XIX.
„ carcinoma myxomatodes of (F. S. Eve) xxxvii, XIX, 3.
„ colloid cancer of (H. T. Butlin) xxvii, X, 5, 6 ; (R. J. Godlee) xxx, XXV.
„ chondrosarcoma of (A. A. Bowlby) xxxiii, XVII.
„ cystic degeneration of (C. Mansell Moullin) xxxii, V, 3, 4.
„ duct papilloma of (B. Pollard) xxxvii, XVII, 2, 3.
„ myxoma of (H. T. Butlin) xxxiii, XVIII, 1, 2, 5, 6.
„ scirrhus of male (W. W. Wagstaffe) xxvii, IX.
„ disease of nipple in relation to tumours of (G. Thin) xxxii, XXX.

BROAD LIGAMENT CYSTS (A. Doran) xxxiv, XI.
BROMIDE RASH (R. Crocker) xxix, VIII; (W. Tay and S. Mackenzie) xxxv, XXVI.
BRONCHOCELE, with secondary growths (W. Haward) xxxiii, VI, 3, 4.

CÆCUM, epithelioma of (J. M. Hobson) xxxv, XI, 2, 3.
CALCIFICATION in arteries (F. T. Paul) xxxvii, VIII.
CALCULI, iridescence in (S. G. Shattock) xxxvii, XII.
„ of peculiar shape (S. Jones) xxxvii, XIII, 1, 2.
CALLUS, hypertrophied, of tibia and fibula (B. Pollard) xxxvi, XIV.
CALVARIA in congenital syphilis (T. Barlow) xxx, XVIII, XIX.
CANCER, cylindrical, of humerus (J. Hutchinson, jun.) xxxvii, XVI, 1.
„ of liver (G. Thin) xxxi, XX, 5–9.
„ of prostate (S. Coupland) xxviii, IX, 1, 2; (A. Q. Silcock) xxxv, XIII, 2, 3.
„ of testicle (H. Marsh) xxvi, VIII, 2, 3.
CANCEROUS ULCER of forty-three years' duration (G. Thin) xxix, VII.
„ — of face (E. Bellamy and A. Sangster) xxx, XXIII.
„ tumour of mamma (G. Thin) xxxi, XIX.
CARCINOMA myxomatodes of breast (F. S. Eve) xxxvii, XIX, 3.
„ primary, of liver (F. T. Paul) xxxvi, VIII, IX.
„ of kidney (S. J. Sharkey) xxxiii, VII.
„ of orbit, recurring (E. Nettleship) xxix, VI, 1–4.
„ hard, of bladder (H. T. Butlin) xxviii, VIII, 3.
CARTILAGINOUS TUMOUR of arm (W. H. Cripps) xxxi, XVIII, 1, 2.
CEREBELLUM, endothelioma of (F. S. Eve) xxxiii, II, 1.
CEREBRAL ARTERIES, aneurysms of (F. C. Turner) xxxiii, IV*; xxxv, III, 3; IV.
„ — clots in (J. H. Jones) xxxv, VII, 1–4.
„ — syphilitic disease of (W. S. Greenfield) xxviii, XIII; xxix, I, 1, 2; (T. Barlow, A. Davidson, and W. R. Gowers) xxviii, XV, XVI; (W. Anderson) xxxii, IV, V, 1, 2; (S. J. Sharkey) xxxiv, VII, 1.
„ vessels, atheroma of (J. H. Jones) xxxiv, IV.
„ — in some morbid states (J. H. Jones) xxxvi, VI.
CHARCOT'S DISEASE (W. Hale White) xxxv, XVI.
CHONDROMA of lachrymal gland (H. T. Butlin) xxvi, XII.
CHONDRO-SARCOMA of breast (A. A. Bowlby) xxxiii, XVII.
„ ossifying (R. W. Parker) xxxi, IX.
CIRRHOSIS of liver (F. C. Turner) xxxv, IX, 2, 3.
„ — hypertrophic (R. Saundby) xxx, XVII.
„ — in a child (F. Taylor) xxxi, IV.
CLAVICLE, tumour of (W. J. Walsham) xxvii, VII.
CLOTS in cerebral arteries (J. H. Jones) xxxv, VII, 1–4.
CLUB-FOOT, congenital (R. W. Parker and S. G. Shattock) xxxv, XXIX, XXX.
COCCYGEAL TUMOUR, congenital (F. Treves) xxxiii, XV.
COLLOID cancer of breast (H. T. Butlin) xxvii, X, 5, 6; (R. J. Godlee) xxx, XXV.
„ scirrhus of prostate (S. Boyd) xxxiii, VIII.
CONGENITAL absence of radius (S. G. Shattock) xxxiii, XIII, 1–5.
„ — femora (W. R. Williams) xxxv, XVII.
„ coccygeal tumour (F. Treves) xxxiii, XV.
„ club-foot (R. W. Parker and S. G. Shattock) xxxv, XXIX, XXX.

CONGENITAL (*continued*)—
,, deformity, a (F. Treves) xxxvi, XX.
,, defect in septum of auricles (T. B. Peacock) xxix, III.
,, disease of aortic valves (T. B. Peacock) xxx, XVI B, 3.
,, hydrocele of neck (F. Treves) xxxii, XXIV.
,, malformation of heart (R. Crocker, D. W. Finlay) xxx, XVI B, 1, 2; (S. Mackenzie) xxxi, I; (T. B. Peacock) xxxii, III; (S. G. Shattock) xxxv, VI, 1.
,, occlusion of small intestine (J. N. Davies-Colley) xxix, V, 2.
,, syphilis, bone lesions in (R. W. Parker) xxxi, X.
,, — calvaria in (T. Barlow) xxx, XVIII, XIX.
,, — interstitial pneumonia and hepatitis in (C. J. Symonds) xxxvii, IV, V.
,, — of liver (S. Coupland) xxvii, XIII.
,, sacral tumour (S. G. Shattock) xxxii, XXV, XXVI.
,, xanthelasma (T. Barlow) xxxv, XXVII.

CRANIAL TUMOUR, pulsating (H. Morris) xxxi, XV, XVI.

CRETINISM, SPORADIC (A. A. Bowlby) xxxv, XXXII, XXXIII, 2, 3.

CRETINOUS FŒTUS, brain of (T. Barlow) xxxv, XXXIII, 1.

CYLINDROMA (H. T. Butlin) xxxii, XXIX, 4–7.

CYST, dermal, of finger (A. E. Barker) xxxvii, XVI, 3.
,, dermoid, under tongue (S. Paget) xxxvii, X, 1.
,, ovarian (J. K. Thornton) xxvii, V; (A. Doran) xxxii, VI, 2; papillary (A. Doran) xxxiii, IX.
,, of broad ligament (A. Doran) xxxiv, XI.

CYSTIC DEGENERATION of liver (W. Hale White) xxxv, XII.
,, — of breast (C. Mansell Moullin) xxxii, V, 3, 4.
,, disease of brain (B. G. Morison and F. C. Turner) xxxv, I, III, 1.
,, — liver and kidneys (P. H. Pye-Smith) xxxii, XVII.
,, kidney, congenital (S. G. Shattock) xxxvii, X, 2.
,, squamous epithelioma (S. J. Sharkey) xxxv, XXIII.

DERMAL CYST of finger (A. E. Barker) xxxvii, XVI, 3.

DERMOID CYST under tongue (S. Paget) xxxvii, X, 1.
,, tumour of soft palate (W. Hale White) xxxii, XXVII.
,, — from rectum (H. Port) xxxi, XXIII.

DIABETES, kidney in (S. Taylor) xxxv, XXIII, 1; (S. Mackenzie) ib., XXIV.
,, mortality charts (D. Williams) xxxiv, XXV.

DIAPHRAGMATIC HERNIA of omentum (W. M. Baker) xxviii, V.

DISLOCATION of external semilunar cartilage (R. J. Godlee) xxxi, XI.

DISPLACEMENT of tibia (C. T. Dent) xxxiii, XIV.

DUCT-PAPILLOMA of breast (B. Pollard) xxxvii, XVII, 2, 3.

DYSIDROSIS, minute anatomy of (Tilbury Fox) xxix, XI, XII.

EAR, aneurysm by anastomosis in pinna of (F. S. Eve) xxxi, III, XVIII, 3.

ELEPHANTIASIS ARABUM, popliteal and tibial nerves in (W. Newman) xxvi, XV.
,, pathological histology of (G. Thin) xxxi, XX, 1–4.

ELONGATION of limb in disease of knee (S. Jones) xxvi, VIII, 1.

ENCEPHALOCELE (J. B. Sutton) xxxiv, III.

ENCHONDROMA of submaxillary gland (H. T. Butlin) xxviii, XI, 1, 2.

ENDOSTEAL SARCOMA of femur (D'Arcy Power) xxxvii, XIV, 2–4.

ENDOTHELIOMA of cerebellum (F. S. Eve) xxxiii, II, 1.

EPITHELIAL TUMOUR, peculiar, of skin near rectum (H. H. Clutton) xxxvii, XVIII.

EPITHELIOMA of cæcum (J. M. Hobson) xxxv, XI, 2, 3.
,, columnar, of stomach (D. W. Finlay) xxxiv, VIII, IX, 1, 2.
,, cystic squamous (S. J. Sharkey) xxxv, XXIII.
,, of nail (J. Hutchinson, jun.) xxxvi, XVII, 1, 2.
,, of side of head perforating skull (J. W. Hulke), xxvi, XIII.
,, of upper jaw (H. T. Butlin) xxxii, XXIX, 1–3.
,, — tubular (A. E. Barker) xxxvi, XV.

ERUPTION, papulo-vesicular (J. Hutchinson and A. Sangster) xxxi, XXIV, XXV.
,, peculiar (D. B. Lees) xxviii, XII.

ERYTHRASMA, microparasite of (J. F. Payne) xxxvii, XXIV, 1, 2.

EYELID, horny growth from (W. J. Walsham) xxxi, XXII, 1, 2.

FACE, scleroderma, circumscribed, of the (W. M. Baker) xxxii, XXXI.
,, tumour of the (J. McCarthy) xxxi, XIII, XIV.
,, hemiatrophia facialis (J. F. Payne) xxxii, XXXII.

FALLOPIAN TUBE, papilloma of (A. Doran) xxxi, VIII.

FARCY, histological changes in (H. Bendall) xxxiii, XXVII.

FATTY TUMOUR containing striated muscle-fibre (H. T. Butlin) xxviii, X, 6.

FEMUR, tumour of (J. Hutchinson) xxvii, X, 1–4.
,, endosteal sarcoma of (D'Arcy Power) xxxvii, XIV, 2–4.
,, congenital absence of both (W. R. Williams) xxxv, XVII.

FIBROSARCOMA of tongue (F. S. Eve) xxxvii, IX, 3, 4.

FILARIA SANGUINIS HOMINIS (S. Mackenzie) xxxiii, XXIII—XXV.

FILARIAL HÆMATOCHYLURIA, dissection of case of (S. Mackenzie) xxxiii, XXII.

FINGER, dermal cyst of (A. E. Barker) xxxvii, XVI, 3.

FŒTAL RICKETS, so-called (T. Barlow) xxxii, XXXIII; (S. G. Shattock) ib., XXXIV.

FOOT, perforating ulcer of (C. T. Dent) xxxv, XXXI; (A. J. Pepper and A. Q. Silcock) xxxvi, III; (J. B. Sutton) xxxvii, XXIV, 7, 8.

FRACTURE of astragalus (Sir W. Mac Cormac) xxvi, X; (H. Morris) xxxii, XVIII.
,, sternum (W. A. Lane) xxxiv, XV.

GALLS, sections of (W. H. Cripps) xxxv, XXXVII.

GANGRENE, symmetrical (R. Southey) xxxiv, XXI.

GASTRITIS, phlegmonous (A. Q. Silcock) xxxiv, X, 4, 5.

GENU VALGUM (H. Morris) xxxii, XIX.

GIANT LIMB, skin of (F. S. Eve) xxxiv, XXII, 5.

GRANULAR CONTRACTED KIDNEY (R. Saundby) xxxi, V, VI; (W. S. Greenfield) ib., VII.

GRANULATION MATERIAL from white swelling of knee (R. J. Godlee) xxviii, VI, 3, 4.

GRANULOMA FUNGOIDES (J. F. Payne) xxxvii, XXI—XXIII.

HÆMOPHILIA, changes in thymus in (T. D. Acland) xxxvi, XIX.

HÆMORRHOIDS, internal (W. J. Roeckel) xxxv, VII, 5.

HAIRS, beaded (J. F. Payne) xxxvii, XXIV, 3–6.

HEART, malformation of (H. R. Crocker, D. W. Finlay) xxx, XVI B, 1, 2; (S. Mackenzie) xxxi, 1; (T. B. Peacock) xxxii, III; (S. G. Shattock) xxxv, VI, 1.
,, rupture of right ventricle of (T. B. Peacock) xxxi, II.
,, tumour in cavity of left ventricle (J. B. Yeo) xxvi, III, IV.
HEMIATROPHIA FACIALIS (J. F. Payne) xxxii, XXXII.
HEPATITIS in congenital syphilis (C. J. Symonds) xxxvii, V, I.
HERNIA, diaphragmatic, of omentum (W. M. Baker) xxviii, V.
,, strangulated inguinal (J. McCarthy) xxxii, VI, 1.
HERNIAL REGIONS, lipomata in (J. Hutchinson, jun.) xxxvii, XV.
HOLES in brain (H. Savage and W. Hale White) xxxiv, I.
HORNY GROWTH from eyelid (W. J. Walsham) xxxi, XXII, 1, 2.
HUMERUS, cylindrical cancer of (J. Hutchinson, jun.) xxxvii, XVI, 1.
HYDROCELE of neck, congenital (F. Treves) xxxii, XXIV.
HYDROPHOBIA, medulla and spinal cord in (W. R. Gowers) xxviii, II, III; (J. Ross) xxx, XIV.
HYPERTROPHIED CALLUS of tibia and fibula (B. Pollard) xxxvi, XIV.
HYPERTROPHY of lower jaw (C. Heath) xxxiv, XII.

ICHTHYOSIS of tongue (A. Sangster) xxxiii, V.
INCIPIENT SCLEROSIS of spinal cord (F. C. Turner) xxxvi, II.
INFANTILE PARALYSIS, lesions of (F. Taylor) xxx, XII; (W. Edmunds) xxxiv, II, 1; (R. G. Hebb), xxxv, III, 2.
INGUINAL HERNIA, strangulated (J. McCarthy) xxxii, VI, 1.
INTERMUSCULAR SYNOVIAL CYSTS (D'Arcy Power) xxxvi, XII.
INTERNAL HÆMORRHOIDS (W. J. Roeckel) xxxv, VII, 5.
INTESTINE, congenital occlusion of (J. N. Davies-Colley) xxix, V, 2.
INTRACYSTIC PAPILLOMA of accessory thyroid (B. Pollard) xxxvii, XX, 1.
IRIDESCENCE IN CALCULI (S. G. Shattock) xxxvii, XII.
IVORY PEGS in Dieffenbach's operation, long retention of (W. Anderson) xxxii, XX.

JAW, lower, hypertrophy of (C. Heath) xxxiv, XII.
,, upper, epithelioma, squamous, of (H. T. Butlin) xxxii, XXIX, 1–3.
,, — — tubular, of (A. E. Barker) xxxvi, XV.
JOINTS, tubercular disease of (J. Croft) xxxii, XXI—XXIII.

KIDNEY, adenosarcoma of (F. T. Paul) xxxvii, XI, 1, 2.
,, carcinoma of (S. J. Sharkey) xxxiii, VII.
,, cystic (P. H. Pye-Smith) xxxii, XVII; (S. G. Shattock) xxxvii, X, 2.
,, extrarenal growth (J. Abercrombie) xxxii, XXVIII.
,, in diabetes (S. Taylor) xxxiv, XXIII, 1; (S. Mackenzie) ib., XXIV.
,, granular, histology of (R. Saundby) xxxi, V, VI; (W. S. Greenfield) ib., VII.
,, myoma of (F. S. Eve) xxxiii, II, 2.
,, primary sarcoma of (S. J. Sharkey) xxxv, XIII, 1.

LABIAL TUMOUR (J. F. Goodhart) xxviii, XI, 3, 4.
LACHRYMAL GLAND, chondroma of (H. T. Butlin) xxvi, XII.
LACTIC FERMENTATION (Sir J. Lister) xxix, XX.
LARDACEOUS liver (F. C. Turner) xxxiv, IX, 3.
,, suprarenal capsule (F. C. Turner) xxxv, XXII, 3.
LEPRA LEPROSA (H. V. Carter) xxvii, XII.
LEPROSY, bacilli of (G. Thin) xxxiv, XXII, 1–4.
,, lymphatics and sweat-glands in (G. Hoggan) xxx, XXVI.

LEPROUS NERVE DISEASE (H. V. Carter) xxviii, I.
LEUKÆMIA, organs in (T. T. Whipham) xxix, XV, XVI.
LIP, malignant growth of, with melanosis (F. W. Mott) xxxvii, XIII, 3; XVII, 1.
LIPOMATA in hernial regions (J. Hutchinson, jun.) xxxvii, XV.
LIVER, adenoma of (F. A. Mahomed) xxviii, VIII, 1, 2.
,, acute yellow atrophy of (W. Cayley) xxxiv, V, 1; VI, VII, 3.
,, atrophy of (R. E. Carrington) xxxvi, VII.
,, cancer of (G. Thin) xxxi, XX, 5–9.
,, — primary (F. T. Paul) xxxvi, VIII, IX.
,, cirrhosis of (F. C. Turner) xxxv, IX, 2, 3.
,, — in a child (F. Taylor) xxxi, IV.
,, — hypertrophic (R. Saundby) xxx, XVII.
,, cystic disease of (P. H. Pye-Smith) xxxii, XVII; (W. Hale White) xxxv, XII.
,, infiltrating growth in adrenal and (N. Dalton) xxxvi, I, 3, 4.
,, in infantile syphilis (S. Coupland) xxvii, XIII.
,, scirrhus of, contracting (C. H. Fagge) xxviii, VII.
,, lardaceous (C. F. Turner) xxxiv, IX, 3.
LUNGS of antelope, nematodes in (H. Gibbes) xxxv, XXXVI.
,, of French millstone maker (T. B. Peacock) xxix, II.
,, nodular fibroid phthisis (J. F. Goodhart) xxx, XVI A, 2 and 4.
,, syphilitic disease of (J. F. Goodhart, W. R. Gowers), xxviii, XVIII.
,, tubercle of (J. F. Goodhart) xxx, XVI, XVI A, 1 and 3.
LUPUS, hypertrophic (A. Sangster) xxix, IX, X.
,, lymphaticus (J. Hutchinson and A. Sangster) xxxi, XXIV, XXV; (J. Hutchinson, jun.) xxxvi, XVI, 2, 3.
LYMPHADENOMA (W. S. Greenfield) xxvii, III, 4, 5; xxix, XIII, XIV; (J. H. Porter) ib., XVII, XVIII; (H. G. Sutton) ib., XIX; (R. Jones and S. G Turner) ib., XIX A; (W. H. Dickinson) ib., XIX B.
LYMPHANGEIOMA (S. Jones) xxvi, XVI, 3, XVII.
LYMPHOMA, malignant (J. M. Hobson) xxxiii, XVI.
,, of prostate (S. Coupland) xxviii, IX, 3.
LYMPHOSARCOMA of tonsil (A. E. Barker) xxxvii, IX, 1, 2.
LYMPHOSARCOMATOUS ULCERATION of back (F. Taylor) xxxiv, XVI, 2; XXIII, 2; (J. N. Davies-Colley) ib., XVII, 1; XVIII, 1, 2.
,, — — of neck (A. Durham) xxxiv, XVI, 1.

MALFORMATION of heart, see *Congenital malformation.*
MALIGNANT growth of lip with melanosis (F. W. Mott) xxxvii, XIII, 3; XVII, 1.
,, lymphoma (J. M. Hobson) xxxiii, XVI.
,, myoma of uterus (D. W. Finlay) xxxiv, X, 1–3.
MEDIASTINAL TUMOURS (N. Moore) xxxv, XXII, 1, 2.
MEDULLA OBLONGATA, changes in, causing sudden death (W. Hale White) xxxiii, I, 1–3.
,, — in hydrophobia (W. R. Gowers) xxviii, II, III.
MELANOSIS of skin (J. W. Legg) xxxv, XX, XXI, 1.
,, with malignant growth of lip (F. W. Mott) xxxvii, XIII, 3; XVII, 1.
MILIARY ANEURYSMS of cerebral arteries (F. C. Turner) xxxiii, IV*.
MITRAL VALVE, double (W. S. Greenfield) xxvii, IV.
,, necrosis of (F. C. Turner) xxxv, V.
MOLLITIES OSSIUM, myeloid tumours associated with (H. T. Butlin) xxxi, XVII.
MOLLUSCUM CONTAGIOSUM (T. Fox and T. C. Fox) xxx, XXIX.

MOLLUSCUM FIBROSUM (G. D. Pollock) xxvi, XI, 3; XVI, 1, 2.
MUCOUS POLYPI of rectum (W. H. Cripps) xxxiii, VI, 1, 2.
MUSCLE, striated, in fatty tumour (H. T. Butlin) xxviii, X, 6.
MYELOID TUMOURS associated with mollities ossium (H. T. Butlin) xxxi, XVII.
MYOLIPOMA of spinal cord (W. R. Gowers) xxvii, I, II, 1.
MYOMA of œsophagus (C. H. Fagge) xxvi, V.
„ kidney (F. S. Eve) xxxiii, II, 2.
„ uterus, malignant (D. W. Finlay) xxxiv, X, 1–3.
MYXOMA of breast (H. T. Butlin) xxxiii, XVIII, 1, 2, 5, 6.
MYXOSARCOMA of omentum (F. S. Eve) xxxvii, XIX, 2.
„ of spermatic cord (W. J. Walsham) xxxi, XXI, 2.

NAIL, epithelioma of (J. Hutchinson, jun.) xxxvi, XVII, 1, 2.
NECK, congenital hydrocele of (F. Treves) xxxii, XXIV.
„ lymphosarcomatous ulceration of (A. Durham) xxxiv, XVI, 1.
NECROSIS of mitral valve (F. C. Turner) xxxv, V.
NEMATODES in lungs of antelope (H. Gibbes) xxxv, XXXVI.
NERVES after amputation (W. Hale White) xxxiv, II, 2–4.
„ in infantile paralysis (W. Edmunds) xxxiv, II, 1.
NEURITIS, optic (E. Nettleship) xxxi, XII.
„ — in hydrocephalus (E. B. Baxter) xxxiii, I, 4.
„ peripheral (W. Hale White) xxxvii, II, 2.
NEUROMA, multiple (C. de Morgan) xxvi, I, II.
„ of parotid (J. Hutchinson, jun.) xxxvii, XVI, 2.
NIPPLE, disease of (G. Thin) xxxii, XXX.

OBLITERATIVE TRACHEITIS (R. W. Parker) xxxvii, II, 3, 4.
ŒSOPHAGUS, myoma of (C. H. Fagge) xxvi, V.
OMENTUM, myxosarcoma of (F. S. Eve) xxxvii, XIX, 2.
OPTIC NEURITIS (E. Nettleship) xxxi, XII.
„ — in hydrocephalus (E. B. Baxter) xxxiii, I, 4.
OSSIFYING CHONDRO-SARCOMA (R. W. Parker) xxxi, IX.
OSTEITIS DEFORMANS, (H. Morris) xxxiv, XIII.
OSTEOMALACIA (J. N. Davies-Colley) xxxv, XIV, XV, 1, 2.
OVARY, adenoma of (F. S. Eve) xxxvii, X, 3.
„ adenosarcoma of (F. S. Eve) xxxvii, XI, 2.
„ cysts in (A. Doran) xxxii, VI, 2.
„ gangrenous cyst of (J. K. Thornton) xxvii, V.
„ papillary cyst of (A. Doran) xxxiii, IX.
„ tumour of (G. C. P. Murray) xxvi, IX, 1, 2; (J. K. Thornton) xxviii, X, 1–5.

PALATE, adenoma of (J. Hutchinson) xxxvii, XIX, 1.
„ dermoid tumour of (W. Hale White) xxxii, XXVII.
PAPILLARY CYST of ovary (A. Doran) xxxiii, IX.
PAPILLOMA in line of branchial fissure (H. H. Clutton) xxxv, XXV.
„ of Fallopian tube (A. Doran) xxxi, VIII.
„ of tongue (W. W. Wagstaffe) xxvi, VI, VII.
PAPULO-VESICULAR ERUPTION on skin (J. Hutchinson and A. Sangster) xxxi, XXIV, XXV.
PAROTID, neuroma of (J. Hutchinson, jun.) xxxvii, XVI, 2.
PERFORATING ULCER of foot (C. T. Dent) xxxv, XXXI; (A. J. Pepper and A. Q. Silcock) xxxvi, III; (J. B. Sutton) xxxvii, XXIV, 7, 8.

PERIHEPATITIS, syphilitic (S. J. Sharkey) xxxiv, VII, 2.
PERIOSTITIS, hæmorrhagic (T. Smith) xxvii, VI.
PERIPHERAL NEURITIS (W. Hale White) xxxvii, II, 2.
PERITONEAL INFECTION with tumours of ovaries (J. K. Thornton) xxviii, X, 1–5.
PES GIGAS (J. N. Davies-Colley) xxxiii, XII, 1.
PHLEGMONOUS GASTRITIS (A. Q. Silcock) xxxiv, X, 4, 5.
PHTHISIS, nodular fibroid (J. F. Goodhart) xxx, XVI A, 2, 4.
PIEDRA (M. Morris) (P. H. Pye-Smith) xxx, XXVIII.
PINEAL BODY, adenosarcoma of (F. C. Turner) xxxvi, I, 1–2 A.
PNEUMONIA, chronic lobar (S. Coupland) xxx, XV.
„ interstitial (E. H. Greenhow) xxviii, IV, 4.
„ — in congenital syphilis (C. J. Symonds) xxxvii, IV, V, 2.
„ syphilitic (W. S. Greenfield) xxvii, III, 1–3.
POLIOMYELITIS, anterior, acute (F. C. Turner) xxx, XIII.
POLYPI, mucous, of rectum (W. H. Cripps) xxxiii, VI, 1–2.
POPLITEAL ANEURYSM (W. W. Wagstaffe) xxix, IV, 3.
PRESSURE, effects of, on spinal column (W. A. Lane) xxxvi, XIII.
PROSTATE, cancer of (A. Q. Silcock) xxxv, XIII, 2, 3.
„ colloid scirrhus of (S. Boyd) xxxiii, VIII.
„ medullary cancer of (S. Coupland) xxviii, IX, 1, 2.
„ lymphoma of (S. Coupland) xxviii, IX, 3.
PSAMMOMA of spinal cord (J. Hutchinson, jun.) xxxiii, III.
PULMONARY ARTERY, miliary tubercle in (F. C. Turner) xxxvii, VI, 2.
„ thrombosis (F. C. Turner) xxxvii, VI, 1.
PULSATING cranial tumour (H. Morris) xxxi, XV, XVI.
PURPURA HÆMORRHAGICA (W. W. Cheyne) xxxv, XXVIII.
„ following syphilis (J. W. Legg) xxxvi, XVIII.
PYÆMIA and septicæmia, illustrating report on, xxx, I to XI.

RADIUS, congenital absence of (S. G. Shattock) xxxiii, XIII, 1–5.
RASH, bromide (H. R. Crocker) xxix, VIII; (W. Tay and S. Mackenzie) xxxv, XXVI.
RECTUM, adenoid disease of (W. H. Cripps) xxxii, VII to XVI.
„ atresia of (R. W. Parker) xxxv, XI, 1.
„ dermoid tumour of (H. Port) xxxi, XXIII.
„ mucous polypi of (W. H. Cripps) xxxiii, VI, 1, 2.
„ peculiar epithelial tumour of skin near (H. H. Clutton) xxxvii, XVIII.
RHINOSCLEROMA (J. F. Payne and F. Semon) xxxvi, IV, V.
RICKETS, fœtal (T. Barlow) xxxii, XXXIII; (S. G. Shattock) ib., XXXIV.
„ histology of (J. B. Sutton) xxxiv, XX, 3.
RICKETY DEFORMITY of thorax (R. W. Parker) xxxiii, XII, 2.
RODENT ULCER (T. Fox and T. C. Fox) xxx, XX to XXII; (G. Thin) ib., XXIV, xxxvi, XVII, 5, 7.
RUPTURE of right ventricle (T. B. Peacock) xxxi, II.
RUPTURED AXILLARY ARTERY (H. G. Howse) xxviii, VI, 1, 2.

SACRAL TUMOUR, congenital (S. G. Shattock) xxxii, XXV, XXVI.
SARCOMA, alveolar, of skull (H. H. Clutton) xxxiv, XIV; of subcutaneous tissue (R. J. Godlee) xxvi, XI, 1, 2; of thumb (H. T. Butlin) xxxiii, XVIII, 3, 4.
„ of bladder (W. R. Williams) xxxiii, XIX; (F. S. Eve) xxxvi, XI.
„ multiple (H. T. Butlin) xxix, V, 3–6.

SARCOMA (*continued*)—
„ blood-cyst in (R. J. Godlee) xxvi, XIV, 1, 2.
„ primary, of kidney (S. J. Sharkey) xxxv, XIII, 1.
„ endosteal, of femur (D'Arcy Power) xxxvii, XIV, 2–4.
„ round-celled, or cylindroma (H. T. Butlin) xxxii, XXIX, 4–7.
„ of sclerotic (E. Nettleship) xxvii, VIII.
„ spindle-celled, in muscles of calf (W. J. Walsham) xxix, VI A.

SCALP, adenoma of (S. G. Shattock) xxxiii, XIII, 6.

SCARLATINA, anatomical changes in (E. Klein) xxviii, XXXII to XXXIV.

SCIATIC NERVE, tumour of (D. B. Balding) xxvii, II, 2–5; recurrent (S. Coupland) xxviii, IV, 1, 2.

SCIRRHUS of male breast (W. W. Wagstaffe) xxvii, IX.
„ of liver, primary contracting (C. H. Fagge) xxviii, VII.
„ of prostate, colloid (S. Boyd) xxxiii, VIII.

SCLERODERMA, circumscribed, of face (W. M. Baker) xxxii, XXXI.

SCLEROSIS, diffuse, of brain (H. Ashby) xxxvii, I.
„ incipient, of spinal cord (F. C. Turner) xxxvi, II.

SCLEROTIC, sarcoma of (E. Nettleship) xxvii, VIII.

SEBACEOUS CYST, warty tumour in (H. T. Butlin) xxvii, XI, 3–9.

SEMILUNAR CARTILAGE, dislocation of (R. J. Godlee) xxxi, XI.

SKIN, adenoma of (F. S. Eve) xxxiii, II, 3.
„ melanosis of (J. W. Legg) xxxv, XX, XXI, 1.
„ of a giant limb (F. S. Eve) xxxiv, XXII, 5.

SKULL, alveolar sarcoma of (H. H. Clutton) xxxiv, XIV.
„ trabeculated (W. Hale White) xxxvii, XIV, 1.

SPERMATIC CORD, myxosarcoma of (W. J. Walsham) xxxi, XXI, 2.
„ tumour of (W. J. Walsham) xxxi, XXI, 1, 3; XXII, 3, 4.

SPINAL COLUMN, effects of pressure on (W. A. Lane) xxxvi, XIII.

SPINAL CORD, changes in, in arterio-capillary fibrosis (Sir W. W. Gull and H. G. Sutton) xxviii, XIX—XXXI.
„ — in hydrophobia (W. R. Gowers) xxviii, II, III; (J. Ross) xxx, XIV.
„ — in tetanus (J. Ross) xxx, XIV.
„ — in perforating ulcer of foot (A. J. Pepper and A. Q. Silcock) xxxvi, III; (J. B. Sutton) xxxvii, XXIV, 7, 8.
„ in joint affection of locomotor ataxy (W. B. Hadden) xxxvii, III.
„ in infantile paralysis (F. Taylor) xxx, XII.
„ acute anterior poliomyelitis (F. C. Turner) xxx, XIII.
„ myolipoma of (W. R. Gowers) xxvii, I, II, 1.
„ psammoma of (J. Hutchinson, jun.) xxxiii, III.
„ tumour of (T. T. Whipham) xxxii, I, II.
„ incipient sclerosis of (F. C. Turner) xxxvi, II.

SPORADIC CRETINISM (A. A. Bowlby) xxxv, XXXII, XXXIII, 2, 3.

STENOSIS of upper air passages (F. Semon) xxxiii, IV.

STERNOMASTOID MUSCLE, induration of (F. Taylor) xxvi, XIV, 3.

STERNUM, fracture of (W. A. Lane) xxxiv, XV.

STOMACH, columnar epithelioma of (D. W. Finlay) xxxiv, VIII, IX, 1, 2.
„ stricture and atrophy of (S. J. Sharkey) xxxv, X.

SUBMAXILLARY GLAND, enchondroma of (H. T. Butlin) xxviii, XI, 1, 2.

SUPPURATIVE arteritis (C. J. Symonds) xxxv, VIII.
„ arthritis in infants (J. Poland) xxxv, XVIII.

SUPRARENAL CAPSULE, atrophy of (W. B. Hadden) xxxvi, XVI, 1.
„ disease of (T. B. Peacock) xxvii, X, 7; (J. F. Goodhart) xxx, XXVII, 1, 2; (D. J. Leech) ib., XXVII, 3, 4.

SUPRARENAL (*continued*)—
„ hæmorrhage in (E. H. Greenhow) xxviii, IV, 3.
„ lardaceous (F. C. Turner) xxxv, XXII, 3.
SYMMETRICAL GANGRENE (R. Southey) xxxiv, XXI.
SYNOVIAL CYSTS, intermuscular (D'Arcy Power) xxxvi, XII.
SYPHILIS, congenital, bone lesions in (R. W. Parker) xxxi, X.
„ — calvaria in (T. Barlow) xxx, XVIII, XIX.
„ — liver in (S. Coupland) xxvii, XIII.
„ visceral (W. S. Greenfield) xxviii, XIV, 5–9; (F. C. Turner and H. G. Sutton) ib., XVII.
SYPHILITIC arteritis (W. S. Greenfield) xxviii, XIII; xxix, I, 1, 2; (T. Barlow), (A. Davidson), (W. R. Gowers) xxviii, XV, XVI; (W. Anderson) xxxii, IV, V, 1, 2; (S. J. Sharkey) xxxiv, VII, 1.
„ perihepatitis (S. J. Sharkey) xxxiv, VII, 2.
„ pneumonia (W. S. Greenfield) xxvii, III, 1–3.
„ — and hepatitis (C. J. Symonds) xxxvii, IV, V.
„ disease of lung (J. F. Goodhart), (W. R. Gowers) xxviii, XVIII.
„ tumour of anterior cerebral artery (W. S. Greenfield) xxix, I, 1, 2.
SYPHILOMA, cerebral (W. R. Gowers) xxviii, XIV, 10.
SYRINGOMYELUS (F. Taylor) xxix, I, 3, 4; xxxv, II.

TESTICLE, cancer of (H. Marsh) xxvi, VIII, 2, 3.
„ scrofulous (W. M. Baker) xxvi, VIII, 4, 5.
TETANUS, changes in cord and medulla in (J. Ross) xxx, XIV.
THIGH, adenosarcoma of (F. S. Eve) xxxv, XV, 3.
THORAX, rickety deformity of (R. W. Parker) xxxiii, XII, 2.
THROMBOSIS, pulmonary (F. C. Turner) xxxvii, VI, 1.
THUMB, alveolar sarcoma of (H. T. Butlin) xxxiii, XVIII, 3, 4.
THYMUS, changes in, in hæmophilia (T. D. Acland) xxxvi, XIX.
THYROID, intracystic papilloma of accessory (B. Pollard) xxxvii, XX, 1, 2.
„ primary tumour of (N. Moore) xxxvii, XX, 3.
TIBIÆ, displacement of (C. T. Dent) xxxiii, XIV.
TONGUE, fibrosarcoma of (F. S. Eve) xxxvii, IX, 3, 4.
„ ichthyosis of (A. Sangster) xxxiii, V.
„ papilloma of (W. W. Wagstaffe) xxii, VI, VII.
„ tubercular disease of (W. B. Hadden) xxxiv, V, 2; (A. E. Barker) xxxv, IX, 1.
TONSIL, lymphosarcoma of (A. E. Barker) xxxvii, IX, 1, 2.
TRABECULATED SKULL (W. Hale White) xxxvii, XIV, 1.
TRACHEITIS, obliterative (R. W. Parker) xxxvii, II, 3, 4.
TUBERCLE of lung (J. F. Goodhart) xxx, XVI, XVI A.
„ miliary, in pulmonary artery (F. C. Turner) xxxvii, VI, 2.
TUBERCULAR DISEASE of joints (J. Croft) xxxii, XXI—XXIII.
„ — of tongue (W. B. Hadden) xxxiv, V, 2; (A. E. Barker) xxxv, IX, 1.
TUBERCULOSIS in birds (J. B. Sutton and H. Gibbes) xxxv, XXXV.

ULCERATIVE AORTITIS (F. C. Turner) xxxvii, VI, 3; VII.
UTERUS, malignant myoma of (D. W. Finlay) xxxiv, X, 1–3.

VENA CAVA, double (S. G. Shattock) xxxv, VI, 2, 3.

XANTHELASMA (J. Startin) xxxiii, XX, 2.
„ congenital (T. Barlow) xxxv, XXVII.
XANTHOMA TUBEROSUM (M. Morris) xxxiv, XX, 1, 2.

ZYGOMATIC FOSSA, tumour of (J. Wood) xxvi, IX, 3–7.

WOODCUTS.

ADDISON'S DISEASE, peculiar pigmentation in (D. J. Leech) . xxx, 481
ANÆMIA, idiopathic (W. H. Dickinson) . . xxix, 382, 383
ANEURYSM, cerebral (W. S. Greenfield) . . xxix, 93, 94
„ miliary, of anterior cerebral artery (T. Barlow) . . xxix, 8
AORTIC ARCH, double, enclosing trachea and œsophagus (J. Curnow) . . . . . xxvi, 35
APPARATUS for experiments in lactic fermentation (Sir J. Lister) xxix, 427–429

BRANCHIAL FISSURES, congenital cysts in (W. W. Wagstaffe) xxix, 194–200
BRAIN TUMOURS, sites of (J. A. Ormerod) xxxv, 27, 28; (R. Saundby) xxxvii, 37, 39, 40; (W. M. Ord) xxxvii, 45.

CALCULUS from kidney (W. M. Ord) . . . xxxi, 185
„ large, with mulberry nucleus G. Lawson) . . . xxxiv, 149
„ removed by supra-pubic lithotomy (P. Swain) . . xxxi, 184
CARTILAGE, epiphysial, &c., of femur of Macaque monkey (J. B. Sutton) . . . . . xxxiv, 319
CARTILAGINOUS TUMOUR from epiphysial line of metatarsal bone of ostrich (J. B. Sutton) . . . . xxxiv, 317
„ — from growing line of lower end of humerus of a lizard (J. B. Sutton) . . . . . xxxiv, 316
„ — recurrent, of head and neck (G. Lawson) . xxxiv, 262, 263
CEREBRAL LESIONS in malignant endocarditis (S. J. Sharkey) . xxxvi, 139
CHARCOT'S DISEASE affecting both hip-joints (W. Hale White) . xxxv, 312
CLAVICLE, congenital deformity of (T. S. Dowse) . . xxvi, 167
CLAVUS of hands and feet (J. N. Davies-Colley) . . xxx, 452
CLUB-FOOT, congenital, pathology and etiology of (R. W. Parker and S. G. Shattock) . . . . xxxv, 432–442
COARCTATION of aorta (W. Hale White) . . . xxxvi, 180
CONGENITAL absence of long bones (R. W. Parker) . xxxiii, 237–239
„ malformation of hand and foot (S. Coupland) . . xxxii, 190
„ — of pharynx and œsophagus (J. W. Ilott) . xxvii, 150, 151
CRETINISM, sporadic (F. Beach) . . . xxvii, 318–321
CYST in broad ligament (A. Doran) . . . . xxxvii, 349

EAR of grass discharged through back (S. Wilks) . . xxxiii, 424
ELEPHANTIASIS of clitoris (Dr. London) . . . xxix, 405
„ hands and feet (Dr. London) . . . . xxix, 406

FIBULA, congenital absence of (A. P. Gould) . . . xxxii, 153
FILARIA SANGUINIS HOMINIS (J. Bancroft) . xxix, 412–416

FRACTURE, impacted, of shaft of femur (T. Bryant) . . xxix, 190
„ of hyoid bone and larynx (W. A. Lane) . . . xxxvi, 86
„ of skull in infants, with effusion of serous fluid (R. J. Godlee) xxxvi, 316, 320
„ of superior cornua of thyroid cartilage (S. G. Shattock) . xxxvi, 96

HIP-JOINT, head and neck of femur, removed in resection of (W. Adams) . . . . . xxxvi, 155
HYDATID CYST in recto-vesical pouch (E. H. Fenwick) . xxxvii, 318
HYDROCEPHALUS in adult (W. A. Brailey) . . . xxxii, 2
HYPERTROPHY of head, unilateral (R. Barwell) . . xxxii, 282
„ of left ramus of lower jaw (C. Heath) . . . xxxiv, 186

ICHTHYOSIS, congenital, of hands and feet (J. Startin) . xxxii, 269
INFANTILE PARALYSIS, spinal cord in (H. Humphreys) . xxx, 213

KIDNEY, conjoined (F. C. Turner) xxxvii, 284; solitary (S. Coupland) xxviii, 160.

LARYNX, encephaloid cancer of (L. Browne) . . . xxix, 251
„ from infant, subject of obstructed inspiration (D. B. Lees) . xxxiv, 20

MALFORMED FOOT (S. Jones) . . . . xxxvii, 556
MEDULLA OBLONGATA, symmetrical degeneration of (W. B. Hadden) . . . . . xxxiii, 22
MITRAL VALVE, compensatory enlargement of anterior flap (W. R. Gowers) . . . . . xxviii, 56
MICROCOCCI and bacteria from wounds treated antiseptically and non-antiseptically (W. W. Cheyne) . . . xxx, 563
MOLLITIES OSSIUM; rheumatoid arthritis; Charcot's disease (W. A. Lane) . . . . . xxxv, 300, 301
„ partial; Charcot's disease; spondylolisthesis (W. A. Lane) . xxxv, 310
MOLLUSCUM CONTAGIOSUM (T. Fox and T. C. Fox) . . xxx, 464–467
MYOSARCOMA of kidney (D. Williams) , . . xxxiii, 318
MYXOFIBROMA of left parotid, recurrent (C. Heath) . . xxxv, 342
MYXOSARCOMA of spermatic cord (W. J. Walsham) . . xxxi, 300

NEUROMA, multiple, of forearm (C. De Morgan) . . xxvi, 3, 4

OBTURATOR HERNIA, double (A. A. Bowlby) . xxxiv, 110, 111
ORBIT, congenital growth in (G. Lawson) . . . xxxvi, 418
OSTEO-ARTHRITIS of vertebræ in horse, python, and lion (J. B. Sutton) . . . . . xxxvii, 582–584

PERFORATING ULCER of foot in civet cat (J. B. Sutton) . xxxvii, 538
PHARYNX, epithelioma of, invading larynx (L. Browne) . xxix, 250
PROTRUSION of orifice of ureter through meatus urinarius (J. N. Davies-Colley) . . . . . xxx, 311
PULSE TRACINGS, in arterio-capillary fibrosis (F. A. Mahomed) . xxviii, 394
„ in ulcerative endocarditis (S. Coupland) . . . xxvii, 74
„ venous and radial in case of adenosarcoma of testis (V. Horsley) xxxiv, 164
PYTHON SEBÆ, diagram of veins in (J. B. Sutton) . . xxxiv, 323

RACHITIC OSTEOMALACIA (R. Barwell) . . . xxxiv, 203
REPRODUCTIVE ORGANS in animals, diseases of (J. B. Sutton) xxxvi, 499–527

RESPIRATORY ORGANS in animals, diseases of (J. B. Sutton) xxxvi, 82–83
RHEUMATOID ARTHRITIS, pathology of (W. A. Lane) xxxvii, 399 *et seq.*
RICKETS in a baboon (J. B. Sutton) . . . xxx, 33
„ late (F. D. Drewitt) . . . . . xxi, 98
RODENT ULCER (G. Thin) . . . . xxx, 3[illegible]–382

SARCOMATOUS BLOOD-CYST of spine (W. H. Kesteven) xxxiv, 2[illegible]–2[illegible]
SARCOMATOUS TUMOUR from cornea and sclerotic (G. Lawson) . x[illegible], 1[illegible]
STENOSIS of pulmonary artery (T. B. Peacock) . . x[illegible], 3[illegible]
STERNUM, fracture of (W. A. Lane) . . xxxv, 2[illegible]–2[illegible]
STOMACH, stenosis of cardiac orifice of (F. C. Turner) . . xx[illegible], 1[illegible]
SUBDURAL CYST, site of (P. W. Macdonald) . . . xxx[illegible], 7
SWEAT DUCTS in leprosy and cancer (G. Hoggan) . xxx, 4[illegible]–4[illegible]
SYNOSTOSIS of vertebræ (C. H. Fagge) xxviii, 203–204; (J. N. Davies Colley) xxxvi, 361.
SYPHILITIC GROWTH in choroid (T. Barlow) . . xxv[illegible] 2[illegible]
SYRINGOMYELUS (F. Taylor) . . . . xx[illegible] 2

TEETH, artificial, removed from larynx, passed by bowels (C. Heath) . . . . . xxv[illegible] 3[illegible]
THYROTOMY, larynx and trachea after (W. P. Thornton) . xxv[illegible] 294
TONGUE, circular wandering rash on (A. E. Barker) . xxxi, 3[illegible]–356
„ epithelioma of, invading tonsil (L. Browne) . . xx[illegible] 2[illegible]
„ hypertrophy of (F. Clarke) . . . xxvi, 11[illegible]
TONSIL, primary cancer of (L. Browne) . . . xx[illegible]

VACCINIA, organisms from lymph of (R. J. Godlee) . . xxvi[illegible]
VENA CAVA SUPERIOR, persistence of left (W. S. Greenfield) xxvii, 12[illegible]
VENTRICULAR SEPTUM, defect in (S. Coupland) . . xx[illegible]

PRINTED BY ADLARD AND SON, BARTHOLOMEW CLOSE.

BINDING SECT. MAR 29 1968

RB
1
P4
Index
v. 26-37

Pathological Society of London
Transactions

Biological
& Medical
Serials

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY